

FULL QUALITY ASSURANCE CERTIFICATE

Certificate No.:
138447-2013-CE-FIN-ACCREDIA

Initial date:
08 October, 2007

Validity:
04 July, 2025 – 03 July, 2028

This certificate consists of 3 pages

This is to certify that the quality system of:

Vexve Oy

Pajakatu 11, 38200 Sastamala, Finland

has been assessed and found to comply with respect to the conformity assessment procedure described in:

ANNEX III MODULE H OF DIRECTIVE 2014/68/EU ON PRESSURE EQUIPMENT

This certificate is valid for the following scope:

Type of Pressure Equipment

Pressure Accessories

Product Name

Ball Valves, Butterfly Valves

Place and date:
Vimercate, 06 June, 2025

Check Validity



N° 0003 MS

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC Mutual Recognition Agreements

For the issuing office:
Notified Body 0496, Italy
DNV Business Assurance Italy S.r.l.



Maurizio Bellina
Management Representative

Jurisdiction

Application of Directive 2014/68/EU and Decreto Legislativo n. 26 of 15 February 2016.

Certificate history:

Revision	Description	Issue Date
00	Original certificate as Notified Body 0496 (replaces the certificate issued by Det Norske Veritas AS, Norway)	04 July, 2013
01	Recertification	14 April, 2016
02	Recertification	12 June, 2019
03	Recertification	23 June, 2022
04	Recertification	06 June, 2025

Products covered by this Certificate:

Product Name	Product Description	Type of material	Applied product standard
Ball valves	DN10-DN800 / PN10-PN40	Fully welded construction.	EN 13445
Butterfly valves	DN300-DN1600 / PN10-PN25	Produced in carbon steels and austenitic steels	EN 13480 EN 12266-1

Sites covered by this certificate

Site Name	Site Address	Audited by	Date	Report ref
Vexve Oy	Pajakatu 11, 38200 Sastamala, Finland Riihenkalliontie 10, 23800 Laitila, Finland	Pekka Liikanen	2025-04-14 – 2025-04-17	Assessment Report dated 2025-04-17



Certificate No.: 138447-2013-CE-FIN-ACCREDIA
Place and date: Vimercate 06 June, 2025
Revision No.: 04

Applications/limitations

- Valves with copper in the end pipes are limited in size to DN50.
- Design temperature below creep temperature (time dependent).
- Design pressure less or equal to 6 Mpa(g).
- Fluids in group 1 and 2, except valves with copper in the end pipes which are limited to fluid group 2.

Terms and conditions

Valid terms and conditions are found in the DNV's PED Certification Requirements

End of Certificate

