

Fujitsu recommends Windows 10 Pro.

Data Sheet

FUJITSU Notebook LIFEBOOK E459

Your Well-Equipped Everyday Partner

The FUJITSU Notebook LIFEBOOK E459 is exclusively designed for office workers needing a powerful and well-equipped notebook that offers a fair price-performance ratio. Ultimate connectivity options such as 4 G/LTE, an integrated fingerprint sensor and a modern new design help you to work efficiently wherever you are.

Modern and robust design

Reliable mobility, ease of use and modern looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 2.04 kg and featuring a robust and new cross wave 3D textured finish
- Enjoy an ergonomic viewing experience with an anti-glare 14.0-inch or 15.6-inch HD or FHD display

Reliable and secure performance

- New integrated area fingerprint sensor, TPM 2.0

Best in class connectivity

Be flexible and stay productive wherever you are

- Full set of ports with a full-sized HDMI, VGA, LAN connector, Display Port and USB Type-C
- Embedded 4G/LTE enables you to access and transfer data faster

Convenient serviceability and upgradeability

Easy access to key components to reduce upgrade time and costs

- Battery, memory, internal storage and connectivity components (LTE & WLAN) can be changed with ease



Components

Base unit	LIFEBOOK E459
Operating systems	
Operating system pre-installed	Windows 10 Home
Processor	Intel® Core™ i7-8550U processor (1.8 GHz, up to 4.0 GHz, 8 MB) *
	Intel® Core™ i5-8350U processor (1.7 GHz, up to 3.6 GHz, 6 MB)
	Intel® Core™ i5-8250U processor (1.6 GHz, up to 3.4 GHz, 6 MB) *
	Intel® Core™ i3-8130U processor (2 Cores / 4 Threads, 2.2 GHz, up to 3.4 GHz, 4 MB) *
	*Processor only for retail, SMB, education and government
Memory modules	
	4 GB (1 module(s) 4 GB) DDR4, , SO DIMM
	8 GB (1 module(s) 8 GB) DDR4, , SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, , SO DIMM
Hard disk drives (internal)	
	SSD SATA III, 512 GB M.2 module, OPAL capable
	SSD SATA III, 256 GB M.2 module, OPAL capable
	SSD SATA III, 256 GB M.2 module
	SSD SATA III, 1 TB M.2 module, OPAL capable
	PCIe-SSD, 512 GB M.2 NVMe module, SED
	PCIe-SSD, 256 GB M.2 NVMe module, SED
	HDD SATA III, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	HDD SATA III, 5,400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCIe
Interface add on cards/components (optional)	
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
Multimedia	
Camera	Built-in webcam (HD) with Status LED
Camera notes	720p, 1 megapixels, 1280 x 720
Microphone	dual digital array microphone

Base unit

Base unit	LIFEBOOK E459
General system information	
Chipset	Integrated
Supported capacity RAM (max.)	32 GB
Memory slots	2 SO DIMM (DDR4, 2400 MHz)
LAN	10/100/1,000 MBit/s Intel® I219V
BIOS version	UEFI Specification 2.5
BIOS features	InsydeH2O BIOS
Audio codec	Realtek ALC255 with MaxxAudio

General system information

Audio features	2x built-in speakers (stereo)
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.

Product design

Color	Black
--------------	-------

Display

Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 40°, Top 10°, Bottom 30°; Color Gamut: 45%, response time 25 ms FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 45%, response time 25 ms
----------------------	--

Brightness - typical	HD - 220 cd/m², FHD 250 cd/m²
-----------------------------	-------------------------------

Contrast - typical	HD - 500:1, FHD - 700:1
---------------------------	-------------------------

Base unit	LIFEBOOK E459
------------------	---------------

TFT resolution (DisplayPort)	up to 4,096 x 2,160 @ 60 Hz
-------------------------------------	-----------------------------

TFT resolution (HDMI)	up to 3,840 x 2,160 @ 30 Hz
------------------------------	-----------------------------

TFT resolution (VGA)	up to 1,920 x 1,200
-----------------------------	---------------------

Graphics brand name	Intel® HD Graphics 620, Intel® UHD Graphics 620
----------------------------	---

Graphics features	3 Display Support
--------------------------	-------------------

Graphics notes	Shared memory depending on main memory size and operating system
-----------------------	--

Interfaces

DC-in	1
--------------	---

Audio: line-out / headphone	1 (combo port with Audio line-in)
------------------------------------	-----------------------------------

Audio: line-in / microphone	1 (combo port with Audio line-out)
------------------------------------	------------------------------------

Internal microphones	2x digital array microphones (optional)
-----------------------------	---

USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)
-------------------------------------	--

USB Type-C	1 Alternate Mode (Display-Port Tunnel & Power Delivery)
-------------------	---

VGA	1
------------	---

DisplayPort	1 v1.2 (exclusive with HDMI)
--------------------	------------------------------

HDMI	1 v1.4
-------------	--------

Ethernet (RJ-45)	1 (with status LED)
-------------------------	---------------------

Memory card slots	1 SD 3.0 Standard SD/microSD card: 2GB SDHC/microSDHC card: 32GB SDXC/microSDXC card: 2TB Speed Class: up to UHS-I (104MB/s)
--------------------------	--

SIM card slot	1 (Micro-SIM, only for models with integrated 4G/LTE module)
----------------------	--

Kensington Lock support	1
--------------------------------	---

Port Replicator interfaces (optional)

	Model: USB Type-C PR	---
DC-in	19V/90W required	19V/90W required
Power on switch	1	1
Audio: comments	Combo jack for headset usage	Combo jack for headset usage
USB 3.1 Gen1 (USB 3.0) total	3x USB3.1 Gen.1 Type A - 4.5W 1x USB3.1 Gen.1 Type C - 15W 1x USB3.1 Gen.1 Type C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input	3x USB3.1 Gen.1 Type A - 4.5W 1x USB3.1 Gen.1 Type C - 15W 1x USB3.1 Gen.1 Type C - Up to 60 W (PD v2.0-1.1) power output to client or 4.5W input
DisplayPort	1 (up to 2560 x 1600)	1 (up to 2560 x 1600)
VGA	up to 1920x1200 @ 60Hz depending on FJ mobile client	up to 1920x1200 @ 60Hz depending on FJ mobile client
HDMI text	1	1
Kensington Lock support	no	no

Keyboard and pointing devices

Keyboard w/o touchstick (spill-resistant)
 Number of keyboard keys: 106, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm
 Multi gesture touchpad with two mouse buttons
 Status LED
 Power Button

Wireless technologies

Antennas 2 Dual band WLAN antennas, 2 LTE antennas optional
Bluetooth v4.2
WLAN encryption WEP, WPA, WPA2
WLAN notes Import and usage according to country-specific regulations.
WiDi support Yes (with Intel W-LAN)
GPS Embedded in 3G/4G module if configured with WWAN

Power supply

AC Adapter 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) standard AC-Adapter
1st battery options 3,490 mAh, 50 Wh
1st battery Lithium polymer battery 4-cell, 50 Wh
Battery features Quick Charge: 80% in 1h
Runtime 1st battery up to 12 h
Battery notes Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details.
 The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.

Noise emission

Noise emission Please refer to the Eco Declaration

Dimensions / Weight / Environmental

Dimensions (W x D x H) 379 x 256 x 23.9 mm
 14.92 x 10.08 x 0.94 inch
Weight from 2.04 kg
Weight (lbs) from 4,49 lbs
Weight notes Weight may vary depending on actual configuration
Operating ambient temperature 5 - 35 °C (41 - 95 °F)
Operating relative humidity 20 - 80 %

Compliance

Product LIFEBOOK E459
Model ME15A
Germany GS (Full HD Display only)
Europe CE
 CB
Global RoHS (Restriction of hazardous substances)
 WEEE (Waste electrical and electronic equipment)
 Microsoft Operating Systems (HCT / HCL entry / WHQL)
 ENERGY STAR® 7.0
 EPEAT® in progress (dedicated regions)
Compliance link <https://sp.ts.fujitsu.com/sites/certificates>

Additional Software

Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
Manageability software	DeskView Client DeskView Instant BIOS Management
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)

Security

System and BIOS Security	Trusted Platform Module (TPM 2.0) EraseDisk (optional)
User Security	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)

Warranty

Warranty period	1 year (for countries in EMEA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://www.fujitsu.com/warranty
Product Support Services - the perfect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/

Recommended Accessories

Battery 4 cell 50 Wh



The 4 cell 50 Wh battery requires a voltage of 14.4 V and has a capacity of 3490 mAh. The weight of the battery is 300 gms and the recharge time of the cell is 60 minutes for a 80% charge and 150 minutes for a complete 100% charge.

Order Code:
S26391-F1616-L100

Wireless Mouse Touch WI910



The Fujitsu Wireless Mouse Touch WI910 has a special touch sensitive surface that recognizes when your hand touches the mouse even before you move it. This provides nearly instantaneous wake-up from the intelligent energy saving sleep mode. Unbeatable responsiveness combines with features like switchable resolution, and three programmable buttons for a unique user experience.

Order Code:
S26381-K465-L100

Ultra Slim Portable DVD Writer GP60NB60



For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. Upgrade your notebook or PC with this external drive and use it wherever you are.

Order Code:
S26341-F103-L142

Privacy Filters



To use privacy filters is a must in times of increased safety requirements. Fujitsu's Privacy Filters block unauthorized views on your screen while you are sitting in an external meeting or working in a train. The front view remains clear for the user's eyes only. The filters are easy to attach and what's more: They also protect your screen from small scratches and damages.

Order Code:
S26391-F6098-L215

Prestige Case 15



The Prestige Case 15 protects notebooks with up to 15.6-inch screens. The front half of the bag has compartments for your notebook, power cord and office supplies. Through the nylon pockets you can see your modular bay accessories. The back half of the bag has a divided file compartment.

Order Code:
S26391-F1194-L60

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK E459, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E459, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/emeia/products/computing/pc/notebooks/index.html

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com
2020-09-02 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>
Copyright 2020 Fujitsu Technology Solutions GmbH