



" VAD " SRL
Tel: + 373 (22) 738957
Fax: + 373 (22) 735763
e-mail: sales@vad.md
Sos. Hincesti 59, Chisinau, Moldova

Specificații tehnice (F4.1)

Numărul licitației: № ocds-b3wdp1-MD-1571233063222						Data: 01.11.2019		Alternativa nr. Nu se aplica
Denumirea licitației: Echipament informatic, accesorii pentru computer și articole conexe. Aparate electrice.						Lot: 1, 4, 8, 10		Pagina 1 din 1
Nr	Codul CPV	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
	1	2	3	4	5	6	7	8
Lotul 1								
1	30216110-0	Document Camera	ELPDC13	China	Epson	Optical Resolution: min 2592 * 1944dpi Scan Breadth: min. A3 Interface: USB Color depth: 24bit Scan speed about 1 sec. Compatible system: Windows XP/7/8/10 Illuminant: Laser diode min: 12 luni garanție	Epson ELPDC13 - Image pick-up device 1/ 2.7 " CMOS sensor Effective Pixels 1920 Horizontal x 1080 Vertical Frame Rate Max. 30 fps - Optical Zoom Digital 16 Focus Auto Shooting Area A3 sized: 297 x 420 mm - Image Resolution Output SXGA(1280*1024)/XGA(1024*768)/WXGA 16:10 (1280*800)/WXGA 16:9 (1360*768)/1080p (1920*1080), 480p/ 720p/ 1080p - Image Adjustments Auto Exposure, Black and White, Brightness Adjustment, Contrast Adjustment, Image Rotation, Microscope mode - Connectivity Interfaces USB 1.1 Type B, VGA in, VGA out, HDMI out, built-in microphone, SD memory card - Advanced Features PC-Free ImageViewer View images from internal or supported external memory - Image Storage SD/SDHC compatibility (128MB-32GB) - Features Auto focus, Freeze, Parallel video output, SD card viewer, Split screen, Zoom - Security Kensington lock, Security bar, Security cable hole - General Energy Use 13 Watt, 0.5 Watt (standby) Product dimensions Folded: 367 x 122 x 120 mm (Width x Depth x Height), Operating: 270 x 317 x 447 mm (Width x Depth x Height) Product weight 2.5 kg Illumination LED lights - Included Software Easy Interactive Tools, TWAIN driver for Epson Document Camera (for Windows) - Garantie 12 luni	ISO 9001
Lotul 4								

1	30200000-1	Sistem de stocare a informației	TS-832X-8G	China	Qnap	NAS Storage CPU: min Quad core 1.7 Ghz, 32 bit Hardware Encryption Engine System Memory min:4 GB, upgradeable 8 GB (4Gb x2) Drive Bays: min. 8 Minimal Internal Raw Capacity: 112 TB (14 TB drive x 8) Single Volume Size 108 TB Hot Swappable Drive RJ -45 1GbE LAN Port x2 (with Link Aggregation / Failover support) RJ -45 10GbE LAN Port x2 (with Link Aggregation / Failover support) USB 3.0 Port x2 eSATA Port x2 System Fan 120 mm x 120 mm x 2 pcs HDD included: 8* HDD 6TB min 128mb. min: 24 luni garantie	Qnap TS-832X-8G CPU AnnapurnaLabs, an Amazon company Alpine AL-324 Quad-core 1.7GHz ARM® Cortex-A57 Processor, 64-bit Encryption Acceleration Yes System Memory 8GB DDR4 2400 (1 x 8 GB) Maximum Memory 16 GB (1 x 16 GB) Memory Slot 1 x SODIMM slot Flash Memory 512 MB NAND Flash Drive Bay Hot-swappable 8 x 3.5"/2.5" SATA 6Gb/s HDD or SSD 10 Gigabit Ethernet Port 2 x 10GbE SFP+ Gigabit Ethernet Port 2 x Gigabit RJ45 USB Port 3 x USB 3.0 (Front: 1; Rear: 2) PCIe Slot Slot 1: Gen2 x1 (for Wi-fi AIC) Slot 2: Gen2 x2 Audio 1 x Built-in speaker, 1 x 3.5mm line out jack Note: You cannot use the speakers and the line-out jack simultaneously. LED Indicators Status/Power, LAN, USB, HDD 1-8 Buttons Power, Reset, USB One- touch-copy System Warning Buzzer Form Factor Tower Dimensions (H x W x D) 188.2 x 329.3 x 279.6 mm 7.41 x 12.96 x 11.01 inch Weight Net weight: 6.52 kg (14.37 lbs) Fan System: 2 x 12 cm smart fan (12V DC) CPU: 1 x 6 cm fan Power Supply Unit 250W, 100-240V AC, 50/60Hz, 3.5A Operating Temperature & Relative Humidity 0 ~ 40°C (32°F ~ 104°F), 5 ~ 95% RH non-condensing, wet bulb: 27°C (80.6°F) HDD SATA 6TB 7200RPM 6GB/S/256MB ST6000VN0033 SEAGATE 60+ - 8buc Garantie 24 luni	ISO 9001
Lotul 8								
1	30200000-1	Interactiv Display	LY8600	Italy	YASHI	Min Dimensions: 85 inch Type: LED backlight 4 Aspect ratio: 16:9 Min Resolution: 4K UHD Contrast ratio: 4000:1 Min Brightness: 320 cd/m² Min Response time: 10 ms Touch technology: IR Min: 10 simultaneous touch points Min Angle of Visualisation: 170grad Connection: Wi-Fi, HDMI, VGA, USB Audio: Integrated boxes (min 5Wx2) Language of Software: Eng, Rom, Rus Possibility of interactive translation of image to more than 50 devices	LY8600 - YASHI INTERACTIVE DISPLAY 86" 4K 2/32 - 86" LCD multitouch display - Aspect ratio: 16:9 - 4K resolution (3840x2160) - Contrast ratio: 5000:1 - Brightness: 500cd/m² - 10 touch - PC OPS (optional) - Android 5.1 - 2GB RAM - 32GB Storage - 2x USB 2.0 per TOUCH, 2x USB 2.0, 4x USB 3.0, 2x HDMI-IN, 1x VGA-IN, 1x RJ45, 1x S/PDIF out, 1x COM - Wifi included - Speakers 2x 25W - S.O. Windows only with PC OPS - Warranty 2 years - Language of Software: Eng, Rom, Rus - Possibility of interactive translation of image to more than 50 devices	ISO 9001
Lotul 10								
1	30236110-6	Memorie RAM	8GB DDR3-1600 SODIMM	China	Kingston	8GB DDR3PC3-12800 1600MHz 204-pin SIDIMM	8GB DDR3-1600 SODIMM Kingston ValueRam, PC12800, CL11	ISO 9001
2	30236110-6	Memorie RAM	8GB DDR3-1600	China	Kingston	8GB DDR3-12800 HyperX FormFactor: DIMM	8Gb DDR3-1600 Kingston HyperX® Savage DDR3, PC12800, CL9, 1.5V	



Semnat: _____ Numele, prenumele: Gorceac Igor, În calitate de: Project manager

Ofertantul: "VAD" SRL Adresa: mun. Chisinau, sos. Hincesti 59

Termenul de valabilitate a ofertelor - 30 zile