

# Caracteristici fototehnice ale corpului de iluminat

**Producator S.C."LED MARKET"SRL**


R. Moldova, or.Chisinau, B-ul Moscova 21

# LED market

FABRICAT IN MOLDOVA

## Datele fotometrice

Denumirea –  
**STREET LIGHT 50W 1COB 5700K (LEAF)**



Distance	Illuminanceata	
	Center Beam LUX	Beam Width √ H
2m	4207 LUX	24.3m 5.0m
4m	1052 LUX	48.7m 10.1m
6m	4.67 LUX	73.0m 15.1m
8m	2.63 LUX	97.4m 20.2m
10m	1.68 LUX	121.7m 25.2m
12m	1.17 LUX	146.1m 30.3m

Vert.Spread: 161.4      Horiz.Spread : 103.3

**LED**  
**market**  
FABRICAT IN MOLDOVA

SC "LED MARKET" SRL  
*Date tehnice*



672 MDL

Puterea nominala (W)	50
Flux luminos(Lm)	7000lm
Protectie (IP)	IP65
Temperatura de culoare (K)	3000-6000K
Durata de viata (ore)	50000 ore
Voltaj conexiune	85-265V
Grad de difuzie	150, lentila din sticla borosilicata
CRI	80-90
Garantie	36 luni
Producator	LedMarket