
EB-1485Fi



DATASHEET / BROCHURE



Agile working through content sharing and flexible connectivity with this Full HD laser display solution.

Transform your workplace with this large, scalable display that enriches collaboration and engagement, and promotes greater knowledge sharing with colleagues, clients or delegates using the latest and most versatile connectivity options. The EB-1485Fi has been designed to be easy to use, enriching collaborative and agile working environments.

Flexible display options and sizes

Deliver impactful sessions with a multi-touch display of up to 100 inches (16:9 standalone), 120 inches (16:6 standalone), or 155 inches using Epson's DuoLink feature, which combines two interactive display using built-in Edge Blending.

Promotes collaboration and connectivity

The intuitive and easy-to-use UI, new touch home screen and new interactive OSD menu make it simple to set up and navigate across functions. Featuring multi-touch pen and finger capabilities, wireless BYOD connectivity and screen mirroring (Miracast). It also has secure user collaboration tools and an array of powerful connectivity options, both wireless and wired, including HDBaseT and HDMI out. The Epson iProjection App is available to download for free, providing seamless wireless connectivity and collaboration control from multiple devices and platforms. It's compatible with Windows, Office 365 suite and iOS, allowing the use of Office applications via PCs and tablets.

Sliding split screen

Combine up to four sources, such as video conference systems from multiple video sources and presentations, to optimise meeting interactions.

Fit and forget technology

Once installed, use for up to 20,000 hours without any maintenance, with the additional peace of mind of a five-year warranty. Helping to reduce running costs, and meaning you can 'fit and forget' and continue with the job in hand.

KEY FEATURES

- Flexible display options and sizes Cater for user needs in any working environment
- All-in-one interactive meeting display Combines multiple resources in one interactive collaboration device
- Increase productivity & agile working Share and display content from a range of devices simultaneously
- Sliding split screen Up to four displays in one image project images from different sources
- Easy installation Quick set-up with auto-adjusting calibration function



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY		
Projection System	3LCD Technology	
LCD Panel	0.62 inch with C2 Fine	
IMAGE		
Color Light Output	5,000 Lumen- 3,500 Lumen (economy)	
White Light Output	5,000 Lumen - 3,500 Lumen (economy) In accordance with ISO 21118:2020	
Resolution	Full HD 1080p, 1920 x 1080, 16:9	
Aspect Ratio	16:9	
Contrast Ratio	Over 2,500,000 : 1	
Light source	Laser	
Laser Light source	20,000 hours Durability High, 30,000 hours Durability Eco	
Keystone Correction	Manual vertical: ± 3 °, Manual horizontal ± 3 °	
Colour Video Processing	10 Bits	
2D Vertical Refresh Rate	192 Hz - 240 Hz	
Colour Reproduction	Upto 1.07 billion colours	
OPTICAL		
Throw Ratio	0.27 - 0.37:1	
Zoom	Digital, Factor: 1 - 1.35	
Lens	Optical	
Screen Size	65 inches - 100 inches	
Projection Distance Wide	0.4 m (65 inch screen	
Projection Distance Tele	0.6 m (100 inch screen	
Projection Distance Wide/Tele	e 0.78 m (120 inch screen	
Projection Lens F Number	1.5	
Projection Lens Focal Length	3.9 mm	
Projection Lens Focus	Manual	
Offset	9:1	
CONNECTIVITY		
Interfaces	USB 2.0 Type A (2x), Powered USB, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),	
	Wireless LAN IEEE 802.11a/b/g/n/ac, Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x),	
	Component in, Miracast, Stereo mini jack audio out, Stereo mini jack audio in (3x), Microphone	
	input, Finger-touch interface, Multi-Touch interface, USB 2.0 Type B (2x), Sync. in, Sync. out,	
	HDMI out, HDBaseT	
Epson iProjection App	Ad-Hoc / Infrastructure	
Network Protocol	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink	
Network Protocol	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink	

EB-1485Fi

WHAT'S IN THE BOX

- CD Manual
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- Pen Holder/Stand
- Cable cover
- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Control Box HCB (HDBaseT Connection & Control Box)
- Wall hanging bracket
- Finger touch unit
- Safety Cable



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

EB-1485Fi

ADVANCED FEATURES			
Security	Kensington lock, Control panel lock, Password lock, Padlock, Wireless LAN security,		
	Password protection		
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard, DICOM SIM		
Other features	Arc Correction, Auto Calibration, Auto Power On, Built-in speaker, CEC compatible,		
	Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible,		
	Driverless installation, Dual Pen Support, Easy OSD pre-setting, Email notification, Finger-		
	touch support, Fit to Screen, Freeze image, Image Shift, Instant on/off, Interactive, Interactive		
	OSD menu, Mail notification function, Microphone input, Network administration, OSD copy		
	function, PC Interactive, PC free annotation, Projection App for Chromebook, Quick Corner,		
	Schedule Function, Screen Mirroring, Screen share, Set-up wizard, Sliding split-screen		
	feature, Split-Screen-Function, Super resolution, Web Control, Web Remote, Whiteboard		
	sharing function, Wireless LAN capable, iProjection App, iProjecton set-up by QR code		
Interactivity	Yes - pen and finger-touch		
Video Color Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM SIM		
Projector control	via: AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron		
	RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device		
	Discovery Protocol		
GENERAL			
Power consumption	366 Watt, 262 Watt (economy), 0.5 Watt (standby)		
Heat Dissipation	1,244 BTU/hour (max)		
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz		
Product dimensions	458 x 375 x 210 mm (Width x Depth x Height)		
Product weight	9.3 kg		
Noise Level	Normal: 36 dB (A) - Economy: 27 dB (A)		
Supported Temperature	Storage -10° C - 60° C		
Included Software	Easy Interactive Tools, iProjection, Epson Projector Management		
Options			
Compatible Operating	Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Ubuntu 14.10, Ubuntu		
Systems	15.04, Windows 10, Windows 10 (32/64 bit), Windows 2000		
Loudspeaker	16 Watt, Stereo		
Room Type / Application	Boardroom, Huddle space / Portable, Meeting room / Classroom		
Positioning	Table Mounted, Wall Mounted		
Colour TCO Contified	White For further information relating to TCO Cartified places visit		
TCO Certified	For further information relating to TCO Certified please visit https://tcocertified.com/files/certification/Information-document-for-end-users.pdf		
	https://tooceruneu.com/nies/ceruncation/information-document-for-end-users.pdf		
OTHER			
Warranty	60 months Carry in or 12,000 h		
	Optional warranty extension available		



OPTIONAL ACCESSORIES

- Air Filter ELPAF56 L600/EB-14XX Series V13H134A56
- ELPMB63 Finger Touch Wall Bracket for ELPFT01 V12HA05A09
- Adapter ELPAP11 Wireless LAN (5GHz) V12H005A01
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA
- Interactive Pen ELPPN05A Orange EB-6xxWi/Ui / 14xxUi V12H773010
- Interactive Pen ELPPN05B Blue EB-6xxWi/Ui / 14xxUi V12H774010
- Replacement Hard Pen Tip ELPPS03 (6pcs) V12H775010
- Replacement Soft Pen Tip ELPPS04 (12pcs) V12H776010
- Active Speakers (2 x 15W) ELPSP02 V12H467040

LOGISTICS INFORMATION

SKU	V11H919040 V11H919041
EAN code	8715946674070
Country of Origin	China

EB-1485Fi



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min) Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

