

Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

Numărul procedurii de achiziție _____ din 23 februarie 2023
Obiectul achiziției: <i>Echipament tehnic</i>

Denumirea bunurilor	Denumirea modelului bunului/serviciului	Țara de origine	Produs-cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Echipament tehnic						
Lotul nr. 1						
PC	IdeaCentre 3 24IAP7	China	Lenovo	Manufacture: brand-name international Form-factor: All-In-One 24” CPU: x64, min 3GHz, min 4 Core RAM: 8GB SSD: 512GB Video/Sound: integrated LAN: 1Gbps I/O ports: min 1xHDMI or 1xDisplay Port, 1xUSB3.0 Additional I/O ports: optional OS: Windows 10/11 Pro Warranty: min 3 years with the possibility of expansion	All-in-One Lenovo IdeaCentre AIO 3 24IAP7 23.8" FHD (1920x1080) WVA Anti-glare 250nits, Intel® Core™ Intel Core i3-1215U (6C / 8T, 3.3 / 4.4GHz, 10MB), video Integrated Intel® UHD Graphics, RAM 1x 8GB SO-DIMM DDR4-3200, Two DDR4 SO-DIMM slots, dual- channel capable, Up to 16GB DDR4-3200, SSD 512GB SSD M.2 2280 PCIe® 3.0x4 NVMe®, no ODD, no Card Reader, , Gigabit Ethernet connection, Wi- Fi 6, 11ax 2x2, Bluetooth 5.1, Porturi: 2x USB 2.0/ 2x USB 3.2 Gen 2/ 1x HDMI 1.4/ 1x Ethernet (RJ-45)/ 1x power connector, 90W 89% Adapter, USB Calliope Keyboard, Black, English (UK), USB Calliope Mouse, Black, 3Wx2, High Definition (HD) Audio, Realtek ALC256 codec, HD 720p, Black, greutate 7.03 kg, dimensiuni 541.2 x 185.34 x 433.96 mm, 3-year, Courier or Carry-in, Win 10 Pro Warranty: 3 years with the possibility of expansion	

Lotul nr. 2						
Video wall	DS-D2055LU-Y(O-STD)	China	Hikvision	Manufacture: brand-name international Modules: 16 modules 55", 4x4 Working hours: 24/7/365 Brightness: min 500cd/m2 Resolution: min 1920x1080 (FullHD) Width of seams: max 3.5mm Mounting: wall mount with Pop-Out function Management: remote management with ability to display video content on each panel separately and divide the video wall into sectors in any order. Management software External sources: min 4 external connection sources Warranty: min 3 years with the possibility of expansion	16 x DS-D2055LU-Y(O-STD) 55",1080P,500cd/m²,bezelwidth:3.5mm,Input: VGA/DVI/DP/HDMI, output: HDMI, support 4K input and loop up to 30 screens with HDMI interface, support VESA 16 x DS-DN5501W Front-maintenance wall-mounted bracket, suitable for all 55" LCD models. 1 x DS-C30S-S11(O-STD) "● DS-C30S-S11 is a chassis with 11 slots. Adopting the structure of main control board plus input and output board, and supporting mixed insertion of input and output boards, it supports displaying multiple dynamic images on multiple display terminals at the same time. ● A signal source can be displayed on the M × N (M ≥ 1, N ≥ 1) display units. ● Multiple signal sources are supported, including VGA, DVI, HDMI, DP and IP. Supports 4K@60 Hz input, transmission and output. ● Supports decoding national standard stream. The decoding board supports h.264/h.265 encoding format. Supports 16 channels 1080P@30 network signal decoding and displaying on the wall, and the local video file playback displaying on the wall. ● Supports 1/4/9/16 image division of a single output interface, and the full screen switching of sub windows. ● Up to 8+2 image layers can be displayed on one screen, including one caption layer and a background layer. The virtual LED font and the background color is adjustable. Supports the scrolling mode. The resolution of background layer is up to 16384 × 8192. ● Users have the permission to manage the signal sources and video wall. ● Built-in matrix feature for opening a signal source on several windows simultaneously. ● Supports crossing-window video roaming. ● Supports SADP searching active IP address and resetting the password of administrator. ● Supports the adjustment of display wall connection to match the virtual display wall window of client software with the output interface of controller. ● The client software supports the preview of the signal displaying on the wall. Users can conveniently call the signal. ● A single device supports 8 video wall management. ● The fan speed of the chassis is self-adaptive to the temperature. ● Supports video wall display on client and signal source list preview. ● Fluent video output without frame extraction to guarantee the lossless output of 60 frames. ● Supports dual main control hot standby (optional), and 3 power supply redundancy (optional)."	

					1 x DS-C30S-04HI(O-STD) 4 x HDMI input board: supports 4 HDMI input of a single output 4 x DS-C30S-04HO(O-STD) 4 x HDMI output board: each board supports 4 x HDMI 1 x DS-3E1524-EI(O-STD) L2, Smart Managed, 24 Gigabit RJ45 ports, Visualized Topology Management, Network Health Monitor, Real-Time Alarm Push and Video Control and Preview 1 x DS-VE11D-C/HW01(O-NEU)(B) Media Server (I5/16GB/Windows Server 2019) Signage Software HikCentral FocSign V1.4.0 Servicii de instalare Displayuri Servicii de configurare Controller Warranty: 3 years with the possibility of expansion	
Lotul nr. 3						
Switch	TL-SG3428	China	TP-Link	Manufacture: brand-name international Form-factor: rack mounted 1U or 2U for 19" rack Managed switch Ports: min 24 port 1G RJ45 Additional I/O ports: optional Warranty: min 3 years with the possibility of expansion	Switch TP-Link TL-SG3428, managed L2+, 24x 10/100/1000 Mbps RJ45, 4xGB SFP, 1x Micro-USB Console Port, Fanless, Rack Mountable, Switching Capacity 56 Gbps, Packet Forwarding Rate 41.66 Mpps. Warranty: 3 years with the possibility of expansion	

Semnata: Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16

Anexa nr.23
la Documentația standard nr. _____
din “ ____ ” _____ 20 ____

Specificații de preț

[Acest tabel va fi completat de către ofertant în coloanele 5,6,7,8 și 11 la necesitate, iar de către autoritatea contractantă – în coloanele 1,2,3,4,9,10]

	Numărul procedurii de achiziție _____ din 23 februarie 2023
	Obiectul de achiziției: <i>Echipament tehnic</i>

Cod CPV	Denumirea bunurilor/serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)	Discount %
1	2	3	4	5	6	7	8	9	10	11
	Lotul nr. 1							Livrarea în decurs de 45 zile calendaristice de la semnarea contractului și instalarea bunurilor în decurs de 5 zile lucrătoare		
	PC	buc.	10	12690,00	15228,00	126900,00	152280,00			
	Servicii de instalare									
	Total lotul 1					126900,00	152280,00			
	Lotul nr. 2									
	Video wall	buc.	1	1098000,00	1317600,00	1098000,00	1317600,00			
	Servicii de instalare									
	Total lotul 2									

	Lotul nr. 3									
	Switch	buc.	1	2670,00	3204,00	2670,00	3204,00			
	Servicii de instalare									
	Total lotul 3									
	TOTAL					1227570,00	1473084,00			

Semnat: Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16