

				calitate de la producător, termenul valabilității - nu mai mic de 75% de la termenul total.	de la producător, termenul valabilității - nu mai mic de 75% de la termenul total.
Acetaldehyde, DAIH derivative analytical standard, GC Sigma	DE	LGC		Bucata=Fiola 50mg cod 14423, analytical standard,	Bucata=Fiola 50mg cod 14423, analytical standard,
Acrolein-DNPH solution certified reference material, 1000 µg/mL in acetonitrile (as the aldehyde), ampule of 1 mL	DE	LGC		Bucata=Fiola 1 ml, certified reference material, 1000 µg/mL in acetonitrile (as the aldehyde), cod CRM 47342	Bucata=Fiola 1 ml, certified reference material, 1000 µg/mL in acetonitrile (as the aldehyde), cod CRM 47342
Formaldehyde ICS 045 Sigma Formaldehyde IC Standard analytical standard	DE	LGC		Bucata=Fiola 100 ml, cod ICS 045-100ML	Bucata=Fiola 100 ml, cod ICS 045-100ML
Benzene analytical standard GC	DE	LGC		Bucata=Fiola 5 ml, cod 12540-5ml-F	Bucata=Fiola 5 ml, cod 12540-5ml-F
Butyl acetate GC cod 73285 Sigma	DE	LGC		Bucata=Fiola 1 ml cod 73285-1ML	Bucata=Fiola 1 ml cod 73285-1ML
tert-Butyl methyl ether analytical standard GC cod 08603Sigma	DE	LGC		Bucata=Fiola 5 ml, analytical standard GC, cod 08603	Bucata=Fiola 5 ml, analytical standard GC, cod 08603
Chloroform Pharmaceutical Secondary Standard; Certified Reference Material	DE	LGC		Bucata=Fiola 3x1,2 ml CRM, cod PHR1552-3X1.2ML	Bucata=Fiola 3x1,2 ml CRM, cod PHR1552-3X1.2ML
Dibutyl Phthalate GC Pharmaceutical Secondary Standard; Certified Reference Material	DE	LGC		Bucata=Fiola 1 g CRM, cod PHR1366-1G	Bucata=Fiola 1 g CRM, cod PHR1366-1G
Diocetyl phthalate ≥99.5%	DE	LGC		Bucata=Fiola 5 ml, C ≥99.5%, cod D201154-5ML	Bucata=Fiola 5 ml, C ≥99.5%, cod D201154-5ML
Dibutyl phthalate-3,4,5,6-D4 deuterat in ciclul benzenic analytical standard	DE	LGC		Bucata=Fiola 25 mg cod 34169-25MG puritatea ≥99.9%, termenul valabilității - nu mai mic de 75% de la termenul total. Ambalaj de la producător	Bucata=Fiola 25 mg cod 34169-25MG puritatea ≥99.9%, termenul valabilității - nu mai mic de 75% de la termenul total. Ambalaj de la producător
Diocetyl phthalate-3,4,5,6-D4 deuterat in ciclul benzenic analytical standard	DE	LGC		Bucata=Fiola 25mg, cod 34169-25MG, 25 mg, puritatea ≥99.9%, termenul valabilității - nu mai mic de 75% de la termenul total. Ambalaj de la producător	Bucata=Fiola 25mg, cod 34169-25MG, 25 mg, puritatea ≥99.9%, termenul valabilității - nu mai mic de 75% de la termenul total. Ambalaj de la producător
(±)-Epichlorohydrin analytical standard	DE	LGC		Bucata=Fiola 1 ml, cod 02578-1M, analytical standard	Bucata=Fiola 1 ml, cod 02578-1M, analytical standard
Ethyl acetate solution certified reference material, 2000 µg/mL in methanol	DE	LGC		Bucata=Fiola 1 ml, certified reference material, 2000 µg/mL in methanol, cod 47947	Bucata=Fiola 1 ml, certified reference material, 2000 µg/mL in methanol, cod 47947
Phenol solution 5000 µg/mL in methanol, certified reference material	DE	LGC		Bucata=Fiola 1 ml GC 5000 µg/mL in methanol, certified reference material, cod 40063 Sigma	Bucata=Fiola 1 ml GC 5000 µg/mL in methanol, certified reference material, cod 40063 Sigma
Methanol analytical standard GC	DE	LGC		Bucata=Fiola 1 ml, cod 82762-1ML-F	Bucata=Fiola 1 ml, cod 82762-1ML-F
Methyl acrylate analytical standard GC	DE	LGC		Bucata=Fiola 1 ml, cod 76778-1ML-F	Bucata=Fiola 1 ml, cod 76778-1ML-F
Methyl methacrylate solution certified reference material, 1000 µg/mL in methanol, GC	DE	LGC		Bucata=Fiola 1 ml, certified reference material, 1000 µg/mL in methanol, GC, cod 40439	Bucata=Fiola 1 ml, certified reference material, 1000 µg/mL in methanol, GC, cod 40439
Styrene analytical standard GC	DE	LGC		Bucata=Fiola 250 mg, cod 45993Sigma	Bucata=Fiola 250 mg, cod 45993Sigma
2,4 TDF(toluidindiazocianat) GC	DE	LGC		Bucata=Fiola 5 ml, 33427-5ML-R	Bucata=Fiola 5 ml, 33427-5ML-R
Vinyl chloride solution certified reference material, 2000 µg/mL in methanol	DE	LGC		Bucata=Fiola 1 ml, certified reference material, 2000 µg/mL in methanol, cod 500976	Bucata=Fiola 1 ml, certified reference material, 2000 µg/mL in methanol, cod 500976
Vinyl acetate solution certified reference material, 5000 µg/mL in acetonitrile	DE	LGC		Bucata=Fiola 1 ml, certified reference material, 5000 µg/mL in acetonitrile, cod 40327	Bucata=Fiola 1 ml, certified reference material, 5000 µg/mL in acetonitrile, cod 40327
1-Propanol Pharmaceutical Secondary Standard; Certified Reference Material	DE	LGC		Bucata=Fiola 3x1,2 ml CRM, cod PHR1208-3X1.2ML	Bucata=Fiola 3x1,2 ml CRM, cod PHR1208-3X1.2ML
1-Butanol analytical standard GC	DE	LGC		Bucata=Fiola, cod 19422-5ML, ambalaj producator	Bucata=Fiola, cod 19422-5ML, ambalaj producator
Dimetilmetacrilat p/u gazromatoografie	DE	LGC		Bucata=Fiola, GC, analytical standard	Bucata=Fiola, GC, analytical standard

