



ABOUT XIEHE

Leading stretcher manufacture XIEHE was founded in 2005. We are dedicated to be a professional and well know factory on research and sales of medical equipment. Our products can be divided into 3 main ranges, emergency stretchers and relevant first aid products, hospital furniture and funeral products. We also provide OEM service if needed.

We strictly carry out ISO13485 quality control system. Our products have been obtained TUV CE, FDA certificates. XIEHE medical products have gained good reputation from both domestic and abroad since 2005.

XIEHE medical has been carrying out the globalized marketing and sales strategy. After over ten years of great efforts and support of partners, we have more than 30 distributors and our products have reached more than 120 countries.

We focus on building long-term partnerships with distributors and integrators. Through our passionate employees and strong cooperative technology, we can react customers' requirements with excellent and stable products and closer services.

MANUFACTURE

XIEHE Medical has accumulated a large number of talents and abundant experience, attracting many domestic and foreign customers with professional technology and exquisite quality. XIEHE Medical continues to carry forward the spirit of diligence, progress, innovation and honesty. Our quality products are sold so well that they have become a favorite from our users from all over the world.



QUALITY CONTROL

In order to achieve the whole-process quality control, XIEHE Medical has established a complete quality control system, from the production process to the final product, ensuring that every product meets the highest standards of quality.



Folding Stretcher

Detailed Product Description

- This stretcher with wheels, outriggers and can be folded
- It is made of high strength aluminum alloy and the waterproof canvas materials
- Light-weighted, small-sized, easy-carried, reliable quality, use safely and easy for sterilization, etc
- Used for carrying patients and wounded person

YXH-1A1

Detailed Product Description

- This stretcher with wheels, outriggers and can be folded
- It is made of high strength aluminum alloy and waterproof canvas materials
- Light-weighted, small-sized, easy-carried, reliable quality, use safely and easy for sterilization, etc
- Used for carrying patients and wounded person

YXH-1A5




&D : Sa 1,

YXH-1A2



With metal feet (SIC) for increase stability

YXH-1A3



YXH-1A6

Technical Data

Model	Product Size (LxWxH)	Folding Size	Packing Size	Load Bearing	N.W.(1 pc)	G.W.
YXH-1A1	185x50x20cm	925x51x9cm	98x54x18cm (2pcs)	≤159kg	65kg	14kg
YXH-1A2	185x50x18cm	925x50x9cm	98x54x18cm (2pcs)	≤159kg	65kg	13kg
YXH-1A3	185x50x2cm	925x51x1cm	98x54x10cm (1 pc)	≤159kg	7kg	65kg

www.xieehcom

Technical Data

Model	Product size(Lx Wx H)	Folding Size	Packing Size(2 pcs)	Load Bearing	N.W.
YXH-1A5	185x50x20cm	925x50x10cm	104x22x54cm	≤159kg	65kg
YXH-1A6	185x50x18cm	925x50x10cm	105x16x24cm	≤159kg	65kg



Extensible Handrail

Folding Stretcher


Detailed Product Description

- This folding stretcher is made of high strength aluminum alloy and canvas material
- Used for carrying patients and wounded person

YXH-1B1



YXH-1B2



YXH-1B3



Technical Data

Model	Product Size (L X W X H)	Folding Size	Packing Size (2 pcs)	Load Bearing	N.W. (1 pc)	G.W.
YXH-1B1	185 x 50 x 3cm	92.5 x 50 x 7 cm	99 x 56 x 18.5cm	≤159kg	4kg	10 kg
YXH-1B2	185 X 5 (h) 3cm	92.5 x 50 x 7 cm	99 x 56 x 18.5cm	≤159kg	65k g	14 kg
YXH-1B3	185 x 50 x 3cm	92 x 50 x 11 cm	99 x 56 x 18.5cm	≤159kg	6.5kg	14kg

www.xleeh.com

Detailed Product Description

- This folding stretcher is made of high strength aluminum alloy and canvas materials
- This stretcher is intensified stretcher, with flexible handle and outrigger, can be folded by lengthwise
- It is characterized by its being light-weighted, portable, easy to carry out and safe to use
- It is mainly used for battle field and outdoor carry 1119 patients and wounded person.

YXH-1C



YXH-1D



YXH-1DL



Technical Data

Model	Product Size (L) (W X H)	Folding Size	Packing Size (1 pc)	load Bearing	N.W. (1 pc)	G.W.
YXH-1C	220x55x 15cm	180x 12x 15cm	185 x 13 x 17cm	≤159kg	7.5kg	9.5kg
YXH-1D	220x55x 15cm	95x20x9cm	98x22x 11cm	≤159kg	7.5kg	82kg
YXH-1DL	220x55x 75cm	50x26x 18cm	56x28x22cm	≤159kg	9kg	9.8kg

07/08

Folding Stretcher

Detailed Product Description

- This folding stretcher is made of high strength aluminum alloy and canvas materials
- This stretcher is in tensified stretcher, with flexible handle and outrigger, can be folded by lengthwise
- It is characterized by its being light-weighted, portable, easy to carry out and safe to use
- It is mainly used for battle field and outdoor carrying patients and wounded person

YXH-1E



Heavy-duty oxford cloth with PVC-coated in the back



YXH-1EF



YXH-1EL



Technical Data

Model	Product Size (L x W x H)	Folding Size	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-1E	185x 48 x 3cm	45x48x14cm	48x50x 15cm	≤ 159kg	45kg	6.2kg
YXH-1EF	190x64x86 cm	112 x23x84cm	112 x23 x84 cm	≤ 159kg	20.2kg	26.2kg
YXH-1EL	185x 48 x 21 cm	46x48 x 14cm	53 x 50 x 15cm	≤ 159kg	7kg	8kg

www.xleeh.com

Detailed Product Description

- This folding stretcher is made of high strength aluminum alloy and canvas materials, also has pvc surface option
- This stretcher is in tensified stretcher, with flexible handle and outrigger, can be folded by lengthwise
- It is characterized by its being light-weighted, portable, easy to carry out and safe to use
- It is mainly used for battle field and outdoor carrying patients and wounded person

YXH-1F1



orange, Green

YXH-1F1B



Technical Data

Model	Product Size (L x W) (H)	Folding Size	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-1F1	208x55x 14cm	104x18 x 10.5cm	108x18.5x 10cm	≤ 159kg	4.7kg	11 kg
YXH-1F1B	215x 55x 14cm	104 x 18 x 10.5cm	108x 19x 10cm	≤ 159kg	5.6kg	12 kg

09/ 10

Folding Stretcher

Detailed Product Description

- This folding stretcher is made of high strength aluminum alloy material and water-proof leather materials
- Light-weighted, small-sized, easy-carried, reliable quality, use safely and easy for sterilization, etc.
- Used for carrying patients and wounded person

YXH-1F2



YXH-1F3



Technical Data

Model	Product Size(L X W X H)	Folding Size	Packing Size(1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-1F2	2141(48 11) 2cm	461(481(14cm	29 1(15 x66cm	s 159kg	5kg	6.2kg
YXH-1F3	207x55x14cm	207(19 x17c m	223x 12 x20c m	s 159kg	48kg	6kg

www.xleeh.com

Detailed Product Description

- It is mainly used for serious injured person. It is made of aluminum alloy
- It can save rescue time. It has characteristics of durable, water proof, small sized, as it can be piled up
- It can save storage space, and avoid pollution of the floor

YXH-1F4



Detailed Product Description

- Tilt support is made of aluminum alloy
- It is used to match YXH-1F4 stretcher
- This support also can be folded to decrease volume

YXH-1F4A



Technical Data

Model	Product Size(L X W X H)	Packing Size	Load Bearing	N.W.(1 pc)	G.W.
YXH-1F4	193 x 54x20 cm	193 x56x42cm (5pcs)	s 159kg	3.5kg	22.5kg
YXH-1F4A	121 x80x80c m	1851(611x 11 cm (1 set)	s159kg	8kg	9kg

11 / 12

Folding Stretcher

Detailed Product Description

- It is made of high strength aluminum alloy and waterproof canvas materials.
- Light-weighted, small-sized, easy to carry, reliable quality, use safely and easy for sterilization, etc.
- Used for carrying patients and wounded persons.

YXH-IG



YXH-1GL



Two or Four Folded

- Orange
- Green

Detailed Product Description

- With light self-weight and large bearing, it is easy to be folded.
- As one of ideal camp-out devices, it is mainly used for army and battle field and etc.

YXH-1K



Technical Data

Model	Product Size(L)(W)(H)	Folding Size	Packing Size	Load Bearing	N.W. (1 pc)	G.W
YXH-IG	208 x 55 x 15 cm	104 x 17 x 9 cm	108 x 18 x 18.5 cm (2 pcs)	159kg	5kg	12kg
YXH-1GL	215 x 55 x 15 cm	55 x 23 x 14 cm	68 x 30 x 18 cm (1 pc)	159kg	5.6kg	8.8kg
YXH-1K	196 x 75 x 43 cm	95 x 20 x 11 cm	100 x 23 x 23 cm (2 pcs)	159kg	7kg	15kg

www.xdeeh.com



Detailed Product Description

- The folding stretchers are made of high strength aluminum alloy and PVC.
- This stretcher can be folded by lengthwise with flexible handle outrigger.
- It is mainly used in the hospitals and funeral houses to transport dead bodies.

YXH-1H

Detailed Product Description

- The folding stretchers are made of steel A3 and PVC.
- This stretcher can be folded by lengthwise.
- It is mainly used in the hospitals and funeral houses to transport dead bodies.

YXH-1I

Detailed Product Description

- The folding stretcher is made of high strength aluminum alloy and PVC.
- This stretcher can be folded by lengthwise with flexible handle and outrigger.
- It is mainly used in carrying patients and wounded people for the hospitals.

YXH-1M

Technical Data

Model	Product Size(L x W x H)	Folding Size	Packing Size	Load Bearing	N.W.(1 pc)	G.W.
YXH-1H	200 x 53 x 36 cm	110 x 53 x 10 cm	113 x 55 x 22 cm (2 pcs)	159kg	9kg	20kg
YXH-1I	200 x 515 x 10.5 cm	100 x 515 x 12 cm	112.5 x 56 x 25 cm (2 pcs)	159kg	10.5kg	23kg
YXH-1M	230 x 55 x 13 cm	101 x 18 x 12.5 cm	105 x 19 x 16 cm (1 pc)	159kg	8.4kg	9kg



Folding Stretcher

Detailed Product Description

- It is made of high strength aluminum alloy material and PVC
- It can be converted to a chair.
- It is commonly used in narrow space, the two function wheels are convenient to move on land

YXH-IN(A)



YXH-IN(B)



YXH-IN(C)



Technical Data

Model	Product Size(L X W X H)	Folding Size	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W
YXH-IN(A)	185x50x21 cm	100x50x 12cm	108.5x55 x 13cm	159kg	9kg	10kg
YXH-IN(B)	192x50x20cm	108.5x50x15cm	110x54x16cm	159kg	9.6kg	11kg
YXH-IN(C)	186x50x14cm	100x50x 13cm	108x56x13cm	159kg	8.6kg	9.8kg

www.xleeh.com

Spine Board

Detailed Product Description

- This spineboard with safety belts is made of HOPE material with no discharge contaminator, and firmness to wear.
- This plastic spineboard also can be used as a floatable device
- The structure is allowed X-rays because it's completely translucent.
- It is compatible with most head immobilization devices and sling mechanisms
- It is mainly used for hospitals, sports, ambulance and outdoor to carry patients and wounded person

YXH-1A6A

W - The large space to allow even asymmetric immobilization of the lower limbs without interfering with the handles

a - The hole edges are shaped and curved to facilitate the patient and to increase maneuverability when used

Technical Data

Model	Product Size(L X W X H)	Packing Size(1 pc)	Load Bearing	N.W.(1 pc)	G.W
YXH-1A6A	184x45x8cm	188x46x7cm	159kg	7kg	8.8kg



Spine Board

Detailed Product Description

- This spineboard with safety belts is made of HOPE material with no discharge contaminator, and firmness to wear.
- This plastic spineboard also can be used as a floatable device.
- The structure is allowed X-rays because it's completely translucent.
- It is compatible with most head immobilization devices and strap mechanisms.
- It is mainly used for hospitals, sports, ambulance and outdoors to carry patients and wounded person.



YXH-1A6C

YXH-1A6D

YXH-1A6E

YXH-1A6F

Technical Data

Mode	Product Size(L X W X H)	Packing Size(1 pc)	Load Bearing	N.W.(1 pc)	G.W.
YXH-1A6C	184x46x5cm	188x47x6cm	≤159kg	7kg	8.8kg
YXH-1A6D	185x41x5cm	188x43x7cm	≤159kg	6.6kg	8.2kg
YXH-1A6E	183x45x6cm	188x47x8cm	≤159kg	7kg	8.8kg
YXH-1A6F	185x46x65cm	188x48x8cm	≤159kg	8kg	9.5kg

www.xleeh.com

Spine Board

Detailed Product Description

- This spineboard with safety belts is made of HOPE material with no discharge contaminator, and firmness to wear.
- This plastic spineboard also can be used as a floatable device.
- The structure is allowed X-rays because it's completely translucent.
- It is compatible with most head immobilization devices and strap mechanisms.
- It is mainly used for hospitals, sports, ambulance and outdoors to carry patients and wounded person.

The shell of the board can be separated according to the tag number 10111 to save the storage space. It is more convenient for the emergency use.



YXH-1A6G

YXH-1A6K

Technical Data

Mode	Product Size(L X W X H)	Packing Size(1 pc)	Load Bearing	N.W.(1 pc)	G.W.
YXH-1A6G	137x34x4cm	139x36x6cm	≤159kg	4.5kg	5.6kg
YXH-1A6K (big)	183x45x5.5cm	185x46x7cm	≤159kg	8kg	9.0kg
YXH-1A6K (small)	119x32x5cm	185x46x7cm	≤159kg	3kg	4.0kg

Spine Board

Detailed Product Description

- This spine board with safety belts is made of HOPE material with no discharge container, and firmness to wear
- This plastic spine board also can be used as a floatable device
- It is compatible with most head immobilization devices and strap mechanisms.
- It is mainly used for hospitals, sports, ambulance and outdoors to carry patients and wounded person



This spine board is two-folded, easy for operation and storage

YXH-1A6B



This spine board is 100% folded, easy for operation and storage

YXH-1A6M

Technical Data


Model	Product Size (L X W X H)	Folding Size	Packing Size	Load Bearing	N.W. (1 pc)	G.W.
YXH-1A6B	185x50x4cm	94x50x7cm	98x18x54cm (2 pcs)	≤ 159kg	7kg	15.8kg
YXH-1A6M	191 x 47 x 3cm	13 x 47 x 52cm	55x50 x 16 cm (1 pc)	≤ 159kg	8kg	9kg

www.xleeh.com

Spider Strap

Detailed Product Description

- High quality 2" Nylon Webbing Belts
- Can be cleaned for repeat use
- Prevent further injury during medical transportation
- Size can be adjusted by micro
- Can be used in hospital, sports, ambulance and outdoors carrying patients and wounded person



[A]



[B]



[C]

Life Tank

Detailed Product Description

- The life tank is composed of HOPE hollow rope and PP belt.
- It is made of high strength engineering plastic with antiwear, enduring features, and used for sea rescue.

YXH-1A6N



Technical Data

Mode	Product Size (L x W x H)	Packing Size	The Buoyant	Load Bearing	G.W.
YXH-1A6N	69x24x15cm	72x42x32cm(4pcs)	> 150N	≤ 159kg	11.5kg

CPR Board

Detailed Product Description

- CPR board have great help on the first-aid and training, enabling the patient throughout the rescue process always keep the airway open the correct location better for patient with cervical spine injury. It is a CPR device to avoid the airway open position to take the risk of these secondary damage caused by cervical spine.
- Compression plate by high-density polyethylene plastic, the surface of solid, one end of the concave to maintain the patient's head and head off.

YXH-1A6H



Technical Data

Mode	Product Size (L X W X H)	Packing Size	N.W.	G.W.
YXH-1A6H	60.5x 41 x5cm	61x42x 28cm(5pcs)	13kg	15kg

www.xleeh.com

Multifunctional Rescue Stretcher

Detailed Product Description

- Special composite plastic material
- It has the characters of light weight and small volume
- It is mainly apply to sea, rescue, mountain rescue and wild rescue. The multifunctional stretcher is convenient to carry and easy to bend in deformation
- It have wide range of application
- It can be used for fire emergency rescue, deep and narrow space, general assistance high altitude rescue, chemical accident rescue, horizontal and vertical lifting.

YXH-1A6L

Technical Data

Mode	Product Size (L X W X H)	Packing Size	Temperature Resistance	N.W. (1 pc)	G.W.
YXH-1A6L	253x 89x05cm	93x36x36cm	-20°C to 45°C	10.6kg	11.8kg

Ambulance Stretcher

Detailed Product Description

- This ambulance stretcher is low frame structure model, it is made of high-strength aluminum alloy thick-wall pipe
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable
- Both ends of the stretcher have opening circle which are used for transporting the patients.
- This type of stretcher is characterized by its light weight, safe usage, and easy for sterilization and clean
- Mainly used for hospital, sports, ambulance and city roads carrying patients and wounded person.
- The bottom space of the stretcher is designed for storage of scoop stretcher

YXH-2A



YXH-2B



Technical Data

Model	High Position (L x W x H)	Packing Size (1 pc)	Max Angle of the Back	Load Bearing	N.W.	G.W.
YXH-2A	190 x 55 x 50 cm	195 x 62 x 34 cm	75°	≤159 kg	25.5 kg	31.5 kg
YXH-2B	190 x 55 x 50 cm	195 x 62 x 34 cm	75°	≤159 kg	29 kg	35 kg

www.xleeh.com

Emergency Bed

Detailed Product Description

- This emergency bed is made of high-strength aluminum alloy thick-wall pipe, the height can adjust by handle at the head side
- The surface can be separated from the bed body, used as a stretcher
- It is used for carrying patients and the wounded people in the hospitals, emergency centers, and city roads
- It is characterized by its being light, durable, antiseptic, and easy for sterilization.

YXH-2T2

YXH-2L2

Technical Data

Model	High Position (L)(J)(W)(H)	Low Position	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-2T2	190 x 55 x 82.5 cm	190 x 55 x 44.5 cm	195 x 62 x 34 cm	≤159 kg	34 kg	41 kg
YXH-2L2	190 x 55 x 82.5 cm	190 x 55 x 44.5 cm	195 x 62 x 34 cm	≤159 kg	35 kg	42 kg

Emergency Bed

YXH-2R2

Detailed Product Description

- Size for full cart: full length 193cm, full width 64cm
- Bed base height range: maximum height 90cm, minimum height 50cm
- Basic parameter Back section panel 0° ~ 70°
- Loading capacity Maximum static safe load 250kg
Maximum dynamic safe load 135kg
- Size 199 x 73x65cm.
- NW: 75kg
- GW: 105kg



XH-4C

Detailed Product Description

- Material The cart is made of imported PP material, and imported hydraulic rise-and-fall system
- Size 193x70 x63 ~93cm



XH-5C

Detailed Product Description

- Material The bed is made of galvanized steel tube and surface coated by electrostatic spray The back board is made of American electrotyping board with X-ray cassette It is equipped with the imported double hydraulic rise and fall system.
- Size 210x82 x 72cm.
- NW: 135 kg
- GW: 160kg



www.xdseh.com

Carry Sheet

Detailed Product Description

- Complete with multiple carry straps and optional carry bags are made from vinyl
- It can be folded in small size saving storage and easy to carry

YXH-4E



Technical Data

Model	Product Size (without handle)	Folding Size	Load Bearing	N.W. (1 pc)
YXH-4E (Yellow)	203x80 cm	80x35cm	≤159kg	2.3kg
YXH-4E (Blue)	176 x 45cm	88x24cm	≤204kg	0.7kg

Patient Transfer

Detailed Product Description

- Foamed cushion surface makes the wounded feel comfortable
- Mainly used in emergency room, gynecology and obstetrics department, X-ray room, medical ward and ICU room for patient transportation

YXH-8A



Technical Data

Model	Product Size	Folding Size	Packing Size	N.W. (S pcs)	G.W.
YXH-8A	170 x 50 x 1.5cm	85x25x3cm	87x53 x 23cm	13.5kg	12.5kg

25/26

Ambulance Stretcher

Detailed Product Description

- This automatic loading stretcher is made of high-strength aluminum alloy thick-wall pipes
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable
- The stretcher is very convenient for one person to send the patient to the ambulance
- The mechanical foldaway legs are controlled by the handles on the feet side of the stretcher
- And the legs can be folded under the stretcher automatically when loading into the vehicle
- Also the stretcher can be locked by the fixing devices when on the ambulance car
- This type of stretcher is characterized by its being light, durable, antiseptic, easy for sterilization

YXH-3A



YXH-3A5



Technical Data

Model	High Position (L x W x H)	Low Position	Packing Size (1 pc)	Max Angle of the Back	Load Bearing	N.W. (1 pc)	G.W
YXH-3A	190x55x92cm	190x55x26cm	195 x62 x28cm	75°	∞;159kg	36kg	43kg
YXH-3A5	190x55x92 cm	190 x55 x 26cm	195 x62 x28cm	75°	∞;159kg	39kg	42kg

www.xleeh.com

YXH-3A2



YXH-3A3



Technical Data

Model	High Position (L x W x H)	Low Position	Packing Size (1 pc)	Max Angle of the Back	Load Bearing	N.W. (1 pc)	G.W.
YXH-3A2	190x 55 x92cm	190x55x26cm	195x62x28cm	75°	∞;159kg	36kg	43kg
YXH-3A3	190 x55 x92cm	190x55x26cm	195x62x38cm	75°	∞;159kg	39kg	42 kg

27128

Ambulance Stretcher

Detailed Product Description

- This automatic loading stretcher is made of high-strength aluminum alloy thick-wall pipes
- The bed surfaces made of foamed cushion and head adjustable back making the wounded feel comfortable
- The stretcher foldaway legs are controlled by the handles on feet side of the stretcher
- And the legs can be folded under the stretcher automatically when loading into the vehicle
- Also the stretcher can be locked by the fixing devices when on the ambulance
- This type of stretcher is characterized by its being light, durable, antiseptic, easy for sterilization.

YXH-3B



www.xdeeh.com

YXH-3B2



YXH-3B3



Technical Data

Model	High Position (L x W x H)	Low Position	Packing Size (1 pc)	Max Angle of the Back	Load Bearing	N.W. (1 pc)	G.W.
YXH-3B	190 x 55 x 90 cm	190 x 55 x 25 cm	195 x 63 x 26 cm	75°	150 kg	36 kg	43 kg
YXH-3B2	190 x 55 x 90 cm	190 x 55 x 27 cm	195 x 63.5 x 26.5 cm	75°	150 kg	40 kg	47 kg
YXH-3B3	190 x 55 x 92 cm	190 x 55 x 32 cm	199 x 63 x 38 cm	75°	150 kg	53 kg	62 kg

Ambulance Stretcher

Detailed Product Description

- This automatic loading stretcher is made of high-strength iron alloy thick-wall pipes
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable
- The stretcher foldaway legs are controlled by the handles on feet side of the stretcher.
- And the legs can be folded under the stretcher automatically without adjusting into the vehicle
- Also the stretcher can be locked by the fixing devices when on the ambulance car
- This type of stretcher is characterized by its being high durable, antiseptic, easy for sterilization

YXH-3C



Technical Data

Model	High Position (L x W x H)	Low Position	Packing Size (1 pc)	Max Angle of the Back	Load Bearing	N.W. (1 pc)	G.W.
YXH-3C	195x55x91cm	195x55x30cm	197x62.5x35.5cm	65°	≥159kg	52kg	59kg

www.xleeh.com

YXH-3D

YXH-3D2

Technical Data

Model	High Position (L x W x H)	Low Position	Packing Size (1 pc)	Max Angle of the Back	Load Bearing
YXH-3D	196x55x97cm	196x55x34cm	198x62x38cm	65°	≥159kg
YXH-3D2	196x55x97cm	196x55x37cm	198x62x38cm	75°	≥159kg



Ambulance Stretcher

Detailed Product Description

- Can be converted into a chair
- The height can be adjusted according to different needs
- Suitable for use in the hospital, ambulance, city road etc.
- Made of aluminum alloy, characterized by its light weight, safety and reliability.

YXH-3E

Detailed Product Description

- Can be converted into a chair
- The height can be adjusted according to different needs
- Suitable for use in the hospital, ambulance, city road etc.
- Made of aluminum alloy, characterized by its light weight, safety and reliability.

YXH-3E3



Technical Data

Model	Height (Unit: L*W*H)	Low Position	Folding Size (mm)	Max Angle of the Back	Loc. Bearing	NW (kg)	G.W.
YXH-3E	1010x55x86cm	194x55x28cm	1991162-511265cm	30°	1:159kg	30kg	16kg
YXH-3E3	1900x56x86cm	195x56x40cm	200x64X39cm	30°	1:180kg	30kg	16kg

Model	Height (Unit: L*W*H)	Low Position	Folding Size (mm)	Max Angle of the Back	Loc. Bearing	NW (kg)	G.W.
YXH-3E	1010x55x86cm	194x55x28cm	1991162-511265cm	30°	1:159kg	30kg	16kg

33134

Ambulance Stretcher

Detailed Product Description

- The mortuary cot height can be adjusted
- This cot is very convenient, one person is enough to send the body
- The bed surface is made of foamed cushion
- This cot is equipped with safety belts, which must be locked when transferring the bodies

Detailed Product Description

- This automatic loading stretcher is made of high-strength stainless steel thick-wall pipes.
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable
- The stretcher fold-down legs are controlled by the handles on feet side of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle.
- Also the stretcher can be locked by the fixing devices when on the ambulance car.
- This type of stretcher is characterized by its being light, durable, antiseptic, easy for sterilization.

YXH-3G

YXH-3F

YXH-3H



Technical Data

Model	High Position (L x W x H)	Low Position	Packing Size (1 pc)	Adjusted Size Middle Size	Load Bearing	N.W. (1 pc)	G.W.
YXH-3F	198 x 55 x 67 cm	198 x 55 x 28 cm	200 x 63 x 35 cm		≤ 150 kg	26 kg	35 kg
YXH-3G	190 x 55 x 89 cm	190 x 55 x 41 cm	795 x 62 x 42 cm	190 x 55 x 72 cm	≤ 150 kg	31.8 kg	38.6 kg

www.xieeh.com

Technical Data

Model	High Position (L x W x H)	Low Position	Packing Size (1 pc)	Max Angle of the Back	Load Bearing	NW (1 pc)	GW
YXH-3H	198 x 55 x 116 cm	198 x 55 x 40 cm	200 x 64 x 39 cm	75°	≤ 150 kg	52.5 kg	59.5 kg



Ambulance Stretcher

Detailed Product Description

- This automatic loading stretcher is made of high-strength aluminum alloy thick-wall pipes
- The bed surface is made of foamed cushion and the adjustable back making the wounded feel comfortable
- The stretcher foldaway legs are controlled by the handles on leelside of the stretcher.
- And the legs can be folded under the stretcher automatically when loading into the vehicle
- Also the stretcher can be locked by the fixing devices when on the ambulance car
- This type of stretcher is characterized by its being high durable, anti-septic, easy for sterilization.

YXH-3K



Technical Data

Model	High Position (LxWxH)	Low Position	Packing Size (1 pc)	Load Bearing	N.W.(1 pc)	G.W.
YXH-3K	198 x 55 x 97cm	201 x 55 x 32cm	205 x 62 x 36cm	≥159kg	52.6kg	60kg

www.xleeh.com


Safety Belts

CS-

OJ



Nylon Fabric



Scoop Stretcher

Detailed Product Description

- Made of high-strength aluminum alloy materials
- Detachable design to transfer fractured and serious patients
- One hinge device is set in each end of the stretcher used to divide main frame into two pieces
- Strengthen the patients at original place to reduce the further hurt of the patients
- Without moving the patient, the operators can operate the stretcher easily
- Adjust length according to patients' body
- Equipped with a narrow frame structure of foot
- Mainly used for hospitals, sports, ambulance carrying patients and wounded person

YXH-4A



YXH-4B



Folded



Technical Data

Model	Product Size(L X W X H)	Folding Size	Packing Size(1 pc)	Load Bearing	N.W.(1 pc)	G.W.
	16Bx44x7cm	120x44 x9cm	170x45 x7cm	*159kg	7.4kg	10 kg
YXH-4B	16Bx44x7cm	120x44x9cm	170x45x7cm	159 kg	7.3kg	10 kg

www.xdseh.com

Detailed Product Description

- Made of high-strength HOPE
- Detachable design to transfer fractured and serious patients
- One hinge device is set in each end of the stretcher used to divide main frame into two pieces
- Strengthen the patients at original place to reduce the further hurt of the patients
- Without moving the patient, the operators can operate the stretcher easily
- Adjust length according to patients' body
- Equipped with a narrow frame structure of foot
- Mainly used for hospitals sports, ambulance carrying patients and wounded person
- Patients won't feel too hot or too cold on thermally-treated polymer surface
- The surface is easy to clean and impervious to fluids.

YXH-4D



Technical Data

Model	Product Size(L x W x H)	Folding Size	Packing Size(1 pc)	Load Bearing	N.W.(1 pc)	G.W.
YXH-4D	16Jx45x6cm	120x44.5x7cm	165x47x8cm	*159kg	8kg	11kg

Stair Stretcher

Detailed Product Description

- Made of high-strength aluminum alloy materials.
- Mainly used in transferring patient to go up and down stairs.

YXH-5A



YXH-5B



YXH-5C



YXH-5D



Technical Data

Model	Product Size	Folding Size	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-SA	84x52x92cm	9h 19x51 cm	96x54x 16cm	≤159kg	9kg	11kg
YXH-SB	84 x52x91 cm	97x52x17cm	96x54x 17cm	≤159kg	9.5kg	11.5kg
YXH-SC	84x60x98cm	98x60 x20cm	100 x61 x 20cm	≤159kg	14kg	15.5kg
YXH-SD	84x493 x100cm	100x55 1127cm	103 x56 x 30cm	≤159kg	106kg	126kg

www.xdsef.com



Stair Stretcher

Detailed Product Description

- Made of high-strength aluminum alloy materials.
- Mainly used in transferring patient to go up and down stairs.

YXH-5E



YXH-5N



YXH-5K



YXH-5G



Technical Data

Model	Product Size	Folding Size	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-SE	92x 52x 105cm	114 x 52x26cm	115x54x27cm	≤159kg	12kg	13.5kg
YXH-SN	705x47 x99cm	98x47x25cm	91x49x25 cm	≤159kg	11kg	12.5kg
YXH-SK	84x59 x97cm	99 x59 x 23cm	103x 54x 28cm	≤159kg	14kg	15kg
YXH-SG	84x59 100 cm	100x56 1128 cm	103x5-4x28cm	≤159kg	14kg	15.5kg

41 / 42

Stair Stretcher

Detailed Product Description

- Designed with special track structure so as to give more convenience and safety for transportation
- Four wheels are easy for moving on grounds
- The model has two pieces of belts to strengthen the patients' safety during transportation
- Mainly used in hospitals, emergency centers, moving up and down the stairs in emergency
- Only one person can operate this stretcher
- Made of high strength aluminum alloy materials
- The size of castor is 125 / 75mm

YXH-5H



Technical Data

Model	Product Size (L x W x H)	Folding Size	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-SH	163 x 51 x 118cm	106 x 51 x 30cm	109 x 55 x 31cm	175 kg	21kg	24kg

www.xleeh.com

Stair Stretcher

Detailed Product Description

- Designed with special track structure so as to give more convenience and safety for transportation
- Four wheels are easy for moving on grounds
- The model has two pieces of belts to strengthen the patients' safety during transportation
- Mainly used in hospitals, emergency centers, moving up and down the stairs in emergency
- Only one person can operate this stretcher
- Made of high strength aluminum alloy materials
- The size of castor is 125 / 75mm

YXH-5L



Technical Data

Model	Product Size (L x W x H)	Folding Size	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-SL	165 x 51 x 118cm	108 x 51 x 30cm	116 x 58 x 32cm	175 kg	33kg	44kg

43 / 44

Stair Stretcher

Detailed Product Description

- Designed with track structure, more convenient and safe for transportation
- Four wheels are easy for moving on ground
- Just need 3-4 hours to re-charge, can climb 80 floors. 30 seconds to finish 1 floor.
- One person is enough to operate it
- Made of high strength aluminum alloy materials
- With light weight, easy folding, easy to operate
- The motor is brushless motor, and there are 3 speed: slow, medium and fast
- The lithium battery is light weight and easy to disassemble
- The chair need small storage space after folding, and suitable for private car

YXH-5M2



Technical Data

Model	Product Size (L x W x H)	Folding Size	Packing Size (pc)	Load Bearing	N.W. (kg)	G.W.
YXH-5M2	164 x 62 x 90 cm	109 x 36 x 44 cm	118 x 50 x 42 cm	160kg	38 kg	50 kg

www.xh.com

Stair Stretcher

Detailed Product Description

- Mainly used for carrying patients and wounded person
- The structure can be folded and the stretcher structure could get smaller
- The back of the stretcher designed with two folded handles
- Under the front of the stretcher with two flexible uplift rod
- The stretcher is with two pieces of belts to approve the patient's safety during transport process.
- It is made of high-strength aluminum alloy materials
- It is characterized by its being light-weight, small sized, easy carried, use-safety and easy for sterilization and clean

YXH-5P



Technical Data

Model	Product Size (L x W x H)	Folding Size	Packing Size (pc)	Load Bearing	Battery Capacity	Motor Power	Charging Time
YXH-5P	126 x 110 x 63 cm	110 x 36 x 33 cm	116 x 70 x 39 cm	180 kg	DC 24V 18.2 Ah	200W DC 24V	6 hours

45146

Stair Stretcher

Detailed Product Description

- This materials of stair climbing hand truck with lift is made of high-strength aluminum alloy
- Extra widened 1ng system for safer and easier transfer.
- The stair climbing hand truck with lift are mainly used for high-rise buildings haul goods up and down the stairs, only one person

YXH-SF



Technical Data

Model	Product Size (L x W x H)	Folded Size	Packing Size (pc)	Load Bearing	N.W. (1 pc)	G.W
YXH-SF	164 x 48.5 x 88cm	106 x 48 x 35cm	110 x 52 x 31cm	≤ 200kg	31kg	42kg

www.xtsh.com

Stair Stretcher

Detailed Product Description

- Designed with special track structures to give more convenience and safety for transportation
- Four wheels are easy for moving on grounds
- The model has two pieces of belts to strengthen the patients' safety during transportation
- Mainly used in hospitals, emergency centers, moving up and down the stairs in emergency
- Only one person can operate this stretcher
- Made of high strength aluminum alloy materials
- The size of castor: φ145/185mm

YXH-SL-1



Technical Data

Model	Product Size (L x W x H)	Folded Size	Packing Size (pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-SL-1	168 x 53 x 105cm	108 x 51 x 27cm	116 x 55 x 31cm	≤ 159kg	33kg	44kg

47148

Basket Stretcher

Detailed Product Description

- This stretcher is made with an advanced material of high strength and stability for use in emergency situations and is suitable for use in any type of terrain.
- Its robust fitting enables first aid personnel to provide therapy and safety.
- With its special sling, the stretcher is ideal for lifting and transporting by helicopter.
- It has an adjustable lifting mechanism, safety belts and a mattress.
- It is also designed for use in the side of a helicopter.
- All the materials used have been tested to work and they are fire-proof.
- They don't release any toxic or polluting substances and they are protected to obtain high resistance to wear and corrosion.

YXH-6A



YXH-6B



Technical Data

Model	Product Size (LxWxH)	Packing Size (LxWxH)	Load Capacity	NW (1 pc)	G.W.
YXH-6A	218x62x16cm	124x62x20cm	200kg	20.5kg	23.5kg

YXH-6A

Stainless Steel Basket Stretcher

Detailed Product Description

- It is made with an advanced material of high strength and stability for use in emergency situations, such as in mountainous areas and at sea.
- It is sturdy and flexible to use. Its quick fitting mechanism enables first aid personnel to operate it rapidly and safely.
- With its special sling, the stretcher is ideal for lifting and transporting by helicopter.
- It has an adjustable lifting mechanism, two safety belts and a mattress.
- The basket stretcher is made of stainless steel tube and net.
- It will not rust or corrode, so it causes no harm to the patient.
- It is stronger than common basket stretchers.

YXH-6C



YXH-6D



Technical Data

Model	Product Size (LxWxH)	Packing Size (LxWxH)	Load Capacity	NW (1 pc)	G.W.
YXH-6C	218x62x120cm	113x62x27cm	150kg	15.5kg	21.5kg

YXH-6C

Stretcher Base

Detailed Product Description

- This stretcher base is suitable for ambulance car
- It is designed for easy and quick assembly and disassembly
- It is made of stainless steel, maleal, scoop stretcher and spine board can be deposited on the bottom
- It is easy for use

YXH-7A



Stainless Steel



Detailed Product Description

- This stretcher base is suitable for ambulance car
- It is designed for easy and quick assembly and disassembly
- It is made of Aluminum Alloy, maleal, scoop stretcher and spine board can be deposited in the bottom
- It is easy for use

YXH-7B(A)



Aluminum Alloy



YXH-7B(B)



Aluminum Alloy

Technical Data

Mod. I	Product Size (L x W x H)	Packing Size (1 pc)	Load Bearing	N.W (1 pc)	G.W
YXH-7A	208x163.5x41cm	238x69x16cm	≤159kg	***	33kg
YXH-7B(A)	206x601x46cm	238x1169x16cm	≤159kg	***	435kg
YXH-7B(B)	203x58x44cm	238x69x16cm	≤159kg	**	***

YXH-7C



Technical Data

Mod. I	Packing Size (5 pcs)	N.W (5 pcs)	G.W
YXH-7C	87x7x5cm	JSkQ	36kg

Pediatric Immobilization Strap

Detailed Product Description

- It is made of PVC foldable mesh material, which is non-toxic and easy to clean
- The straps are designed to immobilize children weighted between 3.2 kg to 18 kg
- Three restraint straps make emergency process easier and more safe
- With fully-adjustable, composed of five belts, the belts can firmly fix the child during transportation
- It is widely used in hospital, home care center, home and emergency center

YXH-7M



Detailed Product Description

- It is made of nylon fabric, internal board is anti-corrosion
- This product is applied to child's shoulder, chest, abdominal and leg's for mg., makes the child's heart comfortable and respiratory smooth
- The size can be adjusted by safety belts
- This stretcher can be applied to children height between 70cm to 130cm, and weight between 9 kg to 40kg
- The straps for waist and knee fixation can be used separately
- It can be used in X-ray and CT scan

YXH-7E



www.xleeh.com

Vacuum Splint

Detailed Product Description

- For the immediate immobilization and rapid fixation of injured limbs
- Made of durable TPU which can be shaped on the injured limb within 10 seconds by deflating the air in the splint.
- By deflating the air in the splint, the limb is stabilized and immobilized
- The valve is open when turned to the right and closed when turned to the left, more than 72hrs vacuum guarantee
- MRI, CT, X-ray compatible and radiolucent

YXH-12



Carbon Fiber Leg Traction Splint

YXH-8D

Detailed Product Description

- The fracture splint is made of carbon fiber and aluminum alloy
- The legging tape is made of nylon material
- The traction length is adjustable
- It is used to alleviate leg organizations pressure so as to avoid bleeding and secondary damage to the nerves, blood vessels, bones and muscles.



Technical Data

Model	Product Size	Packing Size	N.W.(1 pc)	G.W
YXH-12	67 x 40 x 26cm	87 x 40 x 26cm	4kg	5kg
YXH-80	136 x 22 d 8cm	30 x 15cm	6.5kg	7.3kg

Vacuum Stretcher

YXH-7D

Detailed Product Description

- 1 pc inflatable immobilization stretcher, 1 pc foot pump, 1 pc carry bag



Technical Data

Model	Product Size (width top x middle x bottom)	Packing Size (1 pc)	Load Bearing	N.W. (1 pc)	G.W.
YXH-7D	80 x 88 x 80 cm	88 x 47 x 29 cm	≥ 159kg	9kg	10 kg

Life Saving Hammer

XH-24

Detailed Product Description

- Material: Carbon Steel and ABS Zincification
- 2 in 1 emergency-escape tool provides a window hammer and seat belt cutter
- Use wider range: Car Crash, Fire, Flood, Tornado, Perhaps Even An Earthquake
- Its bright red body makes it easy to find



www.xdeeh.com

Extrication Device

YXH-7H

Detailed Product Description

- Surrounding designed to fix the patient. Applicable for patients injured ribs
- Strips are in three colors, which can be quickly fixed
- It is equipped with nylon buckles and safety belts
- When used simultaneously with a neck fixator, the patient should be sitting position, then be transferred to a PE stretcher



Technical Data

Model	Packing Size (L x W x H)	N.W. (4 pcs)	G.W.
	86 x 26 x 35 cm (4 pcs)	13.2 kg	14.2 kg

Neil-Robertson stretcher

YXH-7N

Detailed Product Description

- Applied to all kinds of ships, fire working, mine operation and architecture industries
- In accordance with the requirements of Neil-Robertson stretcher of the International Marine Medical Guide, compiled by WHO
- Frame: Hardwood
- Outer Material: Canvas



Technical Data

Model	Packing Size (L x W x H)	Horizontal Safety	Vertical Safety	N.W. (1 pc)	G.W.
	156 x 18 x 18 cm (1 pc)	120 kg	120 kg	65 kg	8 kg


55/ 56

Traction Splint Set

Detailed Product Description

- Relieve the tissue pressure on fractured leg avoiding further hemorrhages, shock and secondary nervous, vascular, bone and muscular damages
- Made of aluminum alloy materials
- Adjustable length, and nylon/leg straps automatic traction mechanism
- Set of adult and pediatric sizes together
- With carry bag

YXH-8B



Technical Data

Mode	Product Size(LXWXH)	Folding Size	Packing Size(1 pc)	N.W.(1 pc)	G.W.
YXH-8B (Adult)	134x 19 x21 cm	93x20x7cm	96x24x8cm	2kg	3kg
YXH-8B (Child)	125x 19 x21 cm	90x19 x7cm	88x22x8cm	1.8kg	2.8kg

www.xdeeh.com

Splint Kit

YXH-9

Detailed Product Description


- X-ray translucent and MRI compatible
- Set of 5 sizes together.
- With carry bag



YXH-10

Detailed Product Description

- Made of neoprene
- Set of five sizes together
- With carry bag



Technical Data

Model	Packing Quantity	Packing Size	N.W. (1 pc)	G.W.
YXH-9		88x35x18cm	2kg	2.5kg
YXH-10		57x25x26cm	6.5kg	7.3kg

57 / 58

Air Splint

YXH-9A

Detailed Product Description

- This multifunctional nursing splint can be used for both the left and right limbs at the same time
- The kit includes: full leg, half leg, foot and ankle, full arm, half arm, hand and wrist
- It is made of leather
- The splints are suitable for X-ray and MRI



Technical Data

	Packing Size(L)(WxH)	N.W. (10 sets)	G.W. (10 sets)
YXH-9A	46(33x32cm)(10sets)	11.5kg	13kg

TPU Splint Kit

Detailed Product Description

- It can be used in X-rays and CT scan
- Adopts high quality and durable TPU material filled with harmless EPS particle material

Rolling Splints

Detailed Product Description

Colors: Green & grey, Red & grey, Yellow & grey, Orange & blue, Yellow & blue

XH-15A




Technical Data

Model	length	Width	Model	Length	Width
XH-ISA-100	100cm	11cm	XH-ISA-50	50cm	
XH-ISA-92	92cm	11cm	XH-ISA-46	46cm	
XH-ISA-61	61cm	11cm			

Finger Splints

Detailed Product Description

- Made of soft aluminum and foam, non-toxic, non-flammable, no odor
- X-ray translucent



YXH-9B



Tourniquet

XH-TO1

Detailed Product Description

- Safe and effective device for controlling life-threatening extremity bleeding
- Effectively applied over clothing as high on the arm or leg as possible
- Must NOT be applied over solid objects within the clothing.
- As soon as the situation permits, the injured limb should be evaluated and the tourniquet positioned 2-3 inches above the injury directly to the skin



XH-TQ2 Buckle Tourniquet

Technical Data

SIZE	Color	MOQ
25-45cm	blue, red, green	500pcs



Pelvic Ring

XH-T03

Detailed Product Description

- Force control bucket maintains correct force
- Click provides clear feedback to confirm correct and safe application
- Standard size fits 98% of population
- Nylon straps with loop and hook makes quick and easy fastening
- Easy to clean and disinfect and, reusable



Technical Data

SIZE	Main body length	Main body width	Yelow strap length	Back strap length	package size	N. W.
	90cm	18cm	19cm	56cm	20x8x 17cm	320g
	108cm	18cm	19cm	56cm	20x8x 17cm	340g
	123cm	18cm	19cm	56cm	20x8x 17cm	350g

www.xieeh.com

Anesthetic Laryngoscope

XH-S01



XH-S03



XH-S02



XH-S04



Detailed Product Description

- EZ Vision Economical Fiber optic laryngoscope blade
 - A Handle
1. Excellent produce technology and quality, feel is good
 2. Lamp socket located on the top of the handle, offering the best protection for the High sensitive 11ty halogen bulbs, extend the bulb's service life.
 3. The precision connection technology between left and handle guaranteed the light not loss
- B blades
1. Super hardness metal blades with high safety.
 2. The only 3.5mm optical fiber can supply high light source and avoid airway trauma because of high temperature during intubation
 3. The Green plastic interface provide high hardness and strength, special green logo is applicable to all optical fiber handles which fit with ISO standard

Detailed Product Description


- Made of 304 medical stainless steel
- More lighter blades make doctor operate easily
- Advanced design, Beautiful appearance makes it is more better than foreign laryngoscope
- The stainless steel laryngoscope come out, can totally replace the traditional laryngoscope, make the domestic laryngoscope to a new step

Head Immobilizer

Detailed Product Description

- Made of high-density plastic materials, large ear holes for monitoring the patient's ear canal
- It can be used with scoop stretcher and spine board at the same time
- Minimal interference with X-ray, MRI, or CT scanning procedures
- Water-resistant plastic coating makes it easy to clean and prevents bacterial growth

XH-16A



XH-16B



Technical Data

Model	Packing Size(LxWxH)	N.W.	G.W.
XH-16A (Adult)	56x45x60cm(8pcs)	72kg(8pcs)	10kg(8pcs)
XH-16B (Child)	72x58x36cm(12pcs)	6.5kg(12pcs)	10kg(12pcs)

Lifeguard

XH-16C



Product Size: 40 inch / 50 inch / 53 inch

www.xleeh.com

Cervical Collar

Detailed Product Description

- Soft foam is slightly contoured for a comfortable fit
- Covered with 100% cotton stock fabric and a V-closure
- Loop contact closures for easier use
- Available in low, medium, high position
- Adjustable size designed for using on a wider range of patients
- The foam cervical collar is used for cervical injuries requiring non-rigid support and limited mobility
- May also be used as a naid for the relief of pain associated with neck muscle spasms or whiplash injuries

XH-17



XH-19



XH-20



XH-20 , ""



Technical Data

Model	Packing Size	N.W.	G.W.
XH-17 (Adult)	60 x 40 x 30 cm (50 pcs)	6.87 kg	7.85 kg
XH-17 (Child)	50 x 40 x 35 cm (100 pcs)	7.4 kg	8.38 kg
XH-19	83 x 43 x 40 cm (50 pcs)	6 kg	7 kg
XH-20 (Adult)	58.5 x 20 x 32 cm (20 pcs)	30 kg	36 kg
XH-20 (Child)	47 x 18 x 32 cm (20 pcs)	1.9 kg	2.4 kg

63/64

Emergency Blanket

XH-18

Detailed Product Description

- It is characterized by its being small-sized, light-weighted, heat preservation and easy-carry.
- It is mainly used for mountaineering, fire fighting rescue and military in the wild.
- Material: PET Aluminum



Technical Data

Model	Product Size	Packing Size (250pcs)	Color	G.W.(250pcs)
XH-20	210x160cm	47x34x2.4cm	Silver & Gold	16kg

Emergency Scissor

XH-21

XH-22

Can be used to break the glass for emergency

www.xleeh.com



The length of the edge is 25 cm



Blade with teeth

Stainless steel material



CPR Mask

YXH-MOI

Detailed Product Description

- Non-reusable, single use only
- Foldable mask design
- High transparency for better ventilation
- Latex-free 100% medical level PVC material
- Additional accessories and customized labels are available: Alcohol pad, PVC glove, flexible tube, etc.



Manual Suction

YXH-MSR



Max 3000 mL



50% For Child, 1 C.O., For Adult



Child Cateter connection
External diameter 9mm
Length 108±1 cm



Mini Catheter connection
External diameter 17mm
Length 21 cm

Technical Data

Model	Packing Size (25 pcs)	Quantity	N.G.	G.W.
		25	10kg	11kg

6.5/66

Manual Resuscitators

Detailed Product Description

- Single use only
- Built-in pressure relief valve (60 and Hi-C) for adults 40cm H₂O for child and infant
- The set includes oxygen reservoir bag, PVC mask and oxygen tubing
- 100% medical level PVC material
- Latex-free components
- All-in-one intake valve connects to oxygen reservoir bag directly
- Additional accessories (Airway, mouth opener) and customized label are optional
- Built-in 30mm exhalation filter (PEEP or filter attachment)

XH-KB04

For adult (PVC material)



XH-KB05

For child (PVC material)



XH-KB06

For infants (Medical material)



Technical Data

Model	Packing Size	Quantity	G.W. (kg)	Model	Packing Size	Quantity	G.W. (kg)
XH-KB04	57x33.5x46cm	12	106kg	XH-KB07	57x33.5x46cm	12	107kg
XH-KB05	57x33.5x46cm	12	88kg	XH-KB09	57x33.5x46cm	12	9kg
XH-KB06	57x33.5x46cm	12	84kg	XH-KB10	57x33.5x46cm	12	94kg

www.ioech.com

XH-KB07



Detailed Product Description

- Autoclavable 134°C helping to prevent cross-infection and contamination
- Built-in 40cm Hz₂O pressure relief valve
- Latex-free high-grade medical silicone material
- All-in-one intake valve connects to oxygen reservoir bag directly
- Additional accessories (Airway, mouth opener) and customized label are optional

XH-KB09

For child (Silicone material)



XH-KB10

For infants (Silicone material)



First Aid Kit

XHE-01



Detailed Product Description

- The first aid box is made of polypropylene (PP)
- It is with wall bracket which can secure the box to the wall. And the two swivel catches are set for closing security
- Recommended use: business companies, factories, building yards, labs, schools and etc

Technical Data

Model	Packing Size	MOQ	Qty/Ctn	CBM/Ctn	Unit	N.W. (1 pc)	G.W
XHE-01	46 x 33 x 35cm	200		0.05	pc	6.2kg	7.2kg
XHE-02	48 x 27.5 x 43cm	1000	10	0.06	set	8kg	9kg

www.xleeh.com

XHE-02



Detailed Product Description

- The first aid box is made of strong ABS plastic which is shiny, smooth and easy to clean
- The kit contains a neoprene seal which makes the kit dustproof
- The wall bracket is able to secure the kit on a common house wall
- The internal partitions permit a more flexible and scientific arrangement. Additionally, two swivel catches are set for closing security.
- Recommended use: business companies, factories, building yards, labs, schools and etc

First Aid Kit

Contents List (XHE-01)

01	First Aid Booklet	1 pc
02	Safety Pins	10 pcs
03	CAP Mask	1 pc
04	Syringe	1 pc
05	Clean Wipes	7 pcs
06	Soap Wipe	10 pcs
07	Emergency Ankle	2 pcs
08	Triangular Bandage	4 pcs
09	Burn Dressing	2 pcs
10	Wound Dressing	1 pc
11	Tourniquets	1 pc
12	Instant Cold Pack	1 pc
13	Sterile Scalpel	1 pc
14	Adhesive Plaster	100 pcs
15	Boston Roll Splint	1 pc
16	Scissors	1 pc
17	Adhesive Tape	3 pcs
18	Zinc Oxide Adhesive Plaster	1 pc
19	Sterile Gauze Swab	20 pcs
20	Cotton Ball	5 pcs
21	Latex Gloves	6 pairs
22	ABO Pad	2 pcs
23	Elastic Bandage	2 pcs
24	Conforming Bandage	3 pcs
25	Conforming Bandage	2 pcs
26	Sterile Eye Pad	5 pcs
27	Alcohol Pre Pad	20 pcs
28	Tweezers	2 pcs
29	Packet to Kidney Dish	1 pc
30	Lancet	1 pc
31	ABS First Aid Box	1 pc

Contents List (XHE-02)

01	First Aid Booklet	1 pc
02	Safety Pins	10 pcs
03	Cleaning Wipe	3 pcs
04	Soap Wipe	3 pcs
05	Adhesive Plasters	10 pcs
06	Scissors	1 pc
07	Resistant Tape	1 pc
08	Sterile Gauze Swab	2 pcs
09	Rayon Balls	5 pcs
10	Conforming Bandage	2 pcs
11	Conforming Bandage	1 pc
12	Tweezers	1 pc
13	First Aid Box size: 25 x 18.5 x 9 cm	1 pc

General Aluminum First-aid Kit

XHE-03



Contents

No.	Description	Specification	Qty
01	Oxygen Cylinder	20 Liter	1 set
03	Manual Resuscitator Sphygmomanometer	PVC for Adult	7set
04	Stethoscope		7set
05	Thermometer		1
06	Manual Suction	R Type	1 set
07	Aerate Equipment for Throat	Size 14.7.8 (disposable)	4
08	Mouth-to-mouth breathing mask		2
09	Anaesthetic Laryngoscope	curved (L.M.S)	7set
10	Equipment for opening Mouth		1
11	Tongue Forceps		1
12	Lamina for Pressing Lingua	Metal	1
13	PleXOF		1
14	Endotracheal Tube	Size 14.7.8 (disposable)	4
15	Catheter	Size 14, 16	2
16	Gauze Bandage	10K 500 Cfm	4
17	Cravat	10 (b) 100 x 140 cm	2
18	Compressed Gauze	50x80cm	2
19	Medical Gauze Pieces	7.5K 7.5cm	10
20	First Aid Carpet	130 x 210cm	1
21	Rolling Plywood	92x111 cm	2
22	Tourniquet		1
23	Breath-free Adhesive Tape	125x200cm	2
24	Medical Gloves	Size for 7,5	1
25	Alcohol Cotton		10
26	Iodine Cotton Swabs	Specs/poc	4
27	scissor for Operation	12.5cm	1
28	Dressing Clamp	12.5 cm	1
29	Flashlight		1
30	Emergency Manual		1
31	First aid box	55.7 x 35x 20cm	1

www.xieeh.com

First Aid Kit

XHE-04



Empty Bag

Contents

No.	Description	Specification	Qty
01	Oxygen Cylinder	2 Liter	1 set
02	Manual Resuscitator	PVC for Adult	1 set
03	Sphygmomanometer		
04	Stethoscope		1 set
05	Thermometer	Mercury	1
06	Manual Suction	R Type	1 set
07	Anaesthetic Laryngoscope	Curved (L.M.S)	1 set
08	Equipment for opening Mouth		1
09	Tongue Forceps		1
10	Lamina for Pressing Lingua	Metal	1
11	PleXOF		1
12	Endotracheal Tube	Size 14.7.8 (disposable)	4
13	Gauze Bandage	10x500cm	4
14	Cravat	100 x 100 x 140 cm	2
15	Compressed Gauze	50x80cm	2
16	Medical Gauze POCs	7.5x7.5cm	10
17	First Aid Carpet	130 x 210 cm	1
18	Rolling Plywood	92x111 cm	2
19	Tourniquet		1
20	Breath-free Adhesive Tape	125x200 cm	4
21	Medical Gloves	Size for 7,5	1
22	Alcohol Cotton		10
23	Iodine Cotton Swabs	5pcs/pac	4
24	scissor for Operation	12.5cm	1
25	Dressing Clamp	12.5cm	1
26	Flashlight		1
27	Sewing Bundle for Trauma		1 set
28	Emergency Manual		1
29	First Aid Kit	62 x 36x30cm	1

XHE-05



71 / 72

Suction Portable

XHE-9EA

Detailed Product Description

- Voltage: AC 220V ± 10%, 50Hz ± 2%
- Inpt. power: 90 VA
- Noise: 65dB
- Max negative pressure value: ±0.075 MPa
- Pumping rate: 15 L/min
- Continuous Working Time: 0-30min
- Rest time: ≥30 min
- Bottle Volume: 1000ml
- N.W.: 4.32 kg
- G.W.: 5.06kg
- Box size: 35 x 26 x 29 cm



XHE-9EB

Detailed Product Description

- voltage: AC 220v ± 10%, 50Hz ± 2%
- Input power 90 VA
- Noise: ≤ 65 dB
- Max negative pressure value: ±0.075MPa
- Negative pressure range: 0-0.02 MPa Max negative pressure
- Pumping rate: 15 L/min
- Continuous Working Time: 0-30 min
- Rest time: ≥ 30 min
- Bottle Volume: 1000ml
- N.W.: 6.7kg
- G.W.: 7.52 kg
- Box size: 35 x 26 x 29cm



www.xdeeh.com

Foot Operated Suction Pump

XHE-9EC

Detailed Product Description

- Foot operated suction pump from base sheet iron and foot operated vacuum pump and vacuum indicator and collection container assembly and accessories
- It is applicable to region where lack of electric power of electric power and temporary of stop supply electric power of urgent use
- It has a ready-made overflow protection device, it is safe and credible
- It is of the physical volume is small and weight is light, it is not demanding electric power replenishment, it takes a convenience
- It meets the related requirements of GB10079-2

Technique

- In the vacuum of creation inside of 10 ± 20.04MPa(300mmHg), Max vacuum: 20.08MPa(600mmHg).
- When the maximum vacuum is achieved, the number of 11 times stepped to move is 12. Pedal pressure: ≤ 245N
- Normal work, the discharge is in the 10s 200 ml.
- Max free air flow: 20 L/min
- Collection Container: 1000ml.
- Overall Dimension: 34 x 22 x 26.5 cm
- Weight: 4kg.
- Work environment: Temperature: +5 °C ~ +35 °C, Relative humidity: ≤ 80% (25 °C), Atmospheric pressure: 86 KPa ~ 106 KPa.



Oxygen Concentrator

XHE-9ED

Detailed Product Description

- Adopts American PSA technology, uses physical method to separate pure oxygen from air
- French molecule sieve, long life and high efficiency.
- Compact structure design, light weight, easy to move
- Advanced oil-free compressor, save 30% power energy.
- 24 hours continuous working available, 10000 hours working time warranty
- Big LCD screen easy to operate
- Remote control with timing setting
- Power off alarm, abnormal voltage alarm
- Time setting, time keeping and time counting
- Optional nebulizer and oxygen purity alarm function.

Technical Data

Model	Product Size	Oxygen Flow	Oxygen Purity	Input Voltage	Output Pressure	Noise	Power	N.G.
XHE-9ED-1	35x34x47.5cm	1-3V/min	93%±3%	220V 50Hz	0.04-0.06 Mpa	43dB	240W	14 kg
XHE-9ED-2	35 x 34 x 47.5 cm	1-5 l/min	93%±1.3%	220V 50Hz	0.04-0.06 Mpa	45dB	350W	14.5kg

Portable Oxygen Converter Gas Cylinders



Technical Data

Sales Code	Specification	Water Capacity	Outside Diameter	Overall Length	Wall Thickness	Empty Weight	Working Pressure
XH102-1	LW-102-10-20-H	111	102	221	6.8	196	200
XH102-2	LW-102-20-20-H		102	385	6.8	275	200
XH108-2	LW-108-25-15-H	25	108	413	5.6	265	150
XH111-7	LW-111-46-15-H	46	111	670	5.6	444	150
XH118-2	LW-184-107-15-H	107	111	585	6.8	100	150
XH103-2	LW-203*15 0-15-H	15	203	675		142	150
10-20: M	LW-203-213-15-H	213	203	900	6.8	193	150
11-23: M	LW-232-350-15-H	35	232	1138	11.7	303	150

— 2 —

Defibrillator

XHE-S000A (Monophasic)

Detailed Product Description

- Non-synchronous External defibrillator
- Energy 0, 3, 5, 7, 10, 20, 30, 50, 100, 200, 300, 360J
- Charge time At 360J less than 10sec
- Paddle type: Reusable external adult and pediatric paddles
- Operates from the mains (AC) and with its internal Lead-acid battery (optional 11-oo battery)



Technical Data

Model	Product Size (L x W x H)	Packing Size (1 pc)	Main Unit	N.W. (1 pc)	G.W.
XHE-8000A	320x205x410mm	540 * 450 * 370 mm	Portable	90kg	115kg

XHE-8000D (Biphase)

Detailed Product Description

- ECG lead I, II, III, AVR, AV_R, AV_L, AV_F, V₁ • V₆
- Protect 10n withstand 4kV/50Hz Voltage isolation work against
- Electrode: gel-filled and defibrillator
- ECG lead/cable: gel-filled lead/cable for adult, pediatric and neonatal patients
- Defibrillator:
 - Defibrillator type: Manual, Synchronized, Asynchronized
 - Output wave: 101m Monophasic, Biphasic
 - Energy accuracy: < 1%
 - Energy select: 0, 3, 5, 7, 10, 20, 30, 50, 100, 200, 300, 360 Joules (nominal at a resistance of 50)
 - Charging time: Maximum 8 seconds to 360 Joules
 - Standard Adult / Pediatric Paddle: Reusable external adult paddles (pediatric paddles included) / TFT display



Technical Data

Model	Product Size (L x W x H)	Packing Size (1 pc)	N.W. (1 pc)	G.W.
XHE-10000		540(x)450x370mm	115kg	16kg

75176

Integrated Healthcare Monitor

XHE-11

Detailed Product Description

- Models Aurora8 for 8 / Aurora10 for 10 / Aurora12 for 12
- Bed side/ Healthcare department/ Clinical
- Basic configuration: ECG, RESP, HR, SP02, PR, NIBP, TEMP
- Optional configuration:
 - Touch screen, 12 lead ECG, Wi-Fi & GPRS, 2-IBP, ETC02, 5AH battery, Central monitoring system, Wall standing & Trolley
 - 8.4" / 10.4" / 12.1" high resolution TFT color screen
 - Fanless design
 - 3/5 lead ECG
 - ST and arrhythmia analysis
 - SP02 low perfusion index up to 0.1%
 - Three alarm lights well distinguish technical and physiological alarm
 - Pluggable Li-Ion battery, max 5 hours continuous working time
 - Connected with CMS by wire and wireless (3G and Wi-Fi)
 - Multi-language



Semi-Modular Monitor

XHE-12

Detailed Product Description

- Models Aurora8S for 8 / Aurora10S for 10 / Aurora12S for 12
- ICU/ CCU/ OR
- Basic Configuration: ECG, RESP, HR, SP02, PR, NIBP, TEMP
- Optional Configuration:
 - Touch Screen, Recorder, 12 lead ECG, ETC02, 2-IBP, Wi-Fi & GPRS, 5 AH battery, Wall standing & Trolley, Central monitoring system
 - 8.4" / 10.4" / 12.1" high resolution TFT color screen
 - Semi-Modular and fanless design
 - Multi-language
 - Various of operation modes: touch screen, knob, mouse, keyboard
 - 3/5 lead ECG
 - ST and arrhythmia analysis
 - SP02 low perfusion index up to 0.1%
 - Three alarm lights well distinguish technical and physiological alarm
 - Modular printer with 3 waveforms output
 - Pluggable Li-Ion battery, max 5 hours continuous working time
 - Connected with CMS by wire and wireless (3G and Wi-Fi)



www.xleeh.com

I.V Stands

XH-4 / 6 Hook

Detailed Product Description

- Circular "Ram Horn" (4 or 6 hooks)
- 18 inch diameter steel base provides the stand with excellent stability
- Regulate the range: 100cm



XH-509

11

XH-510

XH-511

XH-512

Railing IV Pole



XHB-01

Detailed Product Description

- Specifications (L x W x H): 73 x 410 x 610 cm.
- Material: full stainless steel with castor.
- Optional accessory: Mattress
- MOQ: 10 pcs



Baby Cart

XHB-02

Detailed Product Description

- Specifications (L x W x H): 89 x 53.5 x 81.5 cm
- N.W.: 23 kg
- G.W.: 27 kg.
- Material: steel epoxy with transparent GRP and castor
- The height can be adjusted by gas spring, easy for mother and the baby to communicate
- Aluminum column, transparent high-intensity baby basin makes the appearance of the whole cart to be beautiful, decent and practical
- The Trendelenburg can also be adjusted by the gas spring system
- Optional accessory: Mattress



XHB-03

Detailed Product Description

- Specification (L x W x H): 87.5 x 52.5 x 65-90 cm
- Stainless steel frame with mattress
- With plastic crib for baby keeping
- Can be Trendelenburg and reversed Trendelenburg in different angles.
- Mounted on the casters with brake
- MOQ: 5 pcs



www.xleeh.com

Electric Hospital Bed (ICU)

XH-561SK(I)

Detailed Product Description

- Specification (L x W x H): 215 x 115 x HSO - 80 cm
- N.W.: 120 kg
- G.W.: 130 kg
- Standard Accessories:
 - Detachable ABS head/foot board
 - Collapsible ABS guardrails
 - Handle with lock
 - Nurse control panel
 - Integrated stamping frame and mattress base are made of steel epoxy
 - I.V. Pole & Drainage hook with PU cover
 - Center control lock
 - Chassis with ABS cover
- Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control



XH-3618L(II)

Detailed Product Description

- Specification (L x W x H): 215 x 105 x 46-72 cm
- N.W.: 100 kg
- G.W.: 110 kg
- Standard Accessories:
 - Detachable ABS head/foot board
 - Collapsible ABS guardrails
 - Integrated stamping frame and mattress base are made of steel epoxy
 - I.V. Pole & Drainage hook with PU cover
 - Heavy duty casters with brakes 5"
 - Hand remote control
- Optional accessory: Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control



Manual Hospital Bed

XH-T5611K Four functions

Detailed Product Description

- Specification (L x W x H) 208*98*43 cm
- NW : 110 kg
- G.W 110 kg
- Standard Accessories
 - Detachable ABS head / foot board
 - Collapsible aluminum alloy guardrails
 - Integrated stamping frame and mattress base are made of steel epoxy
 - 1V Pole & Drainage hook with PU cover
 - Center control lock
 - Manual crank system 4 set
- Optional accessory Mattress & over-bed table & bedside cabinet



XH-T3611L (1) Three Functions

Detailed Product Description

- Specification (L x W x H) 215 x 95 x 35 + 69 cm
- NW : 92 kg
- G.W : 99 kg
- Standard Accessory
 - Detachable ABS head / foot board
 - Collapsible aluminum alloy guardrails
 - Integrated stamping frame and mattress base are made of steel epoxy
 - 1V Pole & Drainage hook with PU cover
 - Heavy duty caster with brakes 5
 - Hand remote control
- Optional accessory Mattress & over-bed table & bedside cabinet & Back-up battery & CPR control



XH-T2611L (1) Two Functions

Detailed Product Description

- Specification (L x W x H) 208 x 98 x 210 cm
- N.W 60kg
- G.W 65kg
- Standard Accessories
 - Detachable ABS head / foot board
 - Collapsible aluminum alloy guardrails
 - Integrated stamping frame and mattress base are made of steel epoxy
 - 1V Pole & Drainage hook with PU cover.
 - Heavy duty caster with brakes 5
 - Manual crank system 2 set
- Optional accessory Mattress & over-bed table & bedside cabinet



www.xdeeh.com

Manual Hospital Bed

XHB-04 For child

Detailed Product Description

- Specification (L x W x H) 90*80 x 21 cm
- NW : 60kg
- GW: 65kg
- Rectangular frame of Head / Foot board with castor
- Stamping bed surface
- Up-down tilt siderail



XHB-05

Detailed Product Description

- Specification (L x W x H) 208 x 98 x 21 cm
- NW: 50kg
- GW: 55kg
- Standard Accessories
 - Detachable ABS head / foot board
 - Integrated stamping frame and mattress base are made of steel epoxy (J)
 - 1V Pole & Drainage hook with PU cover
 - Manual crank system 1 set
- Optional accessory Mattress & over-bed table & bedside cabinet



XHB-06

Detailed Product Description

- Specification (L x W x H) 208 x 98 x 21 cm
- NW: 60kg
- GW: 65kg
- Standard Accessories
 - Detachable stainless steel head/foot board
 - Integrated stamping frame and mattress base are made of full stainless steel
 - 1V Pole & Drainage hook with PU cover.
 - Heavy duty caster with brakes 5
 - Manual crank system 1 set
- Optional accessory Mattress & over-bed table & bedside cabinet



Bedstand

XHF-01



Size: 52* 48 *74 cm

XHF-02



Size: 45* 47 *78 cm

XHF-03



Size: 52 * 48 *74 cm

XHF-04



Size: 48* 47 *76 cm

XHF-05



Size: 79 x 38 *78- 110 cm

XHF-06



Height: 70 - 75 cm

www.xdesh.com

Chair

XHF-07

Multifunctional Accompany Chair

Detailed Product Description

This product is made of pressed PVC artificial leather fabric, and powder coated steel tubes



XHF-08

Luxury Transportation Chair

Detailed Product Description

This product is made of pressed PVC artificial leather fabric, and powder coated steel tubes. And it also has 3 adjustable angles and powder coated steel tubes



XHF-09

New Accompany Chair

Detailed Product Description

The fabric is pressed PVC artificial leather, extension spring inside, easy to close and open



XHF-10

Luxurious Transportation Chair

Detailed Product Description

The fabric is pressed PVC artificial leather, 3 angles adjustable, with rotatable table



Technical Data

Model	Product Size(L X W X H)	Folding Size	Packing Size(1 PC)	N.W.
XHF-07	190 * 62 * 58cm	65 * 62 * 42cm	118 * 54 * 112cm	22.9kg
XHF-08	190 * 62 * 108cm		92 * 63 * 95.5cm	21.5kg
XHF-09	204 * 71 * 43 cm	80 * 71 * 43 cm	77 * 40 * 34 * 17 cm	36kg
XHF-10	90 * 75 * 110 cm		98 * 60 * 14 cm	31 kg



83 / 84

Emergency Trolley

XH-ET-62526\$



Size 75x475 >93cm

XH-85037B
Anesthesia Trolley



Size: 85 x 52x99 cm

XH-85011A2
caseHistory Trolley



Size: 85 x 52 x 101 cm

XH-85037



Size 85 x 52 x 99 cm

XH-75071A-LS

Size 75 x 47.5 x 93 cm

XH-62512B3



Size: 62.5 x 47.5 x 93 cm

XH-80056J
Nursing Trolley



Size 80 x 59 x 89 cm

XH-TI8C21-DT
Steel-Plastic Trolley



Size: 67 x 47.5 x 98.5 cm

XH-LSS0YC
case HISIOIT Trolley



Size: 75 x 41 x 98 cm

www.xdeef.com

Instrument Cabinet

XHF-11

Detailed Product Description

- Material: Steel
- Product Size: 90 x 40 x 185 cm
- Thickness: 0.6 mm or 0.8 mm

XHF-12

Detailed Product Description

- Material: Steel
- Product Size: 90 x 40 x 185 cm
- Thickness: 0.6 mm or 0.8 mm

XHF-13

Detailed Product Description

- Material: Steel
- Product Size: 90 x 40 x 185 cm
- Thickness: 0.6 mm or 0.8 mm

XHF-14

Detailed Product Description

- Material: Steel
- Product Size: 90 x 40 x 185 cm
- Thickness: 0.6 mm or 0.8 mm



Sharps Container

XHE-06

Detailed Product Description

- Leak proof and puncture resistant
- Appropriate sliding opening
- Temporary closure & definite closure
- Needle removal cap
- Befitting for the pocket
- Smart Size
- Capacity 0.21
- Product Size: 7.6 x 3.8 x 10 cm
- Carton Size (200 pcs) 38x36x42 cm



XHE-08

Detailed Product Description

- Leak proof and puncture resistant
- Wide opening for easy disposal
- Secure perimeter lock for safe usage and transportation
- Traditional-designed round shape
- Temporary closure & definite closure
- Large and practical rotating/sliding temporary lid
- Comprehensive label details
- Safe to human health and environment
- Capacity 3.6L
- Product Size: 16.5 x 14 x 19 cm
- Carton Size (50 pcs) 52 x 52 x 30 cm



www.xdeeh.com

XHE-07

Detailed Product Description

- Leak proof and puncture resistant
- Most popular quadrateshape
- Wide and clear opening for easy disposal
- Counterbalanced door for hand-free disposal
- Ergonomically designed handle
- Temporary closure & definite closure
- Practical rotating/sliding temporary lid
- Comprehensive label details
- Safe to human health and environment
- Secure perimeter lock for safe usage and transportation
- Capacity 5.0 L
- Product Size: 24.5 x 20 x 16.5 cm
- Carton Size (24 pcs) 51 x 42 x 29.5 cm



XHE-09

Detailed Product Description

- New-developed round shape
- Leak proof and puncture resistant
- Funnel-designed and built-in needle removal cap for easy and safe disposal
- Convenient extra lid design for temporary and final closure
- Temporary closure & definite closure
- Secure perimeter lock for safe usage and transportation
- Various indent design for easy needle removal
- Comprehensive label details
- Safe to human health and environment
- Capacity 3.0L
- Product Size: 14 x 12 x 24 cm
- Carton Size (30 pcs) 48 x 32 x 48 cm



Aluminum Crutches

XHE-10

s-10-5-10-1-u

19-32 (5)

Screen

XHF-15

Detailed Product Description:

- This is made of stainless steel, it has characteristics of light-weighted, and easy folding
- It is mainly used in the hospital



Technical Data

Model	Product Size (Three Folding)	Packing Size (2 Sets)	G.W
XHF-15	1100 x W198cm	182 x 68 x 18cm	14kg 15kg

Stainless Trolley

XH-Y01



XH-Y02



XH-002T



XH-005



Size L/ 55x 46 x 93cm
M/ 140x46x90cm
S/ 120x46x90cm

XHF-16



XHF-17



XHF-18



XHF-19



Capacity: 14l

XHF-20



www.xleeh.com

Gynecological Couch

VXH-105

Detailed Product Description

- Whole stainless steel frame
- Cushioned with room mattress & leather covered & water proof
- Leg holder adjustable & SS basin



Technical Data

Model	Product Size (L x W x H)	Back-rest Adjustable by Double Ratchet Mechanism	Knee-rest Downwards	Packing Size (1 pc)
VXH-105	180 x 55 x 80 cm	0 - 10°	0 - 90°	85 x 60 x 12 cm

Examination Couch

YXH-106

Detailed Product Description

- Whole iron spray.
- Cushioned with foam mattress & leather covered & water proof
- Size: 190 x 65 x 71 cm



YXH-107



Technical Data

Model	Product Size	Packing Size	Load Bearing	N.W.	G.W
YXH-107	179 * 61 * 73 cm		± 135kg	13.6kg	15kg

89/90

Coffin Trolley

Detailed Product Description

- The coffin rack is made of high strength aluminum alloy material
- It is mainly used for coffin placing

XH-8B

Technical Data

Mode	Product size (L x W x H)	Packing Size	N.W. (1 pc)	G.W.
XH-8B	123 x 49 x 67cm	125 x 14 x 51 cm	11.5kg	12.5kg

Autopsy Table

Detailed Product Description

- Made of stainless steel material
- The screw wheels lock to keep the table stationary while in use
- The drain is located in the center of the foot end, quickly removes fluid from the table

XH-8C



Technical Data

Mode	Product Size	Packing Size	Load Bearing	N.W.	G.W.
XH-8C	204JC765x83cm	210JC83JC19cm	≤ 159kg	36 kg	40kg

www.jeeh.com

Steel Trolley

XH-1

Detailed Product Description

- Made of steel, strong and durable
- Flexible frame, light and easy to handle
- Length is adjustable freely
- 4 carrying handles



J

XH-2

Detailed Product Description

- Made of steel, strong and durable
- Flexible frame, light and easy to handle



Detailed Product Description

- Made of steel, strong and durable
- Flexible frame, light and easy to handle



Technical Data

Mode	Product Size	Folding Size	Packing Size	Load Bearing	N.W.	G.W.
XH-1	141JC45032cm	22X16.5JC77Cm	30JC24JC7cm	≤ 450kg	19kg	20kg
XH-2	141 x 49 x 60cm	20 x 49 x 7.4 cm	58 x 24 x 74 cm	≤ 450kg	22kg	23kg
XH-4	81 x 61 x 62cm	95 x 61 x 2.6cm	64 x 27 x 100cm	≤ 300kg	15kg	16kg

91 / 92

Aluminum Alloy Church Truck

Detailed Product Description

- Made of strong, rectangular, aluminum tube
- This church trucks feature a protective, anodized finish that keeps the trucks looking bright and shiny - new as well as making them easy to clean.
- This model comes with convenient fold-out carrying handles
- These enable the truck to navigate hills, curbs and other obstacles with ease and are very convenient when climbing stairs at churches and mausoleums
- The church truck locks in four positions, allowing a wider range of basket sizes to be displayed with one truck
- The additional length also increases the stability and makes an attractive appearance

XH-5



XH-6



XH-7



Technical Data

Model	One Grade Size	Two Grade Size	Three Grade Size	Folded Size	Packing Size	Load Bearing	N.W. (1 pc)	G.W.
XH-5/6/7	84x60x72cm	74 x 60 x 64cm	166 x 60 x 56cm	60x77x 15cm	60x18x82cm	≤400kg	146kg	15.6kg

www.xleeh.com

(k)

·
Ci)

@

Catafalque

Detailed Product Description

- It is made of steel pipes, three level plating-coated, have very beautiful finishing
- Easy for cleaning, size is small when folded saving a lot of space
- It is mainly used for coffin placing

XH-9



Detailed Product Description

- This coffin rack is made of steel material, chrome-coated, clean easily.
- It is mainly used for coffin placing

XH-10



XH-11



Technical Data

Model	Product Size(L X W X H)	Folding Size	Packing Size	Load Bearing	N.W. (1 pc)	G.W.
XH-9	126 x 55 x 57cm	76x 57x8cm	78 x 8 x 59cm	≤ 350 kg	10.4 kg	11 kg
XH-10 (b1g)	40x 49 x 56.5cm	59x49x8cm	60x52x 15cm	≤ 350kg	2.2kg	5kg
XH-10 (small Q)	34x49 x 47.5cm	49x49x8cm	60x52x15cm	≤ 350kg	2kg	5kg
XH-11 (big)	63x55x47cm	63x47x3cm	65x49x5cm	≤ 350kg	2.4kg	5.5kg
XH-11 (small Q)	48 x 40 x 39cm	48x32x3cm	65x49x5cm	≤ 350kg	2kg	5.5kg

93/ 94

Funeral Body Bag

XH-34

Detailed Product Description

- Material: Heavy-duty "proof" canvas
- Thickness: 120 gsm
- Size (L x W to the nearest cm): 200" x 50" x 25cm
- Handle: 6
- Color: Black
- The heavy-duty blue body bag with a heavy-duty zipper has the weight capacity of 300 pounds
- The handles make it easy for 11 people to use



XH-35

Detailed Product Description

- Material: Polyester fabric, PVC
- Thickness: 600 gsm
- Size (L x W to the nearest cm): 230cm x 90cm
- Handle: 8
- Color: Black
- Heavy Duty Body Bag - Black 5 pcs/case - GSM600



XH-36

Detailed Product Description

- Material: PVC
- Thickness: 0.15mm
- Size (L x W to the nearest cm): 230cm x 90cm
- Color: White
- Pack: 20 pcs/case

XH-37

Detailed Product Description

- Material: PVC
- Thickness: 0.2mm
- Size (L x W to the nearest cm): 225cm x 90cm
- Color: Black
- Pack: 20 pcs/case



www.xiech.com

XH-38

Detailed Product Description

- Material: PVC
- Thickness: 0.15mm
- Size (L x W to the nearest cm): 230cm x 90cm
- Handle: N/A
- Color: White

Coffin Lowering Device

XH-39

Detailed Product Description

- Made of stainless steel, high-weighted
- It has good load capacity, the surface is smooth
- It is mainly used in the cemetery, it helps to put the coffin into the cemetery slowly, safely



