



INSTITUT GUMÁRENSKÉ TECHNOLOGIE A TESTOVÁNÍ, A.S.
RUBBER TECHNOLOGY AND TESTING INSTITUTE, Plc.
INSTITUT FÜR GUMMITECNOLOGIE UND PRÜFWESEN, A.G.
A.O. «ИНСТИТУТ ТЕХНОЛОГИИ РЕЗИНЫ И ИСПЫТАНИЙ»

Společnost je zapsána v obchodním rejstříku vedeném Krajským soudem v Brně, oddíl B, vložka 818



PETLAS TYRE INDUSTRY
AND TRADE COMPANY
Göhlhisar Mevkii
40200 Kirsehir
TURKEY

106 R - 0 0 0 3 3 9

Zlín 30th November 2015

Re

Communication concerning the approval and notification of approval number

Enclosed you will find the Communication concerning the approval of your tyres according To ECE Regulation No. **106**

On the base of this approval you are entitled to produce in your factory tyres of the dimension :

PETLAS IMF-18

with the approval number : **E8 106R-000339**

Sincerely yours


IGTT a.s.
Tyre Approval Department
Šternberská 446, Louky
763 02 Zlín, Czech Republic
IČ/ID: 46900080 DIČ/VAT: CZ46900080  21

Petr Husták, Ph.D.
Tyre Approval Department Head

COMMUNICATION



106R-000339

issued by : Ministry of Transport
L.Svobody 1222/12
110 15 Praha 1
Czech Republic

concerning: ^{1/}

APPROVAL GRANTED

~~APPROVAL EXTENDED~~

~~APPROVAL REFUSED~~

~~APPROVAL WITHDRAWN~~

~~PRODUCTION DEFINITELY DISCONTINUED~~

of a type of pneumatic tyre for agricultural vehicles pursuant to Regulation No. 106

Approval No.: **106R-000339**

Extension No. : **N/A**

1. Manufacturer's name or trade mark (s) of the tyre: **PETLAS**
2. Tyre type designation by the manufacturer: **IMF-18**
3. Manufacturer's name and address: **PETLAS TYRE INDUSTRY
AND TRADE COMPANY
Gölkhisar Mevkii
40200 Kirsehir
TURKEY**
4. If applicable, name and address of manufacturer's representative: **N/A**
5. Summarized description:
 - 5.1. Size of tyre: **see tyre dimensions list**
 - 5.2. Category of use: **Implement - traction**
 - 5.3. Structure: **diagonal (bias-ply)**~~/bias belted/radial~~ ^{1/}
 - 5.4. Speed category symbol: **see tyre dimensions list**
 - 5.5. Load-capacity index:
 - 5.5.1. for traction (implement only): **see tyre dimensions list**
 - 5.5.2. for trailer (implement only): **-**



5.6. Whether the tyre is to be fitted with or without an inner tube ~~TUBE TYPE~~ / TUBELESS

5.7. The supplementary service description, if applicable: **see tyre dimensions list**

6. Technical Service and, where applicable,
test laboratory approved for purposes
of approval or of verification of conformity:

**IGTT a.s.
Šternberská 446, Louky,
763 02 ZLÍN
CZECH REPUBLIC**

7. Date of report issued by that service: **30.11.2015**

8. Number of report issued by that service: **106/0339**

9. Reason(s) of extension (if applicable): -

10. Any remarks: -

11. Place: **Praha**

12. Date: **30.11.2015**

13. Signature:

Marek B r á z d a

14. Annexed to this communication is a list of documents in the approval file deposited at the Administrative Services having delivered the approval and which can be obtained upon request

List of attached documents

- Manufacturer's certificate
- Sidewall marking, tread pattern
- Tread pattern
- Request for approval





^{1/} Strike out what does not apply.

Annex No.1

Tyre dimensions list from the same range

IMF-18	12.5/80-15.3 12PR IMF-18 TL REINFORCED 141 A8	106R-000339
	12.5/80-15.3 16PR IMF-18 TL 144 A8	
	400/60-15,5 14PR IMF-18 TL 145 A8	
	400/60-15,5 16PR IMF-18 TL 153/149 A6 (WC TYRE)	
	400/60-15.5 18PR IMF-18 TL 155/151 A6	
	500/60-22,5 16PR IMF-18 TL 163 A8 / 159 B	
	550/60-22,5 16PR IMF-18 TL 167 A8 / 163 B	
	600/50-22,5 16PR IMF-18 TL 165 A8 / 161 B	





HIZ SINFI (SPEED CAT.)	LASTİK EBAĞI (TIRE SIZE)	YÜK KAPASİTE İNDEKSİ (LOAD CAP INDEX)	TP (TYPE)	A mm	B mm	C inches	OMAY NO. (APPROVAL NO.) Ee R-106	AÇIKLAMA (REMARKS)	
A6	400/60-15.5	153/149	-	X	874	404	13.0	000339	-
A6	400/60-15.5	153/149	-	X	874	404	13.0	000339	-

SHIRT DESHI (TREAD PATTERN) : IMF-18 SHIRT (TREAD) : 6 PILES NYLON NYAK (SIDEWALL) : 6 PILES NYLON	RESID. NO. (DRAWING NO.) PKT-12338A	TARIKH (DATE) 10.12.2015	KONTROL (CHECKED)	
			KESIMPULAN	STAFEL BAKU

30-11-2015