

## Specificații tehnice (F4.1)

Numărul procedurii de achiziție: nr.21026041din 10.07.2020						
Denumirea procedurii de achiziție: Echipament și accesorii pentru computer						
Denumirea bunurilor	Modelul articolului	Țara de origine	Produ-cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
2	3	4	5	6	7	8
<b>Lot 4</b>						
4.1 Monitor Stand Tip 1	SBOX LCD-352/2	China	SBOX	Conform caietului de sarcini	SBOX LCD-352/2 Suport birou dublu monitor 13"-32",VESA 100x100,greutate suportata 8kg/monitor ,rotire 360°+360°	
4.2 Monitor Stand Tip 2	SBOX LCD-352/3	China	SBOX	Conform caietului de sarcini	SBOX LCD-352/3 Suport birou triplu monitor 13"-27",VESA 100x100,greutate suportata 7kg/monitor ,rotire 360°+360°	
<b>Lot 5</b>						
5.1 Laptop Tip 1	HP ProBook 650 G5	China	HP	Conform caietului de sarcini	HP ProBook 650 G5 (5EG81AV) HP IDS DSC i7-8565U fWWAN 650 G5 BNBPC 15.6" FHD, i7-8565U, 16GB (1x16GB) DDR4 2400, 512GB PCIe NVMe Value SSD, Integrated HD 720p DM Webcam, 3 Cell 48 WHr Long Life, SEC Fingerprint Sensor IntelWi-Fi6AX200ax2x2MUMIMOnvP160MHz+BT5 2 USB 3.1 Gen 1 (1 charging); 1 USB 3.1 Type-C™ Gen 1 (Power delivery, DisplayPort™); 1 RJ-45; 1 headphone/microphone combo; 1 HDMI 1.4; 1 docking connector; 1 AC power; 1 VGA or Serial Port	
<b>Lot 6</b>						
6.1 Laptop Tip 2	HP EliteBook x360 1040 G6 + HP Executive 15.6 Leather Top Load	China	HP	Conform caietului de sarcini	HP EliteBook x360 1040 G6 (6QH36AV) HP IDS UMA i7-8565U 16GB 1040 G6 BNBPC 14" FHD i7-8565U, 16G DDR4, 512GB PCIe NVMe Value SSD	

					<p>IntelWi-Fi6AX200ax2x2LTECOEXMUMIMOnvP160  4 Cell 56 WHr Long Life  DIB HP TB Dock 120W G2  DIB HP Nano Lock  DIB HP USB-C to RJ45 Adapter  2 USB 3.1 Gen 1 (1 charging); 2 Thunderbolt™ (USB Type-C™ connector); 1 headphone/microphone combo;  1 HDMI 1.4; 1 External Nano SIM slot for WWAN +  HP Executive 15.6 Leather Top Load (6KD09AA)</p>	
6.2 Docking Station	HP Thunderbolt Dock 120W G2	China	HP	Conform caietului de sarcini	<p>HP Thunderbolt Dock 120W G2 (2UK37AA)  Front components:  One USB-CTM port with data and power out (15W) One USB-CTM cable to connect to host system (0.7 meter cable length)  Side components:  One powered USB 3.0 port One combo audio jack One Kensington lock slot  Back components:  1x Thunderbolt™ port  1x USB-CTM DisplayPort™, data and power out port (15W)  2x DisplayPort™ ports  1x VGA port  2x USB 3.0 ports  1x RJ45 port  1x AC adapter  Compatibil cu HP EliteBook x360 1040 G6</p>	
<b>Lot 7</b>						
7.1 Laptop Tip 3	HP Elite Dragonfly Notebook + HP 14.1 Business Slim Top Load	China	HP	Conform caietului de sarcini	<p>HP Elite Dragonfly Notebook (6FW21AV)  Galaxy Blue MAG nWWAN  HP IDS UMA i5-8265U 8GB Dragonfly BNBPC  13.3 FHD BV LED UWVA 400 bent TS LP NWBZ  i5-8265U, 8Gb DDR3  256GB PCIe NVMe Value SSD  IntelWi-Fi6AX200ax2x2LTECOEXMUMIMOnvP160  2 Cell 38 WHr Long Life  65 Watt nPFC Slim USB-C AC Adapter  Clickpad BL SR Cilb  2 Thunderbolt™ (USB Type-C™ connector, Power delivery 3.0 support); 1 USB 3.1 Gen 1 (charging); 1 headphone/microphone combo; 1 HDMI 1.4; 1 External Nano SIM slot for WWAN</p>	

					+ HP 14.1 Business Slim Top Load (2SC65AA)	
<b>Lot 8</b>						
8.1 Laptop Tip 4	HP ProBook 450 G7 Notebook + HP 15.6 Classic Briefcase	China	HP	Conform caietului de sarcini	<p>HP ProBook 450 G7 Notebook  HP IDS UMA i3-10110U 450 G7 BNBPC  15.6 FHD AG LED UWVA 250 fHDC slim 2Ant  i3-10110U,  8GB (1x8GB) DDR4 2666  256GB PCIe NVMe Value SSD  Integrated HD 720p DM Webcam  3 Cell 45 WHr Long Life  45 Watt Smart nPFC RA AC Adapter  Clickpad w/num kypd SR  1 USB 3.1 Type-C™ Gen 1 (Power delivery, DisplayPort™); 2 USB 3.1 Gen 1; 1 USB 2.0 (power port); 1 HDMI 1.4b; 1 RJ-45; 1 headphone/microphone combo;  1 AC power  +  HP 15.6 Classic Briefcase</p>	
<b>Lot 9</b>						
9.1 Geata Laptop	Tellur Black TLL611252	China	Tellur	Conform caietului de sarcini	Rucsac-Laptop, Business, USB charging port 17.3", Water resistant, Tellur Black TLL611252	
<b>Lot 10</b>						
10.1 Tastatura + Mouse Tip 1	LOGITECH Media Keyboard K200 + Logitech M90 Optical Mouse	China	Logitech	Conform caietului de sarcini	LOGITECH Media Keyboard K200 - RUS - USB - EMEA - HENDRIX REFRESH+ Logitech M90 Optical Mouse, Dark, USB	
10.2 Tastatura + Mouse Tip 2	Logitech Wireless Combo MK270	China	Logitech	Conform caietului de sarcini	Logitech Wireless Combo MK270, Multimedia Keyboard & Mouse, 8-keys, Spill-resistant, Nano receiver, USB, Retail	
10.3 Tastatura cu touchpad	Logitech Wireless Keyboard K400 Plus	China	Logitech	Conform caietului de sarcini	Logitech Wireless Keyboard K400 Plus, Multi-touch touchpad, Nano receiver, USB, Retail, Black	
<b>Lot 11</b>						
11.1 Tastatura + Mouse Tip 3	Logitech Wireless Combo MK850 Perfomance	China	Logitech	Conform caietului de sarcini	Logitech Wireless Combo MK850 Perfomance, Keyboard & Laser Mouse (M720), Unifying (2.4GHz), Bluetooth conectivity, Retail	
<b>Lot 12</b>						

12.1 Casti audio cu microfon tip 1	VOYAGER 4220 OFFICE	China	Poly	Conform caietului de sarcini	<p>VOYAGER 4220 OFFICE, 1-WAY BASE, STANDARD CHARGE CABLE  PN: 212721-08  Bluetooth Version: Bluetooth 5.0 with BLE Bluetooth  Profiles used: A2DP, AVRCP, HFP, HSP  Speaker range 20 Hz - 20 kHz  SPEAKER RANGE, TELECOMMUNICATIONS: 100 Hz - 6.8 kHz  SPEAKER IMPEDANCE 32 ohm  BATTERY CAPACITY 360 mAh typical/350 mAh minimum  TALK TIME • Up to 12 hours talk time and 15 hours listen time  STANDBY TIME Up to 13 days standby time  ROAMING RANGE: Up to 91 m/300 ft Office models (line of sight)  CODECS Music: SBC, Call with cell: CVSD, mSBC, UC call: Mono: mSBC; Stereo: mSBC  MODEL Built for UC applications and softphones from Avaya, Cisco, Microsoft and others. Coming Soon — Microsoft Teams</p>
<b>Lot 13</b>					
13.1 Casti audio cu microfon tip 2	BLACKWIRE 3220, USB-A	China	Poly	Conform caietului de sarcini	<p>BLACKWIRE 3220, USB-A  PN: 209745-101  Dynamic EQ, microphone frequency response 100 Hz–10 kHz optimal for PC wideband voice telephony (up to 6,800 Hz), hi-fi stereo (C3220/ C3225). Receive output from 20 Hz–20 kHz, enhanced digital signal processing (DSP), noise-canceling microphone, adjustable audio alerts with Plantronics Hub software (mute/volume)*  Greutate 118g  Call answer/ignore/end/hold, redial, mute, volume +/-</p>
<b>Lot 14</b>					
14.1 Casti Audio wireless Tip 1	VOYAGER 8200 UC, WHITE	China	Plantronics	Conform caietului de sarcini	<p>VOYAGER 8200 UC, WHITE  PN: 208769-02  Up to 24 hours listen, 20 hours talk, up to 1 month standby time  Dual-paired four mic DSP noise cancelling technology, dualmode active noise cancelling (ANC) technology, mobile wideband compatibility, A2DP, AVRCP, HFP, HSP</p>

					<p>Call answer/ignore/end/redial, mute, volume +/-, Bluetooth pairing, ANC 1/2, open mic, smartphone VPA access, power on/off</p> <p>SoundGuard® DIGITAL: protects against sound levels above 118dBA; Anti-startle (during calls) detects and eliminates any large sudden increase in signal level; Time-Weighted Average prevents average daily noise exposure from exceeding 85dBA</p> <p>289g</p>	
14.2 Casti Audio wireless Tip 2	BACKBEAT FIT 3100 FEATURES	China	Plantronics	Conform caietului de sarcini	<p>BACKBEAT FIT 3100 FEATURES</p> <p>Bluetooth® version 5.0, HFP 1.7, HSP 1.2, A2DP 1.3, AVRCP 1.5</p> <p>Listen time Up to 5 hours (earbuds only) and up to 10 additional hours with charge case Talk time Up to 5 hours</p> <p>Microphone MEMS microphone with DSP</p> <p>DeepSleep Up to 6 months</p> <p>Quick charge Up to 1 hour of listening time with a 15-minute charge</p>	
<b>Lot 15</b>						
15.1 Conference room Speaker	POLY CALISTO 5300/BT600	China	Poly	Conform caietului de sarcini	<p>POLY CALISTO 5300/BT600</p> <p>USB Type A + BT version: 214.5 +/-2.0 g</p> <p>SPEAKER SENSITIVITY • 81.5±2 dBSPL @ 1 m @ 1 w</p> <p>SPEAKER FREQUENCY RESPONSE • 150 Hz to 20 kHz</p> <p>SPEAKER IMPEDANCE • 4 ohms</p> <p>DIMENSIONS IN MM • 31.1 x Ø108.6</p> <p>MICROPHONE AND TECHNOLOGY • One digital MEMS microphone, omnidirectional</p> <p>MICROPHONE FREQUENCY RESPONSE • 100 Hz to 7.5 kHz</p> <p>MICROPHONE SENSITIVITY • -26±1dBFS @94dBPa</p> <p>MICROPHONE VOICE PICKUP DISTANCE • Rated 1 m, up to 3 m</p> <p>TALK TIME • Up to 16 Hours</p> <p>BATTERY CHARGE • Full charge—3.5 hours</p> <p>BATTERY CAPACITY • 1000 mAh</p> <p>BATTERY TYPE • Lithium-ion polymer</p> <p>CALL CONTROLS • Call answer/end, mute, volume up and down, on and off</p> <p>VOICE</p>	

					DYNAMIC MUTE • Yes	
15.2 Camera web	Logitech Brio Ultra HD Pro Webcam	China	Logitech	Conform caietului de sarcini	Logitech Brio Ultra HD Pro Webcam Multiple connection types Enjoy the flexibility of USB 2.0 Type A and USB 3.0 Type A and C connections. Max Digital Video Resolution 4096 x 2160 built-in dual stereo microphones Digital Zoom 5 x	
15.3 Camera videoconferinta	Aver cam520 pro poe	China	Aver	Conform caietului de sarcini	Aver cam520 pro poe Connectivity 12V/2A power adaptor Mini DIN9 for RS232 in & out connection (VISCA control panel and camera daisy chain) USB 3.1 type-B connector IP (RJ45) HDMI ** 3.1 Gen1 Type B, backward compatible with USB 2.0 UVC (USB video class) 1.1 HDMI 1.3: Up to 1080p 60fps Network protocol: RTSP, RTMP Pan: ±170° Tilt: +90° (up) -30° (down) PoE+: 802.3at	
<b>Lot 19</b>						
19.1 Monitor	Monitor 43.4" Samsung C43J890DKU,	China	Samsung	Conform caietului de sarcini	Monitor 43.4" Samsung C43J890DKU, Curbat 1800R, 32:10, VA, 300 cd/mp ,3000:1, 3840*1200, 5 ms, 178/178, 120 Hz, Flicker Free, PIP/ PBP, DP,HDMI, 3*USB, headphone, 2*USB-C, speaker, VESA 100*100, consum 59 watt,cabluri DP/ USB-C include	
<b>Lot 22</b>						
22.1 Cartela Video	Gigabyte Radeon RX 5700 AORUS XT 8G	China	Gigabyte	Conform caietului de sarcini	Gigabyte Radeon RX 5700 AORUS XT 8G Numar procesoare 2560 Proces Tehnologic 7nm Frecventa 2010 Mhz Conectori DP x 3 Memorie sustinuta GDDR6 Frecventa memorie 14000Mhz Interfata Memorie 256biti Alimentare 8pinx2 Direct DirectX12 Rezolutie Digitala 7680x4320@60Hz	

					Latimea de banda a memoriei 448Gb/s Boost Clock : up to 2010 MHz (Reference card: 1905 MHz) Game Clock* : 1905 MHz (Reference card: 1755 MHz) Base Clock : 1770 MHz (Reference card: 1605 MHz)	

Semnat: \_\_\_\_\_ Numele, Prenumele: Constantin Alexandru În calitate de: director  
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, ap 16