



„WEST BUY SRL”

mun. Chișinău , bd.Mircea cel Bătrîn 39 ap 143

Tel.mobile: +373-68500748

27.11.2023

mun.Chișinău

**Specificații tehnice și preț (Termenul de livrare : 35 zile).
Oferta valabila : 30 zile**

№	Denumirea bunurilor solicitate	Un.	Cantitatea	Descrierea bunurilor și specificarea tehnică	Denumirea modelului bunului	Specificarea tehnică deplină propusă de către ofertant	Preț unitate cu TVA Lei	Suma cu TVA Lei
1	2	3		5	6			
2.1	Placă de bază	buc	13	Cerințe minime: Placă de bază: Socket 1700, 2xDDR4, VGA, DVI, HDMI, 1 x PCIe X16, 1 x PCIe X1, 4 x Sata3, 1 x NVMe M.2, GbE LAN, 4xUSB; CPU: 12 sau a 13 generatie, 4C/8T, Base Frequency: 3.30 GHz , Max Turbo Frequency: 4.30 GHz, Cache: 12MB, Box, UHD Graphics 730, echivalent la i3-12100 Box sau Intel Core i3-13100 BOX; Ram: 16 GB DDR4; SSD: SSD 512 GB, Sata 3; HDD: 2TB 7200rpm, SATA 3,	MB S1700 ASRock H610M Intel Core i3-12100 3.3 GHz Quad-Core LGA 1700 Processor 16GB DDR4-3200 PATRIOT Signature Line M.2 SATA SSD Silicon Power Ace A55 512GB	1.MB S1700 ASRock H610M-HDV/M.2 mATX // CPU Supports 12th Gen Intel® Core™ Processors (LGA1700) Chipset - Intel® H610 Memory - Dual Channel DDR4 Memory Technology - 2 x DDR4 DIMM Slots - Supports DDR4 non-ECC, un-buffered memory up to 3200 - Max. capacity of system memory: 64GB Graphics - Intel® Xe Graphics Architecture (Gen 12) - Three graphics output options: D-Sub, HDMI and DisplayPort 1.4 - Supports HDMI 2.1 TMDS Compatible with max. resolution up to 4K x 2K (4096x2160) @ 60Hz - Supports DisplayPort 1.4 with DSC	7412,31	96360,03

				128-256MB, 3.5inch	<p>3.5" HDD 2.0TB -SATA-256MB Western Digital "Blue (WD20EZBX)</p>	<p>(compressed) max. resolution up to 8K (7680x4320) @ 60Hz - Supports D-Sub with max. resolution up to 1920x1200 @ 60Hz Audio - 7.1 CH HD Audio (Realtek ALC897/887 Audio Codec) LAN - Gigabit LAN 10/100/1000 Mb/s - Giga PHY Intel® I219V Slots - 1 x PCIe 4.0 x16 Slot (PCIE1), supports x16 mode* - 2 x PCIe 3.0 x1 Slots (PCIE2 and PCIE3)* - 1 x M.2 Socket (Key E), supports type 2230 WiFi/BT PCIe WiFi module Storage - 1 x Ultra M.2 Socket (M2_2, Key M), supports type 2260/2280 SATA3 6.0 Gb/s & PCIe Gen3x4 (32 Gb/s) modes* - 4 x SATA3 6.0 Gb/s Connectors USB - 2 x USB 3.2 Gen1 Ports (Supports ESD Protection) - 2 x USB 2.0 Ports (Supports ESD Protection) - 2 x USB 2.0 Headers (Support 3 USB 2.0 ports) (Supports ESD Protection) - 1 x USB 3.2 Gen1 Header (Supports 2 USB 3.2 Gen1 ports) (Supports ESD Protection) 2.Intel Core i3-12100 3.3 GHz Quad-Core LGA 1700 Processor CPU Model : Intel Core i3-12100 (12th Gen) CPU Socket : LGA 1700 Number of Cores : 4 (4 x P-Cores) Base Clock Speed : P-Core: 3.3 GHz Maximum Boost Speed : P-Core Turbo: 4.3 GHz Integrated Graphics : Intel UHD Graphics 730 L3 Cache : 12 MB Maximum Capacity : 128 GB Memory Support : DDR4 Up to 3200 MHz DDR5 Up to 4800 MHz Channel Architecture : Dual Channel</p>		
--	--	--	--	--------------------	---	--	--	--

						<p>Maximum Memory Bandwidth : 76.8 GB/s</p> <p>3. 16GB DDR4-3200 PATRIOT Signature Line, PC25600, CL22, 2Rank, Double Sided Module, 1.2V</p> <p>4. M.2 SATA SSD Silicon Power Ace A55 512GB Form-Factor: M.2 2280 Volumul unitatii de stocare: 512 GB Viteza de citire: 560 Mb/s Viteza de inscriere: 530 Mb/s Tipul celulelor de memorie: 3D NAND TLC Controler: Silicone Motion SM2258XT Interfete: SATA III</p> <p>5. 3.5" HDD 2.0TB -SATA-256MB Western Digital "Blue (WD20EZBX)" Storage Capacity : 2 TB SATA III (6 Gb/s) 3.5" HDD (7200 rpm) Buffer : 256 MB Garanție: 12 luni</p>		
	Total Lot nr.2							96360,03
	Lot 3 Tastatura + Mouse + Caști							
3.1	Tastatura+ Mouse	buc	30	<p>Tastatura cu fir, format classic, sau echivalent tastatură A4Tech FK10 Eng,Ro,Ru Color: Black\Grey Keycaps: Round Edge Character: Laser Engraving Adjustable Keyboard Legs: Yes Cable Length: 150 cm Hardware Connectivity: USB Mouse optic cu fir, USB , 3 butoane , Lungimea Firului minimum 1.8M, culoare neagră, mod rezoluție de urmărire: 800 dpi, poziționarea: ambele mâini, sau echivalent Logitech B100;</p>	A4Tech FK10 + Logitech B100	<p>A4Tech FK10 Tastatura cu fir, format classic Eng,Ro,Ru Color: Black\Grey Keycaps: Round Edge Character: Laser Engraving Adjustable Keyboard Legs: Yes Cable Length: 150 cm Hardware Connectivity: USB Mouse Optic Logitech B100, USB, Negru Numărul de butoane : 3 Rezoluție maxima 800 dpi Interfață de conectare USB A Dimensiuni, mm 113 x 62 x 37 Culoarea : black Garanție : 12 luni</p>	329,00	9870,00

3.2	Caști	buc	20	Full size wired headphones, Cable length: 2.5m, or equivalent: SVEN AP-670V			183,75	3675,00
	Total Lot nr.3							13545,00
	Lot nr.5 Comutator Silențios							
5.1	Comutator Silențios	buc	2	Fanless Switch L2+ (sau echivalent la Aruba 1930 48G Non-PoE) Cerințe minime: Smart-managed layer 2+; CPU : 800 Mhz, Ram: 512Mb, Flash Memory: 256MB, Packet Buffer: 1.5MB; Ports: 48 RJ-45 10/100/1000 Mb; Ports: 4 SFP/SFP+ 1/10GbE; Management Switch: local web GUI, cloud-based web portal management onsite or remotely; Switching capacity: 176 Gbps; Throughput: 130.95 Mpps; Rack Form Factor: 1 RU; Cooling System: Passive; Standard Features: IEEE 802.1p/Q VLAN Tagging, IEEE 802.3ad Link Aggregation (LACP), IEEE 802.1D: Spanning Tree Protocol, CPU DoS protection, IEEE 802.1p Priority, support 16 trunks, Loop Protection, Dual Image Support; Warranty: 3 Years;	HPE Aruba Instant On 1930 Smart 48G 4SFP+ Switch Part number: JL685A	Inputs/Outputs : 48 x 10/100/1000 Mb/s Gigabit Ethernet (RJ45) 4 x 10Gb SFP+ Smart-managed layer 2+; CPU : 800 Mhz, Ram: 512Mb, Flash Memory: 256MB, Packet Buffer: 1.5MB; Ports: 48 RJ-45 10/100/1000 Mb; Ports: 4 SFP/SFP+ 1/10GbE; Management Switch: local web GUI, cloud-based web portal management onsite or remotely; Switching capacity: 176 Gbps; Throughput: 130.95 Mpps; Rack Form Factor: 1 RU; Cooling System: Passive; Standard Features: IEEE 802.1p/Q VLAN Tagging, IEEE 802.3ad Link Aggregation (LACP), IEEE 802.1D: Spanning Tree Protocol, CPU DoS protection, IEEE 802.1p Priority, support 16 trunks, Loop Protection, Dual Image Support; Warranty: 3	8700,00	17400,00
5.2	Comutator Silențios	buc	1	Fanless Switch L2+ (sau echivalent la Aruba Instant On 1960 24G 2XGT 2SFP+ Non-PoE) Cerințe minime: Smart-managed layer 2+, stackable switch; CPU : 800 Mhz, Ram: 1GB, Flash Memory: 512MB, Packet Buffer: 1.5MB;	Aruba Instant On 1960 24G 2XGT 2SFP+ Non-PoE Part number: JL806A	Cerințe minime: Smart-managed layer 2+, stackable switch; CPU : 800 Mhz, Ram: 1GB, Flash Memory: 512MB, Packet Buffer: 1.5MB; Ports: 24 RJ-45 10/100/1000 Mb; Ports: 2 SFP+ 10GbE; Ports: 2 10GBASE-T; Management Switch: local web GUI, cloud-based web portal management onsite or remotely;	26540,00	26540,00

			Ports: 24 RJ-45 10/100/1000 Mb; Ports: 2 SFP+ 10GbE; Ports: 2 10GBASE-T; Management Switch: local web GUI, cloud-based web portal management onsite or remotely; Switching capacity: 128 Gbps; Throughput: 95 Mpps; Rack Form Factor: 1 RU; Cooling System: Passive; Standard Features: IEEE 802.1p/Q VLAN Tagging, IEEE 802.3ad Link Aggregation (LACP), IEEE 802.1D: Spanning Tree Protocol, CPU DoS protection, IEEE 802.1p Priority, support 16 trunks, Loop Protection, Dual Image Support; Switchul va fi echipat cu următoarele accesorii: 4 x SFP+ Transceiver: 10GBase-LR single mode LC duplex connector up to 1km compatibile cu switchul dat și switchul din prima pozitie; Warranty: 3 Years;	Switching capacity: 128 Gbps; Throughput: 95 Mpps; Rack Form Factor: 1 RU; Cooling System: Passive; Standard Features: IEEE 802.1p/Q VLAN Tagging, IEEE 802.3ad Link Aggregation (LACP), IEEE 802.1D: Spanning Tree Protocol, CPU DoS protection, IEEE 802.1p Priority, support 16 trunks, Loop Protection, Dual Image Support; Switchul va fi echipat cu următoarele accesorii 4 x SFP+ Transceiver : J9151D HPE Aruba Compatible 10GBASE-LR SFP+ 1310nm 10km DOM Duplex LC SMF Optical Transceiver Module for HPE Aruba and OfficeConnect Switch Series HPE Aruba Compatible : J9151D Vendor Name : FS Form Factor : SFP+ Max Data Rate : 10.3125Gbps Wavelength : 1310nm Max Cable Distance : 10km Connector : Duplex LC Warranty: 3 Years		
	Total Lot nr.5					43940,00

Semnat:

Cirliș Ion : Director

„WEST BUY SRL „. Adresa: MD-2075, bld. Mircea cel Bătrîn 39 ap/143, or.Chișinău, RM

Data : 27.11.2023