




Blanking Flange	Size	A	B	C	D	Order no:
						
Aluminium BS LM 25 DIN 3.2371						
NW10	30	12.2	6	2.5		C10511368
NW16	30	17.2	6	2.5		C10512368
NW25	40	26.2	6	2.5		C10514368
NW40	55	41.2	6	2.5		C10516368
Stainless Steel AISI 316L DIN 1.4404						
NW10	30	12.2	6	2.5		C10511366
NW16	30	17.2	6	2.5		C10512366
NW25	40	26.2	6	2.5		C10514366
NW40	55	41.2	6	2.5		C10516366
NW50	75	52.2	6	2.5		C10517366

Size	A	B	C	Order no:	Swing Clamp
Aluminium					
NW10/16	62	40	35	C10512403	
NW20/25	75	50	35	C10514403	
NW32/40	90	66	35	C10516403	
NW50	120	86	35	C10517403	
Polymer					
NW10/16	62	40	35	C10512304	
NW20/25	75	50	35	C10514304	
NW32/40	90	66	35	C10516304	
NW50	120	86	35	C10517304	

Size	A	B	C	Order no:	Centring Ring with O-Ring
Fluoroelastomer/stainless steel carrier					
NW10	12	3.9	8	C10511395	
NW16	17	3.9	8	C10512395	
NW25	26	3.9	8	C10514395	
NW40	41	3.9	8	C10516395	
NW50	52	3.9	8	C10517395	
Fluoroelastomer/aluminium carrier					
NW10	12	3.9	8	C10511397	
NW16	17	3.9	8	C10512397	
NW25	26	3.9	8	C10514397	
NW40	41	3.9	8	C10516397	
Fluoroelastomer/polymer carrier					
NW10	12	3.9	8	C10511394	
NW16	17	3.9	8	C10512394	
NW25	26	3.9	8	C10514394	
NW40	41	3.9	8	C10516394	
Nitrile/stainless steel carrier					
NW10	12	3.9	8	C10511396	
NW16	17	3.9	8	C10512396	
NW25	26	3.9	8	C10514396	
NW40	41	3.9	8	C10516396	
NW50	52	3.9	8	C10517396	
Nitrile/aluminium carrier					
NW10	12	3.9	8	C10511398	
NW16	17	3.9	8	C10512398	
NW25	26	3.9	8	C10514398	
NW40	41	3.9	8	C10516398	
Nitrile/polymer carrier					
NW10	12	3.9	8	C10511393	
NW16	17	3.9	8	C10512393	
NW25	26	3.9	8	C10514393	
NW40	41	3.9	8	C10516393	

Chemical Resistance:

Material	Generally resistant to	Generally attacked by
Nitrile Butadiene Acrylonitrile copolymer	Many hydrocarbons fats, oils greases, hydraulic fluids	Ozone, ketones, esters, aldehydes, chlorinated and nitro hydrocarbons
Neoprene Chloroprene polymer	Moderate chemicals and acids, ozone, oily fats, greases, many oils and solvents	Strong oxidizing acids and esters, ketones, chlorinated aromatic and nitro hydrocarbons
Fluoroelastomer Fluorocarbon polymer	All aliphatic, aromatic and halogenated hydrocarbons, acids, animal and vegetable fats	Ketones, low molecular weight esters and nitro containing compounds

Size	A	B	Order no:	Reducing Piece
------	---	---	-----------	----------------

Aluminium ISO 6082 DIN 3.2315

NW25/10	10	40	C10514436
NW25/16	16	40	C10514437
NW40/25	24	40	C10516439
NW40/16	16	40	C10516438
NW50/16	16	40	C10517040
NW50/25	24	40	C10517043
NW50/40	41	40	C10517041

Stainless Steel AISI 316L DIN 1.4404

NW25/10	10	40	C10514446
NW25/16	16	28	C10514447
NW40/16	16	28	C10516448
NW40/25	24	28	C10516449
NW50/16	16	28	C10517450
NW50/25	24	40	C10517051
NW50/40	40	28	C10517452

