

HICURA

5 mm Grasping Forceps




- Atraumatic forceps:
multipurpose grasping forceps for all laparoscopic applications

- Claw type forceps:
for example, for recovery of gall bladder, myoma, etc.

- Flat forceps:
multipurpose fenestrated grasping forceps for all laparoscopic applications

- Forceps with big lumen:
atraumatic grasping forceps for delicate tissue (e.g. bowel, tubes)

Atraumatic Forceps




Length of jaws: 16 mm

Components

| | |
|-----------------|--|
| WA69336M | Jaws insert "HICURA", 5 x 330, atraumatic, monopolar |
| WA69336S | Jaws insert "HICURA", 5 x 250, atraumatic, monopolar |
| WA69336L | Jaws insert "HICURA", 5 x 430, atraumatic, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Flat Forceps




Length of jaws: 19 mm

Components

| | |
|-----------------|--|
| WA69338M | Jaws insert "HICURA", 5 x 330, flat, monopolar |
| WA69338S | Jaws insert "HICURA", 5 x 250, flat, monopolar |
| WA69338L | Jaws insert "HICURA", 5 x 430, flat, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Claw Type Forceps




Length of jaws: 28 mm

Surgery

Components

| | |
|-----------------|---|
| WA69344M | Jaws insert "HICURA", 5 x 330, claw type, monopolar |
| WA69344S | Jaws insert "HICURA", 5 x 250, claw type, monopolar |
| WA69344L | Jaws insert "HICURA", 5 x 430, claw type, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Forceps with Big Lumen



Length of jaws: 21 mm

Components

| | |
|-----------------|--|
| WA69340M | Jaws insert "HICURA", 5 x 330, with big lumen, monopolar |
| WA69340S | Jaws insert "HICURA", 5 x 250, with big lumen, monopolar |
| WA69340L | Jaws insert "HICURA", 5 x 430, with big lumen, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

HICURA

5 mm Grasping Forceps
(cont.)




- Manhes forceps:
precise fixation and manipulation of fragile tissue

- Crocodile type forceps:
for strong and tight fixation of tissue
(e.g. stomach, gall bladder)

- Wave type forceps:
dedicated grasping forceps for bowel and fragile tissue

- Johann forceps:
atraumatic fenestrated multipurpose grasping forceps with large jaws and good visibility

Manhes Forceps

Length of jaws: 18 mm

Components

| | |
|-----------------|--|
| WA69342M | Jaws insert "HICURA", 5 x 330, Manhes, monopolar |
| WA69342S | Jaws insert "HICURA", 5 x 250, Manhes, monopolar |
| WA69342L | Jaws insert "HICURA", 5 x 430, Manhes, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Crocodile Type Forceps

Length of jaws: 18 mm

Components

| | |
|-----------------|--|
| WA69346M | Jaws insert "HICURA", 5 x 330, crocodile type, monopolar |
| WA69346S | Jaws insert "HICURA", 5 x 250, crocodile type, monopolar |
| WA69346L | Jaws insert "HICURA", 5 x 430, crocodile type, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Wave Type Grasping Forceps

Length of jaws: 30 mm

Components

| | |
|-----------------|---|
| WA69334M | Jaws insert "HICURA", 5 x 330, wave type, monopolar |
| WA69334S | Jaws insert "HICURA", 5 x 250, wave type, monopolar |
| WA69334L | Jaws insert "HICURA", 5 x 430, wave type, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Johann Forceps

Length of jaws: 24 mm

Components

| | |
|-----------------|--|
| WA69310M | Jaws insert "HICURA", 5 x 330, Johann, monopolar |
| WA69310S | Jaws insert "HICURA", 5 x 250, Johann, monopolar |
| WA69310L | Jaws insert "HICURA", 5 x 430, Johann, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

HICURA

5 mm Grasping Forceps (cont.)



- Babcock forceps:
widest inner lumen of all the 5 mm HICURA hand instruments; "paddle" design for maximum grasping performance without damage to soft tissue (e.g. colon)



- Long Johann forceps:
longest jaws in the 5 mm line of HICURA hand instruments foratraumatic grasping of larger organs (e.g. colon)




- Johann single-action forceps:
The single-action mechanism offers improved handling in restricted operation areas and enables atraumatic and firm grasping of soft tissue (e.g. colon).

Babcock Forceps

Length of jaws: 31 mm

Components


| | |
|-----------------|---|
| WA69316M | Jaws insert "HICURA", 5 x 330, Babcock, monopolar |
| WA69316S | Jaws insert "HICURA", 5 x 250, Babcock, monopolar |
| WA69316L | Jaws insert "HICURA", 5 x 430, Babcock, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Johann Single-Action Forceps

Length of jaws: 24 mm

Components

| | |
|-----------------|---|
| WA69312M | Jaws insert "HICURA", 5 x 330, Johann, single action, monopolar |
| WA69312S | Jaws insert "HICURA", 5 x 250, Johann, single action, monopolar |
| WA69312L | Jaws insert "HICURA", 5 x 430, Johann, single action, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Long Johann Forceps

Length of jaws: 40 mm

Components

| | |
|-----------------|---|
| WA69314M | Jaws insert "HICURA", 5 x 330, Johann long, monopolar |
| WA69314S | Jaws insert "HICURA", 5 x 250, Johann long, monopolar |
| WA69314L | Jaws insert "HICURA", 5 x 430, Johann long, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

HICURA

5 mm Grasping Forceps
(cont.)



- CroceOlmi forceps:
Special jaws design allows grasping and refixation of tissue from the hernia sac, together with bowel manipulation.



- DeBakey forceps:
Fine-toothed jaws design and long jaws allow atraumatic grasping of the bowel and other delicate tissue.



- Forceps with lumen:
Good atraumatic grip due to inner lumen and short length. The lumen creates a tweezer effect. Useful in endometriosis treatment.



- Clinching forceps:
Special jaws design allows atraumatic firm grasping of the gall bladder and other slippery tissue. Mandatory for cholecystectomy.

CroceOlmi Forceps

Length of jaws: 29 mm

Components


| | |
|-----------------|---|
| WA69320M | Jaws insert "HICURA", 5 x 330, CroceOlmi, monopolar |
| WA69320S | Jaws insert "HICURA", 5 x 250, CroceOlmi, monopolar |
| WA69320L | Jaws insert "HICURA", 5 x 430, CroceOlmi, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Forceps with Lumen

Length of jaws: 16 mm

Components


| | |
|-----------------|--|
| WA69330M | Jaws insert "HICURA", 5 x 330, with lumen, monopolar |
| WA69330S | Jaws insert "HICURA", 5 x 250, with lumen, monopolar |
| WA69330L | Jaws insert "HICURA", 5 x 430, with lumen, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

DeBakey Forceps

Length of jaws: 31 mm

Components

| | |
|-----------------|---|
| WA69318M | Jaws insert "HICURA", 5 x 330, DeBakey, monopolar |
| WA69318S | Jaws insert "HICURA", 5 x 250, DeBakey, monopolar |
| WA69318L | Jaws insert "HICURA", 5 x 430, DeBakey, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Clinching Forceps

Length of jaws: 26 mm

Components

| | |
|-----------------|---|
| WA69332M | Jaws insert "HICURA", 5 x 330, Clinching, monopolar |
| WA69332S | Jaws insert "HICURA", 5 x 250, Clinching, monopolar |
| WA69332L | Jaws insert "HICURA", 5 x 430, Clinching, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

HICURA

5 mm Grasping Forceps
(cont.)



- Precision forceps:
grasping forceps for very precise grasping performance

- Long Precision forceps:
Longer branch lengths improve overview and handling.

- Flat forceps for thoracic surgery:
foratraumatic manipulation of tissue


- Forceps for thoracic surgery:
foratraumatic manipulation of tissue

Precision Forceps

Length of jaws: 24 mm

Components


| | |
|-----------------|---|
| WA69322M | Jaws insert "HICURA", 5 x 330, Precision, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Long Precision Forceps

Length of jaws: 36 mm

Components


| | |
|-----------------|--|
| WA69324M | Jaws insert "HICURA", 5 x 330, long Precision, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Flat Forceps for Thoracic Surgery

Length of jaws: 14 mm

Components

| | |
|-----------------|--|
| WA69326S | Jaws insert "HICURA", 5 x 250, flat, for thoracic surgery, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Forceps for Thoracic Surgery

Length of jaws: 16 mm

Components

| | |
|-----------------|--|
| WA69328S | Jaws insert "HICURA", 5 x 250, for thoracic surgery, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

HICURA

5 mm Dissection Forceps



- Maryland forceps:
multipurpose curved dissection forceps
with cross-cut surface for strong grasping
and all laparoscopic applications

- Maryland long forceps:
Longer branch length improves overview and handling.


- Precision forceps:
for very precise dissection

Maryland Forceps

Length of jaws: 17 mm

Components

| | |
|-----------------|--|
| WA69350M | Jaws insert "HICURA", 5 x 330, Maryland, monopolar |
| WA69350S | Jaws insert "HICURA", 5 x 250, Maryland, monopolar |
| WA69350L | Jaws insert "HICURA", 5 x 430, Maryland, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |

Precision Forceps

Length of jaws: 25 mm

Components

| | |
|-----------------|---|
| WA69354M | Jaws insert "HICURA", 5 x 330, Precision, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69001M | Handle "HICURA", size M, monopolar |

Maryland Long Forceps

Length of jaws: 21 mm

Components

| | |
|-----------------|---|
| WA69352M | Jaws insert "HICURA", 5 x 330, Maryland long, monopolar |
| WA69352S | Jaws insert "HICURA", 5 x 250, Maryland long, monopolar |
| WA69352L | Jaws insert "HICURA", 5 x 430, Maryland long, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |

HICURA


5 mm Dissection Forceps (cont.)



- Maryland straight forceps:
for delicate dissection and needle holder assistance




- Maryland 90° angled forceps:
for blood vessel dissection

Maryland Straight Forceps

Length of jaws: 15 mm

Components

WA69356M Jaws insert "HICURA",
5 x 330, Maryland straight,
monopolar**WA69356S** Jaws insert "HICURA",
5 x 250, Maryland straight,
monopolar**WA69356L** Jaws insert "HICURA",
5 x 430, Maryland straight,
monopolar**WA69300M** Shaft "HICURA",
5 x 330,
monopolar**WA69300S** Shaft "HICURA",
5 x 250,
monopolar**WA69300L** Shaft "HICURA",
5 x 430,
monopolar**WA69001M** Handle "HICURA",
size M,
monopolar**WA69001L** Handle "HICURA",
size L,
monopolar**Maryland 90° Angled Forceps**

Length of jaws: 18 mm

Components

WA69358M Jaws insert "HICURA",
5 x 330, Maryland 90° angled,
monopolar**WA69358S** Jaws insert "HICURA",
5 x 250, Maryland 90° angled,
monopolar**WA69358L** Jaws insert "HICURA",
5 x 430, Maryland 90° angled,
monopolar**WA69300M** Shaft "HICURA",
5 x 330,
monopolar**WA69300S** Shaft "HICURA",
5 x 250,
monopolar**WA69300L** Shaft "HICURA",
5 x 430,
monopolar**WA69001M** Handle "HICURA",
size M,
monopolar**WA69001L** Handle "HICURA",
size L,
monopolar

HICURA

5 mm Biopsy Forceps



■ Biopsy forceps with spikes




■ Severing biopsy forceps

Biopsy Forceps with Spikes

Length of jaws: 14 mm

Components

| | |
|-----------------|--|
| WA69390M | Jaws insert "HICURA", 5 x 330, with spike, monopolar |
| WA69390L | Jaws insert "HICURA", 5 x 430, with spike, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

Severing Biopsy Forceps

Length of jaws: 12 mm

Components

| | |
|-----------------|--|
| WA69392M | Jaws insert "HICURA", 5 x 330, severing, monopolar |
| WA69392L | Jaws insert "HICURA", 5 x 430, severing, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

HICURA

5 mm Monopolar Scissors



- Metzenbaum scissors:
multipurpose scissors for all laparoscopic applications

- Mini-Metzenbaum scissors:
for precise cutting and preparation

- Hook scissors:
for cutting of sutures


- Straight scissors

**Metzenbaum Scissors**

Length of jaws: 19 mm

Components


| | |
|-----------------|--|
| WA69370M | Jaws insert "HICURA", 5 x 330, Metzenbaum, monopolar |
| WA69370S | Jaws insert "HICURA", 5 x 250, Metzenbaum, monopolar |
| WA69370L | Jaws insert "HICURA", 5 x 430, Metzenbaum, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |

Hook Scissors

Length of jaws: 12 mm

Components


| | |
|-----------------|--|
| WA69376M | Jaws insert "HICURA", 5 x 330, hook, monopolar |
| WA69376S | Jaws insert "HICURA", 5 x 250, hook, monopolar |
| WA69376L | Jaws insert "HICURA", 5 x 430, hook, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |

Mini-Metzenbaum Scissors

Length of jaws: 16 mm

Components

| | |
|-----------------|---|
| WA69372M | Jaws insert "HICURA", 5 x 330, Metzenbaum mini, monopolar |
| WA69372S | Jaws insert "HICURA", 5 x 250, Metzenbaum mini, monopolar |
| WA69372L | Jaws insert "HICURA", 5 x 430, Metzenbaum mini, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |

Straight Scissors


Length of jaws: 19 mm

Components


| | |
|-----------------|--|
| WA69374M | Jaws insert "HICURA", 5 x 330, straight, monopolar |
| WA69374S | Jaws insert "HICURA", 5 x 250, straight, monopolar |
| WA69374L | Jaws insert "HICURA", 5 x 430, straight, monopolar |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |

HICURA


Standard and Monopolar,
Accessories and Spare Parts




WA69300S




WA69300M



WA69300L



HICURA Handles

① **WA69000M** Handle "HICURA",
deactivatable ratchet,
size M


WA69000L Handle "HICURA",
deactivatable ratchet,
size L

② **WA69001M** Handle "HICURA",
monopolar,
size M

WA69001L Handle "HICURA",
monopolar,
size L

③ **WA69003M** Handle "HICURA",
ratchet,
size M


WA69003L Handle "HICURA",
ratchet,
size L

HF Cables

A0358 HF cable, monopolar,
3.5 m length,
for UES-40/-30,
Erbe International and Valleylab (new)

A0355 HF cable, monopolar,
3.5 m length,
for UES-10/-20 and Valleylab (old)


A0357 HF cable, monopolar,
3.5 m length,
for Erbe T series, Martin, and Berchtold

HICURA Shafts

① **WA69300S** Shaft "HICURA",
5 x 250,
monopolar

② **WA69300M** Shaft "HICURA",
5 x 330,
monopolar

③ **WA69300L** Shaft "HICURA",
5 x 430,
monopolar

Instrument Basket System

① **WA05956A** Instrument basket system,
for HiQ+, HICURA

② **WA05957A** Spare retainer,
silicone, set, 2 pcs.,
for WA05956A

③ **WA05958A** Spare mat,
nubby, silicone,
for WA05956A

HiQ+

5 mm Grasping Forceps




- Atraumatic grasping forceps:
multipurpose grasping forceps for all laparoscopic applications

- Claw forceps:
for recoverage of gall bladder, myoma, etc.

- Flat grasping forceps:
multipurpose fenestrated grasping forceps for all laparoscopic applications

- Grasping forceps with lumen:
atraumatic grasping forceps for delicate tissue (e.g. bowel, tubes)


**Atraumatic Grasping Forceps**

Length of jaws: 16 mm

| | |
|-----------------|--|
| A63010S | Grasping forceps "HiQ+", 5 x 250 mm, Ergo |
| A63010A | Grasping forceps "HiQ+", 5 x 330 mm, Ergo |
| A63010L | Grasping forceps "HiQ+", 5 x 430 mm, Ergo |
| WA63012A | Grasping forceps "HiQ+", 5 x 330 mm, atraumatic, Ergo, deactivatable ratchet |
| A63013S | Grasping forceps "HiQ+", 5 x 250 mm, Ergo S |
| A63013A | Grasping forceps "HiQ+", 5 x 330 mm, Ergo S |
| A63013L | Grasping forceps "HiQ+", 5 x 430 mm, Ergo S |
| WA63014A | Grasping forceps "HiQ+", 5 x 330 mm, atraumatic, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| A64010S | Jaws "HiQ+", 5 x 250 mm, grasping forceps |
| A64010A | Jaws "HiQ+", 5 x 330 mm, grasping forceps |
| A64010L | Jaws "HiQ+", 5 x 430 mm, grasping forceps |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |


Claw Forceps

length of jaws: 28 mm

| | |
|-----------------|---|
| A63020A | Grasping forceps "HiQ+", 5 x 330 mm, claw type, Ergo |
| WA63022A | Grasping forceps "HiQ+", 5 x 330 mm, claw type, Ergo, deactivatable ratchet |
| A63023A | Grasping forceps "HiQ+", 5 x 330 mm, claw type, Ergo S |
| WA63024A | Grasping forceps "HiQ+", 5 x 330 mm, claw type, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64020S | Jaws "HiQ+", 5 x 250 mm, grasping forceps, claw type |
| A64020A | Jaws "HiQ+", 5 x 330 mm, claw type |
| WA64020L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, claw type |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |


**Flat Grasping Forceps**

Length of jaws: 19 mm

| | |
|-----------------|--|
| A63030A | Grasping forceps "HiQ+", 5 x 330 mm, Ergo |
| WA63032A | Grasping forceps "HiQ+", 5 x 330 mm, flat, Ergo, deactivatable ratchet |
| A63033A | Grasping forceps "HiQ+", 5 x 330 mm, Ergo S |
| WA63034A | Grasping forceps "HiQ+", 5 x 330 mm, flat, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|---|
| WA64030S | Jaws "HiQ+", 5 x 250 mm, Grasping forceps, flat |
| A64030A | Jaws "HiQ+", 5 x 330 mm, Grasping forceps |
| WA64030L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, flat |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Grasping Forceps with Lumen

Length of jaws: 21 mm

| | |
|-----------------|---|
| A63040A | Grasping forceps "HiQ+", 5 x 330 mm, lumen, Ergo |
| WA63042A | Grasping forceps "HiQ+", 5 x 330 mm, lumen, Ergo, deactivatable ratchet |
| A63043A | Grasping forceps "HiQ+", 5 x 330 mm, lumen, Ergo S |
| WA63044A | Grasping forceps "HiQ+", 5 x 330 mm, lumen, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64040S | Jaws "HiQ+", 5 x 250 mm, grasping forceps, lumen |
| A64040A | Jaws "HiQ+", 5 x 330 mm, lumen |
| WA64040L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, lumen |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |



HiQ+


5 mm Grasping Forceps
(cont.)

- Manhes forceps:
precise fixation and manipulation of fragile tissue

- Crocodile forceps:
for strong and tight fixation of tissue
(e.g. stomach, gall bladder)

- Atraumatic wave type forceps:
dedicated grasping forceps for bowel and fragile tissue

- Johann forceps:
atraumatic fenestrated multipurpose grasping forceps with large jaws and good visibility


Manhes Forceps

length of jaws: 18 mm

| | |
|-----------------|--|
| A63050A | Grasping forceps "HiQ+", 5 x 330 mm, Manhes, Ergo |
| WA63052A | Grasping forceps "HiQ+", 5 x 330 mm, Manhes, Ergo, deactivatable ratchet |
| A63053A | Grasping forceps "HiQ+", 5 x 330 mm, Manhes, Ergo S |
| WA63054A | Grasping forceps "HiQ+", 5 x 330 mm, Manhes, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|---|
| A64050A | Jaws "HiQ+", 5 x 330 mm, Manhes |
| WA64050L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, Manhes |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Manhes Forceps

length of jaws: 30 mm

| | |
|-----------------|---|
| A63080A | Grasping forceps "HiQ+", 5 x 330 mm, wave type, Ergo |
| WA63082A | Grasping forceps "HiQ+", 5 x 330 mm, wave type, Ergo, deactivatable ratchet |
| A63083A | Grasping forceps "HiQ+", 5 x 330 mm, wave type, Ergo S |
| WA63084A | Grasping forceps "HiQ+", 5 x 330 mm, wave type, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| A64080A | Jaws "HiQ+", 5 x 330 mm, wave type |
| WA64080L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, wave type |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |


Crocodile Forceps

length of jaws: 18 mm

| | |
|-----------------|--|
| A63070A | Grasping forceps "HiQ+", 5 x 330 mm, atraumatic, alligator type, Ergo |
| WA63072A | Grasping forceps "HiQ+", 5 x 330 mm, alligator type, Ergo, deactivatable ratchet |
| A63073A | Grasping forceps "HiQ+", 5 x 330 mm, alligator type, atraumatic, Ergo S |
| WA63074A | Grasping forceps "HiQ+", 5 x 330 mm, alligator type, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|---|
| A64070A | Jaws "HiQ+", 5 x 330 mm, alligator type |
| WA64070L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, alligator type |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Johann Forceps

length of jaws: 24 mm

| | |
|-----------------|--|
| A63120S | Grasping forceps "HiQ+", 5 x 250 mm, fine tooth, fenestrated, Ergo |
| A63120A | Grasping forceps "HiQ+", 5 x 330 mm, fine tooth, fenestrated, Ergo |
| WA63120L | Grasping forceps "HiQ+", 5 x 430 mm, Johann, Ergo |
| WA63122A | Grasping forceps "HiQ+", 5 x 330 mm, Johann, Ergo, deactivatable ratchet |
| A63123S | Grasping forceps "HiQ+", 5 x 250 mm, fine tooth, fenestrated, Ergo S |
| A63123A | Grasping forceps "HiQ+", 5 x 330 mm, fine tooth, fenestrated, Ergo S |
| WA63123L | Grasping forceps "HiQ+", 5 x 430 mm, Johann, Ergo S |
| WA63124A | Grasping forceps "HiQ+", 5 x 330 mm, Johann, Ergo S, deactivatable ratchet |

Components


| | |
|-----------------|--|
| A64120S | Jaws "HiQ+", 5 x 250 mm, fine tooth, fenestrated |
| A64120A | Jaws "HiQ+", 5 x 330 mm, fine tooth, fenestrated |
| WA64120L | Jaws "HiQ+", 5 x 430 mm, Johann |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

HiQ+

5 mm Grasping Forceps
(cont.)

- Babcock forceps:
widest inner lumen of all 5 mm HiQ+ hand instruments, "paddle" design for maximum grasping performance without damage of soft tissue (e.g. colon)

- Long Johann forceps:
longest jaws in the 5 mm line of HiQ+ hand instruments foratraumatic grasping of larger organs (e.g. colon)


Babcock Forceps

length of jaws: 31 mm

| | |
|-----------------|---|
| WA63140A | Grasping forceps "HiQ+", 5 x 330 mm, Babcock, Ergo |
| WA63142A | Grasping forceps "HiQ+", 5 x 330 mm, Babcock, Ergo, deactivatable ratchet |
| WA63143A | Grasping forceps "HiQ+", 5 x 330 mm, Babcock, Ergo S |
| WA63144A | Grasping forceps "HiQ+", 5 x 330 mm, Babcock, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64140A | Jaws "HiQ+", 5 x 330 mm, Babcock |
| WA64140L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, Babcock |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |


Long Johann Forces

length of jaws: 40 mm

| | |
|-----------------|---|
| WA63130A | Grasping forceps "HiQ+", 5 x 330 mm, Johann long, Ergo |
| WA63132A | Grasping forceps "HiQ+", 5 x 330 mm, Johann long, Ergo, deactivatable ratchet |
| WA63133A | Grasping forceps "HiQ+", 5 x 330 mm, Johann long, Ergo S |
| WA63134A | Grasping forceps "HiQ+", 5 x 330 mm, Johann long, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64130A | Jaws "HiQ+", 5 x 330 mm, Johann long |
| WA64130L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, Johann long |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Johann Single-Action Forceps

length of jaws: 24 mm

| | |
|-----------------|--|
| WA63190A | Grasping forceps "HiQ+", 5 x 330 mm, Johann, single action, Ergo |
| WA63190L | Grasping forceps "HiQ+", 5 x 430 mm, Johann, single action, Ergo |
| WA63192A | Grasping forceps "HiQ+", 5 x 330 mm, Johann single-action, Ergo, deactivatable ratchet |
| WA63193A | Grasping forceps "HiQ+", 5 x 330 mm, Johann, single action, Ergo S |
| WA63193L | Grasping forceps "HiQ+", 5 x 430 mm, Johann, single action, Ergo S |
| WA63194A | Grasping forceps "HiQ+", 5 x 330 mm, Johann single-action, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64190A | Jaws "HiQ+", 5 x 330 mm, grasping forceps, Johann, single action |
| WA64190L | Jaws "HiQ+", 5 x 430 mm, Grasping forceps, Johann, single action |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

HiQ+

5 mm Grasping Forceps
(cont.)

- CroceOlmie forceps:
Allows through a special jaws design the grasping and refixation of the tissue out of the hernia sac and bowel manipulation.




- DeBakey forceps:
Fine toothed jaws design and long jaws allow atraumatic grasping of the bowel and other delicate tissue.



- Atraumatic forceps with lumen:
Due to inner lumen and short overall length the jaws provide a good atraumatic grip. The lumen creates a tweezer effect. Both the atraumatic grip and the tweezer effect are perfect for perpendicular grasping as needed in the endometriosis treatment.



- Clinching forceps:
Allows atraumatic, firm grasping of the gall bladder and other slippery tissue through its special tooth design. Mandatory jaws for cholecystectomy.


**CroceOlimi Grasping Forceps**

length of jaws: 29 mm

| | |
|-----------------|--|
| WA63150A | Grasping forceps "HiQ+", 5 x 330 mm, CroceOlimi, Ergo |
| WA63150L | Grasping forceps "HiQ+", 5 x 430 mm, CroceOlimi, Ergo |
| WA63152A | Grasping forceps "HiQ+", 5 x 330 mm, CroceOlimi, Ergo, deactivatable ratchet |
| WA63153A | Grasping forceps "HiQ+", 5 x 330 mm, CroceOlimi, Ergo S |
| WA63153L | Grasping forceps "HiQ+", 5 x 430 mm, CroceOlimi, Ergo S |
| WA63154A | Grasping forceps "HiQ+", 5 x 330 mm, CroceOlimi, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|---|
| WA64150A | Jaws "HiQ+", 5 x 330 mm, grasping forceps, CroceOlimi |
| WA64150L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, CroceOlimi |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| A60201A | Handle "HiQ+", Ergo S, unipolar |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Clinching Forceps

length of jaws: 26 mm

| | |
|-----------------|---|
| WA63180A | Grasping forceps "HiQ+", 5 x 330 mm, Clinching, Ergo |
| WA63182A | Grasping forceps "HiQ+", 5 x 330 mm, clinching, Ergo, deactivatable ratchet |
| WA63183A | Grasping forceps "HiQ+", 5 x 330 mm, Clinching, Ergo S |
| WA63184A | Grasping forceps "HiQ+", 5 x 330 mm, clinching, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64180A | Jaws "HiQ+", 5 x 330 mm, grasping forceps, Clinching |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Atraumatic Forceps with Lumen

length of jaws: 16 mm

| | |
|-----------------|--|
| WA63170A | Grasping forceps "HiQ+", 5 x 330 mm, atraumatic, lumen, Ergo |
| WA63172A | Grasping forceps "HiQ+", 5 x 330 mm, atraumatic, with lumen, Ergo, deactivatable ratchet |
| WA63173A | Grasping forceps "HiQ+", 5 x 330 mm, atraumatic, lumen, Ergo S |
| WA63174A | Grasping forceps "HiQ+", 5 x 330 mm, atraumatic, with lumen, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64170A | Jaws "HiQ+", 5 x 330 mm, grasping forceps, atraumatic, lumen |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

DeBakey Grasping Forceps

length of jaws: 29 mm

| | |
|-----------------|---|
| WA63160A | Grasping forceps "HiQ+", 5 x 330 mm, DeBakey, Ergo |
| WA63160L | Grasping forceps "HiQ+", 5 x 430 mm, DeBakey, Ergo |
| WA63162A | Grasping forceps "HiQ+", 5 x 330 mm, DeBakey, Ergo, deactivatable ratchet |
| WA63163A | Grasping forceps "HiQ+", 5 x 330 mm, DeBakey, Ergo S |
| WA63163L | Grasping forceps "HiQ+", 5 x 430 mm, DeBakey, Ergo S |
| WA63164A | Grasping forceps "HiQ+", 5 x 330 mm, DeBakey, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|--|
| WA64160A | Jaws "HiQ+", 5 x 330 mm, grasping forceps, DeBakey |
| WA64160L | Jaws "HiQ+", 5 x 430 mm, grasping forceps, DeBakey |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60100A | Handle "HiQ+", Ergo, ratchet |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| A60102A | Handle "HiQ+", Ergo, ratchet, unipolar |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60200A | Handle "HiQ+", Ergo S, ratchet |
| A60201A | Handle "HiQ+", Ergo S, unipolar |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

HiQ+

5 mm Dissection Forceps



- Maryland forceps:
multipurpose curved dissection forceps
for all laparoscopic applications

- Short Maryland forceps:
for precise dissection and needle holder assistance

- Maryland cross tooth:
The cross tooth surface design allows
stronger grasping performance.

- Fine Maryland cross tooth:
Longer branch length improves the overview
and handling. The cross tooth surface allows
stronger grasping performance.

**Maryland Forceps**

length of jaws: 21 mm

| | |
|-----------------|--|
| A63320S | Dissection forceps "HiQ+", 5 x 250 mm, Maryland, Ergo |
| A63320A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, Ergo |
| A63320L | Dissection forceps "HiQ+", 5 x 430 mm, Maryland, Ergo |
| WA63322A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, Ergo, deactivatable ratchet |
| A63323S | Dissection forceps "HiQ+", 5 x 250 mm, Maryland, Ergo S |
| A63323A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, Ergo S |
| A63323L | Dissection forceps "HiQ+", 5 x 430 mm, Maryland, Ergo S |
| WA63324A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, Ergo S, deactivatable ratchet |


Components

| | |
|-----------------|---|
| A64320S | Jaws "HiQ+", 5 x 250 mm, dissection forceps, Maryland |
| A64320A | Jaws "HiQ+", 5 x 330 mm, dissection forceps, Maryland |
| A64320L | Jaws "HiQ+", 5 x 430 mm, dissection forceps, Maryland |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60201A | Handle "HiQ+", Ergo S, unipolar |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Short Maryland Forceps

length of jaws: 17 mm

| | |
|-----------------|---|
| A63340A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, short, Ergo |
| WA63342A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, short, Ergo, deactivatable ratchet |
| A63343A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, short, Ergo S |
| WA63344A | Dissection forceps "HiQ+", 5 x 330 mm, Maryland, short, Ergo S, deactivatable ratchet |
| Components | |
| WA64340S | Jaws "HiQ+", 5 x 250 mm, dissection forceps, Maryland |
| A64340A | Jaws "HiQ+", 5 x 330 mm, dissection forceps, Maryland |
| WA64340L | Jaws "HiQ+", 5 x 430 mm, dissection forceps, Maryland, short |
| A60800S | Jaws "HiQ+", 5 x 430 mm, dissection forceps, Maryland, short |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60201A | Handle "HiQ+", Ergo S, unipolar |
| WA60205A | Handle "HiQ+", Ergo S, unipolar |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

**Maryland Forceps with Cross Tooth Pattern**

length of jaws: 17 mm

WA63350A Dissection forceps "HiQ+", 5 x 330 mm, Maryland, cross tooth pattern, Ergo

WA63352A Dissection forceps "HiQ+", 5 x 330 mm, Maryland, cross tooth pattern, Ergo, deactivatable ratchet

WA63353A Dissection forceps "HiQ+", 5 x 330 mm, Maryland, cross tooth pattern, Ergo S

WA63354A Dissection forceps "HiQ+", 5 x 330 mm, Maryland, cross tooth pattern, Ergo S, deactivatable ratchet

Components

WA64350S Jaws "HiQ+", 5 x 250 mm, dissection forceps, Maryland, cross tooth pattern

WA64350A Jaws "HiQ+", 5 x 330 mm, Dissection forceps, Maryland, cross tooth pattern

WA64350L Jaws "HiQ+", 5 x 430 mm, dissection forceps, Maryland, cross tooth pattern

A60800S Shaft "HiQ+", 5 x 250 mm

A60800A Shaft "HiQ+", 5 x 330 mm


A60800L Shaft "HiQ+", 5 x 430 mm

A60101A Handle "HiQ+", Ergo, unipolar

WA60115A Handle "HiQ+", Ergo, deactivatable ratchet

A60201A Handle "HiQ+", Ergo S, unipolar

WA60205A Handle "HiQ+", Ergo S, unipolar

Fine Maryland Forceps with Cross Tooth Pattern

length of jaws: 19 mm

WA63370A Dissection forceps "HiQ+", 5 x 330 mm, Maryland fine, cross tooth pattern, Ergo

WA63372A Dissection forceps "HiQ+", 5 x 330 mm, Maryland fine, cross tooth pattern, Ergo, deactivatable ratchet

WA63373A Dissection forceps "HiQ+", 5 x 330 mm, Maryland fine, cross tooth pattern, Ergo S

WA63374A Dissection forceps "HiQ+", 5 x 330 mm, Maryland fine, cross tooth pattern, Ergo S, deactivatable ratchet

Components

WA64370S Jaws "HiQ+", 5 x 250 mm, dissection forceps, Maryland fine, cross tooth pattern

WA64370A Jaws "HiQ+", 5 x 330 mm, dissection forceps, Maryland fine, cross tooth pattern

WA64370L Jaws "HiQ+", 5 x 430 mm, dissection forceps, Maryland fine, cross tooth pattern

A60800S Shaft "HiQ+", 5 x 250 mm

A60800A Shaft "HiQ+", 5 x 330 mm

A60800L Shaft "HiQ+", 5 x 430 mm

A60101A Handle "HiQ+", Ergo, unipolar

WA60115A Handle "HiQ+", Ergo, deactivatable ratchet

A60201A Handle "HiQ+", Ergo S, unipolar

WA60205A Handle "HiQ+", Ergo S, deactivatable ratchet




HiQ+

5 mm Dissection Forceps
(cont.)

- Straight dissection forceps:
for delicate dissection and needle holder assistance

- Right angle dissector:
for blood vessel dissection


Dissection Forceps

length of jaws: 15 mm

| | |
|-----------------|--|
| A63310S | Dissection forceps "HiQ+", 5 x 250 mm, straight, Ergo |
| A63310A | Dissection forceps "HiQ+", 5 x 330 mm, straight, Ergo |
| WA63312A | Dissection forceps "HiQ+", 5 x 330 mm, straight, Ergo, deactivatable ratchet |
| A63313S | Dissection forceps "HiQ+", 5 x 250 mm, straight, Ergo S |
| A63313A | Dissection forceps "HiQ+", 5 x 330 mm, straight, Ergo S |
| WA63314A | Dissection forceps "HiQ+", 5 x 330 mm, straight, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|---|
| A64310S | Jaws "HiQ+", 5 x 250 mm, dissection forceps, straight |
| A64310A | Jaws "HiQ+", 5 x 330 mm, dissection forceps, straight |
| WA64310L | Jaws "HiQ+", 5 x 430 mm, dissection forceps, straight |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60201A | Handle "HiQ+", Ergo S, unipolar |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

Right Angle Dissection Forceps

length of jaws: 18 mm

| | |
|-----------------|--|
| WA63330A | Dissection forceps, "HiQ+", 5 x 330 mm, 90° angled, Ergo |
| WA63332A | Dissection forceps "HiQ+", 5 x 330 mm, 90° angled, Ergo, deactivatable ratchet |
| WA63333A | Dissection forceps "HiQ+", 5 x 330 mm, 90° angled, Ergo S |
| WA63334A | Dissection forceps "HiQ+", 5 x 330 mm, 90° angled, Ergo S, deactivatable ratchet |

Components

| | |
|-----------------|---|
| WA64330S | Jaws "HiQ+", 5 x 250 mm, dissection forceps, 90° angled |
| WA64330A | Jaws "HiQ+", 5 x 330 mm, 90° angled |
| WA64330L | Jaws "HiQ+", 5 x 430 mm, dissection forceps, 90° angled |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| WA60115A | Handle "HiQ+", Ergo, deactivatable ratchet |
| A60201A | Handle "HiQ+", Ergo S, unipolar |
| WA60205A | Handle "HiQ+", Ergo S, deactivatable ratchet |

HiQ+

5 mm Biopsy Forceps



- Biopsy forceps with spike



- Severing biopsy forceps

Biopsy Forceps

length of jaws: 14 mm

| | |
|----------------|---|
| A63610S | Biopsy forceps "HiQ+", 5 x 250 mm, with spike, Ergo |
| A63610A | Biopsy forceps "HiQ+", 5 x 330 mm, with spike, Ergo |
| A63610L | Biopsy forceps "HiQ+", 5 x 430 mm, with spike, Ergo |
| A63613S | Biopsy forceps "HiQ+", 5 x 250 mm, with spike, Ergo S |
| A63613A | Biopsy forceps "HiQ+", 5 x 330 mm, with spike, Ergo S |
| A63613L | Biopsy forceps "HiQ+", 5 x 430 mm, with spike, Ergo S |

Components

| | |
|----------------|---|
| A64610S | Jaws "HiQ+", 5 x 250 mm, biopsy forceps, with spike |
| A64610A | Jaws "HiQ+", 5 x 330 mm, with spike, biopsy forceps |
| A64610L | Jaws "HiQ+", 5 x 430 mm, biopsy forceps, with spike |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| A60201A | Handle "HiQ+", Ergo S, unipolar |

Biopsy Forceps

length of jaws: 12 mm

| | |
|-----------------|---|
| A63620A | Biopsy forceps "HiQ+", 5 x 330 mm, severing, Ergo |
| A63623A | Biopsy forceps "HiQ+", 5 x 330 mm, severing, Ergo S |
| Components | |
| A64620A | Jaws "HiQ+", 5 x 330 mm, biopsy forceps, severing |
| WA64620L | Jaws "HiQ+", 5 x 430 mm, biopsy forceps, severing |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| A60201A | Handle "HiQ+", Ergo S, unipolar |

HiQ+

5 mm Monopolar Scissors



- Metzenbaum:
Multipurpose scissors for all laparoscopic applications



- Mini-Metzenbaum:
for precise cutting and preparation



- Hook scissors:
for cutting of sutures



- Straight scissors


**Metzenbaum Scissors**

length of jaws: 19 mm

| | |
|----------------|---|
| A63810S | Scissors "HiQ+", 5 x 250 mm, Metzenbaum, Ergo |
| A63810A | Scissors "HiQ+", 5 x 330 mm, Metzenbaum, Ergo |
| A63810L | Scissors "HiQ+", 5 x 430 mm, Metzenbaum, Ergo |
| A63813S | Scissors "HiQ+", 5 x 250 mm, Metzenbaum, Ergo S |
| A63813A | Scissors "HiQ+", 5 x 330 mm, Metzenbaum, Ergo S |
| A63813L | Scissors "HiQ+", 5 x 430 mm, Metzenbaum, Ergo S |

Components

| | |
|----------------|---|
| A64810S | Jaws "HiQ+", 5 x 250 mm, scissors, Metzenbaum |
| A64810A | Jaws "HiQ+", 5 x 330 mm, scissors, Metzenbaum |
| A64810L | Jaws "HiQ+", 5 x 430 mm, scissors, Metzenbaum |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| A60201A | Handle "HiQ+", Ergo S, unipolar |

Mini-Metzenbaum Scissors

length of jaws: 16 mm

| | |
|----------------|--|
| A63840A | Scissors "HiQ+", 5 x 330 mm, Mini-Metzenbaum, Ergo |
| A63843A | Scissors "HiQ+", 5 x 330 mm, Mini-Metzenbaum, Ergo S |

Components

| | |
|-----------------|--|
| WA64840S | Jaws "HiQ+", 5 x 250 mm, scissors, Mini-Metzenbaum |
| A64840A | Jaws "HiQ+", 5 x 330 mm, scissors, Mini-Metzenbaum |
| WA64840L | Jaws "HiQ+", 5 x 430 mm, scissors, Mini-Metzenbaum |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| A60201A | Handle "HiQ+", Ergo S, unipolar |


Hook Scissors

length of jaws: 12 mm

| | |
|----------------|--|
| A63820S | Hook scissors "HiQ+", 5 x 250 mm, Ergo |
| A63820A | Hook scissors "HiQ+", 5 x 330 mm, Ergo |
| A63820L | Hook scissors "HiQ+", 5 x 430 mm, Ergo |
| A63823S | Hook scissors "HiQ+", 5 x 250 mm, Ergo S |
| A63823A | Hook scissors "HiQ+", 5 x 330 mm, Ergo S |
| A63823L | Hook scissors "HiQ+", 5 x 430 mm, Ergo S |

Components

| | |
|----------------|--|
| A64820S | Jaws "HiQ+", 5 x 250 mm, hook scissors |
| A64820A | Jaws "HiQ+", 5 x 330 mm, hook scissors |
| A64820L | Jaws "HiQ+", 5 x 430 mm, hook scissors |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| A60201A | Handle "HiQ+", Ergo S, unipolar |

Straight Scissors

length of jaws: 19 mm

| | |
|----------------|---|
| A63830A | Scissors "HiQ+", 5 x 330 mm, straight, Ergo |
| A63833A | Scissors "HiQ+", 5 x 330 mm, straight, Ergo S |

Components

| | |
|-----------------|---|
| WA64830S | Jaws "HiQ+", 5 x 250 mm, scissors, straight |
| A64830A | Jaws "HiQ+", 5 x 330 mm, scissors, straight |
| WA64830L | Jaws "HiQ+", 5 x 430 mm, scissors, straight |
| A60800S | Shaft "HiQ+", 5 x 250 mm |
| A60800A | Shaft "HiQ+", 5 x 330 mm |
| A60800L | Shaft "HiQ+", 5 x 430 mm |
| A60101A | Handle "HiQ+", Ergo, unipolar |
| A60201A | Handle "HiQ+", Ergo S, unipolar |

HiQ+

10 mm Hand Instruments




- CBD forceps:
soft-layered grasping forceps dedicated for manipulation of fragile tissue and flexible telescopes

- Claw forceps:
for recovery of gall bladder, myoma, etc.

- Babcock forceps:
for manipulation of large fragile tissue (e.g. bowel, stomach)


- Babcock-Atrauma forceps:
widest inner lumen of all 10 mm HiQ+ hand instruments;
“paddle” design for maximum grasping performance
with no damage of soft tissue (e.g. colon)

CBD Grasping Forceps

Length of jaws: 16 mm

A65070A Grasping forceps "HiQ+", 10 x 330 mm, CBD, Ergo**A65073A** Grasping forceps "HiQ+", 10 x 330 mm, CBD, Ergo S


Components

A66070A Jaws "HiQ+", 10 x 330 mm grasping forceps, CBD**A60901A** Shaft "HiQ+", 10 x 330 mm, insulated, tapered**A60100A** Handle "HiQ+", Ergo, ratchet**A60200A** Handle "HiQ+", Ergo S, ratchet**Claw Forceps**

Length of jaws: 45 mm

A65020A Grasping forceps "HiQ+", 10 x 330 mm, claw type, Ergo**A65023A** Grasping forceps "HiQ+", 10 x 330 mm, claw type, Ergo S


Components

A66020A Jaws "HiQ+", 10 x 330 mm grasping forceps, claw type**A60900A** Shaft "HiQ+", 10 x 330 mm, insulated**A60100A** Handle "HiQ+", Ergo, ratchet**A60200A** Handle "HiQ+", Ergo S, ratchet**Babcock Forceps**

Length of jaws: 47 mm

A65050A Grasping forceps "HiQ+", 10 x 330 mm, Babcock, Ergo**A65053A** Grasping forceps "HiQ+", 10 x 330 mm, Babcock, Ergo S

Components

A66050A Jaws "HiQ+", 10 x 330 mm grasping forceps, Babcock**A60900A** Shaft "HiQ+", 10 x 330 mm, insulated**A60100A** Handle "HiQ+", Ergo, ratchet**A60200A** Handle "HiQ+", Ergo S, ratchet**Babcock-Atrauma Forceps**

Length of jaws: 53 mm

WA65040A Grasping forceps "HiQ+", 10 x 330 mm, Babcock-Atrauma, Ergo**WA65043A** Grasping forceps "HiQ+", 10 x 330 mm, Babcock-Atrauma, Ergo S

Components

WA66040A Jaws "HiQ+", 10 x 330 mm grasping forceps, Babcock-Atrauma**A60900A** Shaft "HiQ+", 10 x 330 mm, insulated**A60100A** Handle "HiQ+", Ergo, ratchet**A60200A** Handle "HiQ+", Ergo S, ratchet


HiQ+

10 mm Hand Instruments
(cont.)

- Atraumatic wave type forceps:
dedicated grasping forceps for bowel and fragile tissue

- Maryland forceps:
multipurpose curved dissection forceps
for all laparoscopic applications


- Short Maryland forceps:
for precise dissection and needle holder assistance

Atraumatic Grasping Forceps

Length of jaws: 42 mm

A65060A Grasping forceps "HiQ+",
10 x 330 mm, wave type, Ergo**A65063A** Grasping forceps "HiQ+",
10 x 330 mm, wave type, Ergo S


Components

A66060A Jaws "HiQ+", 10 x 330 mm grasping forceps, wave type**A60900A** Shaft "HiQ+", 10 x 330 mm, insulated**A60100A** Handle "HiQ+", Ergo, ratchet**A60200A** Handle "HiQ+", Ergo S, ratchet**Maryland Forceps**

Length of jaws: 30 mm

A65310A Dissection forceps "HiQ+",
10 x 330 mm, Maryland, Ergo**A65313A** Dissection forceps "HiQ+",
10 x 330 mm, Maryland, Ergo S

Components

A66310A Jaws "HiQ+", 10 x 330 mm dissection forceps, Maryland**A60901A** Shaft "HiQ+", 10 x 330 mm, insulated, tapered**A60101A** Handle "HiQ+", Ergo, monopolar**A60201A** Handle "HiQ+", Ergo S, monopolar**Short Maryland Forceps**


Length of jaws: 24 mm


A65320A Dissection forceps "HiQ+",
10 x 330 mm, Maryland, short, Ergo**A65323A** Dissection forceps "HiQ+",
10 x 330 mm, Maryland, short, Ergo S

Components

A66320A Jaws "HiQ+", 10 x 330 mm dissection forceps,
Maryland, short**A60901A** Shaft "HiQ+", 10 x 330 mm, insulated, tapered**A60100A** Handle "HiQ+", Ergo, ratchet**A60200A** Handle "HiQ+", Ergo S, ratchet

HiQ+



HiQ+ Ergo Handles

① **A60100A** Handle "HiQ+", Ergo, ratchet

② **A60101A** Handle "HiQ+", Ergo, monopolar

③ **A60102A** Handle "HiQ+", Ergo, ratchet, monopolar

④ **WA60103A** Handle "HiQ+", Ergo

⑤ **WA60115A** Handle "HiQ+", Ergo, deactivatable ratchet

⑥ **A60200A** Handle "HiQ+", Ergo S, ratchet


Spare Parts

① **A0389** Finger ring, silicone, for HiQ+

② **A03440A** Sealing cap, 2.2 mm, 10 pcs.

③ **A03441A** Spare button, for shaft, 10 pcs.


④ **A03442A** Spare sealing ring "HiQ+", for shaft, 20 pcs.

HiQ+ Ergo S Handles

With silicone finger ring

① **A60201A** Handle "HiQ+", Ergo S, monopolar

② **WA60205A** Handle "HiQ+", Ergo S, deactivatable ratchet monopolar

HiQ+ Semi-Inline S Handles

With silicone finger ring

① **A60210A** Handle "HiQ+", semi-inline S, with ratchet

② **A60211A** Handle "HiQ+", semi-inline S, monopolar

HiQ+ Shafts

① **A60900A** Shaft "HiQ+" 10 x 330 mm, insulated

② **A60901A** Shaft "HiQ+" 10 x 330 mm, insulated, tapered

HF Cables

A0358 HF cable, monopolar, 3.5 m length, for UES-40/-30, Erbe International and Valleylab (new)

A0355 HF cable, monopolar, 3.5 m length, for UES-10/-20 and Valleylab (old)

A0357 HF cable, monopolar, 3.5 m length, for Erbe T series, Martin, and Berchtold

HICURA

Bipolar Hand Instruments






- Color coding for clear instrument identification
HICURA bipolar hand instruments are color-coded on the handle and the rotation wheel. The inserts also have a white insulation, so this allows rapid identification of all the bipolar components.



- Excellent jaws insulation
The bipolar jaws are PFA insulated, thus reducing the risk of coagulation failures.
The design of HICURA bipolar instruments allows strong grasping and effective coagulation, thereby combining monopolar mechanical strengths with bipolar coagulation.



- Safety first!
HICURA shafts are PEEK insulated in order to provide optimized stability, durability and electrical insulation.

HICURA

Bipolar Grasping Forceps



- Johann forceps:
multipurpose grasping forceps for strong grasping and atraumatic dissection and all laparoscopic procedures




- Hirsch forceps:
for precise and atraumatic grasping



- Manhes forceps:
grasping forceps for myomectomy and cystectomy

Johann Forceps




Length of jaws: 17 mm

Components

| | |
|-----------------|--|
| WA69410M | Jaws insert "HICURA", 5 x 330, Johann, bipolar |
| WA69400M | Shaft "HICURA", 5 x 330, bipolar |
| WA69002M | Handle "HICURA", size M, bipolar |
| WA69002L | Handle "HICURA", size L, bipolar |

Hirsch Forceps




Length of jaws: 20 mm

Surgery

Components

| | |
|-----------------|--|
| WA69412M | Jaws insert "HICURA", 5 x 330, Hirsch, bipolar |
| WA69400M | Shaft "HICURA", 5 x 330, bipolar |
| WA69002M | Handle "HICURA", size M, bipolar |
| WA69002L | Handle "HICURA", size L, bipolar |

Manhes Forceps



Length of jaws: 14 mm

Components

| | |
|-----------------|--|
| WA69414M | Jaws insert "HICURA", 5 x 330, Manhes, bipolar |
| WA69400M | Shaft "HICURA", 5 x 330, bipolar |
| WA69002M | Handle "HICURA", size M, bipolar |
| WA69002L | Handle "HICURA", size L, bipolar |

HICURA

Bipolar Dissection Forceps




- Maryland forceps:
multipurpose curved dissection forceps
for all laparoscopic procedures

- Fine Maryland forceps:
improved overview and handling
due to increased branch length

- Straight forceps:
multipurpose straight dissection forceps
for all laparoscopic procedures


- Tweezers forceps:
for very delicate dissection and coagulation

Maryland Forceps

Length of jaws: 15 mm

Components


| | |
|-----------------|--|
| WA69416M | Jaws insert "HICURA", 5 x 330, Maryland, bipolar |
| WA69400M | Shaft "HICURA", 5 x 330, bipolar |
| WA69002M | Handle "HICURA", size M, bipolar |
| WA69002L | Handle "HICURA", size L, bipolar |

Straight Forceps

Length of jaws: 13 mm

Components


| | |
|-----------------|--|
| WA69420M | Jaws insert "HICURA", 5 x 330, straight, bipolar |
| WA69400M | Shaft "HICURA", 5 x 330, bipolar |
| WA69002M | Handle "HICURA", size M, bipolar |
| WA69002L | Handle "HICURA", size L, bipolar |

Fine Maryland Forceps

Length of jaws: 19 mm

Components

| | |
|-----------------|---|
| WA69418M | Jaws insert "HICURA", 5 x 330, Maryland fine, bipolar |
| WA69400M | Shaft "HICURA", 5 x 330, bipolar |
| WA69002M | Handle "HICURA", size M, bipolar |
| WA69002L | Handle "HICURA", size L, bipolar |

Tweezers Forceps

Length of jaws: 17 mm

Components

| | |
|-----------------|--|
| WA69422M | Jaws insert "HICURA", 5 x 330, tweezers, bipolar |
| WA69400M | Shaft "HICURA", 5 x 330, bipolar |
| WA69002M | Handle "HICURA", size M, bipolar |
| WA69002L | Handle "HICURA", size L, bipolar |

HICURA

Bipolar Accessories and Spare Parts

HICURA Bipolar Handle



WA69002M Handle "HICURA", bipolar, size M


WA69002L Handle "HICURA", bipolar, size L

HICURA Bipolar Shaft



WA69400M Shaft "HICURA", 5 x 330, bipolar

Bipolar HF Cable




A60003C HF cable, bipolar, 3.5 m length, for UES-20/-30/-40, Erbe VIO¹ and Valleylab HF units

A60001C HF cable, bipolar, 3.5 m length, for Erbe International HF units

A60002C HF cable, bipolar, 3.5 m length, for Martin and Berchtold HF units

A60000C HF cable, bipolar, 3.5 m length, for HF-300, Erbe T series, and Erbe ACC/ICC/VIO¹ HF units

Instrument Basket System




① WA05956A Instrument basket system, for HiQ+, HICURA

② WA05957A Spare retainer, silicone, set, 2 pcs., for WA05956A

③ WA05958A Spare mat, nubby, silicone, for WA05956A

¹ Depending on individual connector configuration



HiQ+ Bipolar

Bipolar Hand Instruments



Surgery


The Olympus HiQ+ Bipolar series combines the safety benefits of bipolar technology with the precision and tactility of monopolar hand instruments. HiQ+ Bipolar hand instruments are designed for safe and reliable coagulation with the ability of strong grasping and dissecting.

The HiQ+ Bipolar series – a new standard for:

- Gynecology
- General Surgery
- Urology



Design
Award
Winner
2009



- Reliable coagulation:
HiQ+ Bipolar is designed for reliable coagulation even in challenging situations. Coagulation of small vessels or stopping of sudden bleedings where joints may become covered with blood can be performed smoothly and reliably thanks to the unique joint insulation.

- Bipolar safety:
Bipolar instruments are known to be safer than monopolar devices as the electrical current flows directly between the instrument jaws, thus eliminating the need for a patient plate. Better control through focussed current flow within the surgeon's direct field of view. Reduces the risk of unpredictable current flow through the patient's body. Eliminates risk of injuries through malpositioning of the patient plate.

- Strong grasping and dissection:
Just as their monopolar counterparts, HiQ+ Bipolar instruments are designed for high performance during grasping and dissecting – but with bipolar safety. HiQ+ Bipolar replaces monopolar instruments even in procedures where strong grasping is required.

- Easy reprocessing:
The modular three part design and the “easy click” mechanism of HiQ+ Bipolar instruments allow easy assembly and disassembly. HiQ+ Bipolar instruments are autoclavable to meet high demands regarding sterilisation and disinfection.

HiQ+ Bipolar Grasping Forceps




- Johann forceps:
multipurpose forceps for strong grasping and atraumatic dissection for all laparoscopic procedures



- Hirsch forceps:
for tubal sterilization and endometriosis treatment




- Manhes forceps:
grasping forceps for myomectomy and cystectomy

Johann Forceps

Length of jaws: 16.5 mm

WA63120C Grasping forceps "HiQ+", bipolar, 5 x 330 mm, fenestrated, Ergo**WA63121C** Grasping forceps "HiQ+", bipolar, 5 x 430 mm, fenestrated, Ergo, long


Components

WA64120C Jaws "HiQ+", bipolar, 5 x 330 mm, grasping forceps, fenestrated**WA64121C** Jaws "HiQ+", bipolar, 5 x 430 mm, grasping forceps, fenestrated, long**WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated**WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long**WA60101C** Handle "HiQ+", Ergo, bipolar**Manhes Forceps**

Length of jaws: 14 mm

WA63050C Grasping forceps "HiQ+", bipolar, 5 x 330 mm, Manhes, Ergo**WA63051C** Grasping forceps "HiQ+", bipolar, 5 x 430 mm, Manhes, Ergo, long

Components

WA64050C Jaws "HiQ+", bipolar, 5 x 330 mm, grasping forceps, Manhes**WA64051C** Jaws "HiQ+", bipolar, 5 x 430 mm, grasping forceps, Manhes, long**WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated**WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long**WA60101C** Handle "HiQ+", Ergo, bipolar**Hirsch Forceps**

Length of jaws: 19.7 mm

WA63200C Grasping forceps "HiQ+", bipolar, 5 x 330 mm, Hirsch, Ergo**WA63201C** Grasping forceps "HiQ+", bipolar, 5 x 430 mm, Hirsch, Ergo, long

Components

WA64200C Jaws "HiQ+", bipolar, 5 x 330 mm, grasping forceps, Hirsch**WA64201C** Jaws "HiQ+", bipolar, 5 x 430 mm, grasping forceps, Hirsch, long**WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated**WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long**WA60101C** Handle "HiQ+", Ergo, bipolar

HiQ+ Bipolar Dissection Forceps



- Maryland forceps:
multipurpose curved dissection forceps for all laparoscopic procedures




- Fine Maryland forceps:
Due to increased branch length the jaws allow improved overview and handling. Suitable for kidney resection and adrenalectomy.



- Straight forceps:
multipurpose straight dissection forceps for all laparoscopic procedures




- Tweezers:
for very delicate dissection and coagulation

Maryland Forceps

Length of jaws: 14.7 mm

WA63320C Preparation forceps "HiQ+", bipolar, 5 x 330 mm, Maryland, short, Ergo**WA63321C** Dissection forceps "HiQ+", bipolar, 5 x 430 mm, Maryland, Ergo, long


Components

WA64320C Jaws "HiQ+", bipolar, 5 x 330 mm, preparation forceps, Maryland, short**WA64321C** Jaws "HiQ+", bipolar, 5 x 430 mm, dissection forceps, Maryland, long**WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated**WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long**WA60101C** Handle "HiQ+", Ergo, bipolar**Straight Forceps**

Length of jaws: 12.7 mm

WA63310C Preparation forceps "HiQ+", bipolar, 5 x 330 mm, straight, Ergo**WA63311C** Dissection forceps "HiQ+", bipolar, 5 x 430 mm, straight, Ergo, long


Components

WA64310C Jaws "HiQ+", bipolar, 5 x 330 mm, preparation forceps, straight**WA64311C** Jaws "HiQ+", bipolar, 5 x 430 mm, dissection forceps, straight, long**WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated**WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long**WA60101C** Handle "HiQ+", Ergo, bipolar**Fine Maryland Forceps**

Length of jaws: 19 mm

WA63360C Dissection forceps "HiQ+", bipolar, 5 x 330 mm, Maryland, Ergo**WA63361C** Dissection forceps "HiQ+", bipolar, 5 x 430 mm, Maryland, Ergo

Components

WA64360C Jaws "HiQ+", bipolar, 5 x 330 mm, dissection forceps, Maryland**WA64361C** Jaws "HiQ+", bipolar, 5 x 430 mm, dissection forceps, Maryland**WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated**WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long**WA60101C** Handle "HiQ+", Ergo, bipolar**Tweezers**

Length of jaws: 17.2 mm

WA63210C Grasping forceps "HiQ+", bipolar, 5 x 330 mm, tweezers, Ergo**WA63211C** Grasping forceps "HiQ+", bipolar, 5 x 430 mm, tweezers, Ergo, long

Components

WA64210C Jaws "HiQ+", bipolar, 5 x 330 mm, grasping forceps, tweezers**WA64211C** Jaws "HiQ+", bipolar, 5 x 430 mm, grasping forceps, tweezers, long**WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated**WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long**WA60101C** Handle "HiQ+", Ergo, bipolar

HiQ+ Bipolar


Accessories and Spare Parts

HiQ+ Bipolar Ergo Handle



WA60101C Handle "HiQ+", Ergo, bipolar

HiQ+ Bipolar Shaft




- ① **WA60800C** Shaft "HiQ+", bipolar, 5 x 330 mm, isolated
- ② **WA60801C** Shaft "HiQ+", bipolar, 5 x 430 mm, insulated, long
- ③ **A03441A** Spare-button "HiQ+", for shaft, 10 pcs.

Bipolar HF Cable



- | | |
|----------------|---|
| A60003C | HF-cable "HiQ+", bipolar, 3.5 m, for Valleylab HF units |
| A60001C | HF-cable "HiQ+", bipolar, 3.5 m, for Olympus UES HF unit |
| A60002C | HF-cable "HiQ+", bipolar, 3.5 m, for Martin, Berchtold HF unit |
| A60000C | HF-cable "HiQ+", bipolar, 3.5 m, for Erbe HF unit |

System Chart





HiQ+

Needle Holders



**Baden-Württemberg
International Design Award 2004**



GOOD DESIGN
AWARD 2005



Design
Award
Winner
2006



reddot design award
winner 2006



HiQ+ needle holders and knot pushers are a series of instruments designed to satisfy the most exacting requirements when it comes to functionality, ergonomics and up-to-date reprocessing. HiQ+ needle holders are engineered for:

- High grasping strength
- High accuracy to ensure precise and reliable control of the needle
- High durability with hard-metal inlays in the jaws



Exchangeable jaws inserts: The HiQ+ needle holder is available with three interchangeable jaws. The modular design allows for easy assembly, disassembly, and cleaning. All parts are autoclavable.

- Straight needle holder
- Curved needle holder
- Self-alignment needle holder



- The handle of the HiQ+ needle holder has been optimized from an ergonomic perspective. Olympus engineers have worked closely with ergonomics experts to design a handle that will be "an extension of the surgeon's hand".




- HiQ+ design knot pusher (see page 417)

HiQ+

Needle Holders (cont.)

Straight Needle Holders




| | |
|-----------------|--|
| WA63708A | Grasping forceps "HiQ+", 5 x 330 mm, needle holder, straight, inline A |
| WA63708L | Grasping forceps "HiQ+", 5 x 430 mm, needle holder, straight |

Components

| | |
|-----------------|--|
| WA64700A | Jaws "HiQ+", 5 x 330 mm, needle holder, straight |
| WA64700L | Jaws "HiQ+", 5 x 430 mm, needle holder, straight |
| WA60120A | Handle "HiQ+", inline A, asymmetric, ratchet |
| WA60120L | Handle "HiQ+", inline A, long, asymmetric, ratchet |

Left-Curved Needle Holders




| | |
|-----------------|--|
| WA63718A | Grasping forceps "HiQ+", 5 x 330 mm, needle holder, curved, inline A |
| WA63718L | Grasping forceps "HiQ+", 5 x 430 mm, needle holder, curved left |

Components

| | |
|-----------------|---|
| WA64710A | Jaws "HiQ+", 5 x 330 mm, needle holder, curved |
| WA64710L | Jaws "HiQ+", 5 x 430 mm, needle holder, curved left |
| WA60120A | Handle "HiQ+", inline A, asymmetric, ratchet |
| WA60120L | Handle "HiQ+", inline A, long, asymmetric, ratchet |

Right-Curved Needle Holders




| | |
|-----------------|--|
| WA63748A | Grasping forceps "HiQ+", 5 x 330 mm, needle holder, right curved |
| WA63748L | Grasping forceps "HiQ+", 5 x 430 mm, needle holder, right curved |

Components

| | |
|-----------------|--|
| WA64740A | Jaws "HiQ+", 5 x 330 mm, needle holder, right curved |
| WA64740L | Jaws "HiQ+", 5 x 430 mm, needle holder, right curved |
| WA60120A | Handle "HiQ+", inline A, asymmetric, ratchet |
| WA60120L | Handle "HiQ+", inline A, long, asymmetric, ratchet |

Self-Alignment Needle Holders




| | |
|-----------------|---|
| WA63728A | Grasping forceps "HiQ+", 5 x 330 mm, needle holder, self-aligning, inline A |
|-----------------|---|

Components

| | |
|-----------------|---|
| WA64720A | Jaws "HiQ+", 5 x 330 mm, needle holder, self-aligning |
| WA60120A | Handle "HiQ+", inline A, asymmetric, ratchet |

Assistant Needle Holders




| | |
|-----------------|--|
| WA63758A | Grasping forceps "HiQ+", 5 x 330 mm, assistant needle holder, Inline A |
|-----------------|--|

Components

| | |
|-----------------|--|
| WA64750A | Jaws "HiQ+", 5 x 330 mm, assistant needle holder |
| WA60120A | Handle "HiQ+", inline A, asymmetric, ratchet |


Dolphin Type Needle Holder



| | |
|-----------------|--|
| WA63738A | Grasping forceps "HiQ+", 5 x 330 mm, needle holder, dolphin type, inline A |
|-----------------|--|

Components


| | |
|-----------------|--|
| WA64730A | Jaws "HiQ+", 5 x 330 mm, needle holder, dolphin type |
| WA60120A | Handle "HiQ+", inline A, asymmetric, ratchet |

HiQ+ Inline A Handles

① **WA60120A** Handle,
with sheath,
330 mm,
ratchet

② **WA60120L** Handle,
with sheath,
430 mm,
ratchet

③ **A0400** Sealing cap, blue,
for Luer-lock,
6 pcs.

Standard Needle Holders

① **WA56900A** Grasping forceps,
needle holder,
with self-alignment,
5 x 330 mm, straight


② **A5690** Grasping forceps,
needle holder,
5 x 300 mm, inline handle

A5698 Grasping forceps,
needle holder,
5 x 300 mm, curved, inline

WA56090L Grasping forceps,
needle holder,
5 x 390 mm, inline handle

WA56098L Grasping forceps,
needle holder,
5 x 390 mm, curved, inline


③ **A0400** Sealing cap,
blue, for Luer-lock,
6 pcs.

System Chart HiQ+ Needle Holders

HICURA

Suture, Clip Application


HICURA Knot Pusher



Components

| | |
|-----------------|--|
| WA69380M | Jaws insert "HICURA", 5 x 330, knot pusher |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |

HICURA Assistant Needle Holder



Components

| | |
|-----------------|--|
| WA69384M | Jaws insert "HICURA", 5 x 330, assistant needle holder |
| WA69384S | Jaws insert "HICURA", 5 x 250, assistant needle holder |
| WA69384L | Jaws insert "HICURA", 5 x 430, assistant needle holder |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69300S | Shaft "HICURA", 5 x 250, monopolar |
| WA69300L | Shaft "HICURA", 5 x 430, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |


HICURA Roeder Knot Pusher



Components

| | |
|-----------------|--|
| WA69382M | Jaws insert "HICURA", 5 x 330, Roeder |
| WA69300M | Shaft "HICURA", 5 x 330, monopolar |
| WA69000M | Handle "HICURA", size M, deactivatable ratchet |
| WA69000L | Handle "HICURA", size L, deactivatable ratchet |
| WA69001M | Handle "HICURA", size M, monopolar |
| WA69001L | Handle "HICURA", size L, monopolar |
| WA69003M | Handle "HICURA", size M, ratchet |
| WA69003L | Handle "HICURA", size L, ratchet |


Standard Knot Pusher



| | |
|-----------------|----------------------------|
| WA56903A | Knot pusher, 5 x 330 mm |
|-----------------|----------------------------|


For accessories and spare parts of HICURA hand instruments, see page 369.

Application of Titanium Clips




- ① **A56790A** Clip applicator,
10 x 330 mm,
for clips medium/large A5635
▪ Curved
▪ Rotatable jaws
▪ Can be disassembled for reprocessing.
- ② **A5635** Clip, titanium,
medium/large,
18 x 6 pcs.

Fascial Closure




- ① **WA51203A** Needle,
for fascial closure
- ② **WA51205A** Spare cannula,
for WA51203A

Use



Remove clip from the magazine.



Apply clip.

HiQ+

Suction and Irrigation





The HiQ+ suction/irrigation system is optimized for streamlined flow throughout every component, from inflow to outflow, thus enabling better passage of immersed blood clots or stones.

The modular system with its range of suction/irrigation tubes offers tailored solutions for a variety of laparoscopic procedures and anatomies.

The HiQ suction/irrigation system combines excellent performance with surgeon-oriented ergonomics and high-end quality.

Customizable system: Olympus offers a wide range of suction/irrigation tubes for its HiQ+ system:

- Diameters of 3, 5 and 10 mm
- Working lengths of 360 and 450 mm
- Multiple tip designs, e.g. for harvesting lost gall bladder stones or aspirating hydrops

Optimized ergonomics – choice of two ergonomically designed handles for differing irrigation needs:


- Active handle with lever-controlled suction/irrigation at your finger tips
- Passive handle for foot switch control in combination with pumps

- Simple reprocessing: The HiQ+ suction/irrigation system has been designed to simplify assembly/disassembly and cleaning. Every component is easily detachable and autoclavable.

HiQ+


Suction and Irrigation (cont.)

Standard Suction/Irrigation System



- ① **WA51111A** Suction/irrigation tube , 3 x 360 mm, distal holes, for HiQ+ handle
- WA51131A** Suction/irrigation tube, 5 x 360 mm, distal holes, for HiQ+ handle
- WA51131L** Suction/irrigation tube, 5 x 450 mm, distal holes, for HiQ+ handle
- ② **WA51132A** Suction/irrigation tube, 5 x 360 mm, for aspiration, for HiQ+ handle
- ③ **WA51138A** Suction/irrigation tube, 5 x 360 mm, button, unipolar, for HiQ+ handle
- ④ **WA51172S** Handle "HiQ+", for suction/irrigation tube, valve, suction channel 5 mm
*Delivery includes: WA51172A and WA51181S.
To be used with pressure controlled roller pumps.*
- WA51172A** Handle "HiQ+" (spare, not shown), for suction/irrigation tube, valve
- ⑤ **WA51181S** Valve tubing (spare), for HiQ+ handle, suction channel 5 mm, 1 pc.

Large Diameter Suction/Irrigation System



- ① **WA51151A** Suction/irrigation tube, distal holes, for HiQ+ handle, 10 x 360 mm
- WA51151L** Suction/irrigation tube, distal holes, for HiQ+ handle, 10 x 450 mm
- ② **WA51152A** Suction/irrigation tube, 10 x 360 mm, safety basket, for HiQ+ handle
- ③ **WA51172L** Handle "HiQ+", for suction/irrigation tube, valve, suction channel 8 mm
*Delivery includes: WA51172A and WA51181L.
To be used with pressure controlled roller pumps.*
- ④ **WA51172A** Handle "HiQ+" (spare, not shown), for suction/irrigation tube, valve
- ⑤ **WA51181L** Valve tubing (spare), for HiQ+ handle, suction channel 8 mm, 1 pc.

System Chart

WA51111A

WA51131A

WA51131L

WA51132A

A0355
A0357
A0358



WA51138A

WA51151A

WA51151L

WA51152A

WA51181S

WA51181L

WA51172S


WA51172L

+

WA51172A



Pressure
controlled
roller pump

Spare Parts


WA51187A Sealing ring, for HiQ+ suction/irrigation tube,
10 pcs., small

WA51188A Sealing ring, for HiQ+ suction/irrigation tube,
10 pcs., large

Lavage


Instruments for Lavage

Modular Suction/Irrigation Instrument



- | | | |
|---|--------------|--|
| ① | A5796 | Handle, for suction/irrigation tube |
| ② | A5797 | Suction/irrigation tube, 10 mm, for A5796 |
| ③ | A5798 | Suction/irrigation tube, 5 mm, for A5796 |
| ④ | A5799 | Suction/irrigation tube, 3 mm, for A5796 |

Tubings




- | | | |
|---|--------------|---|
| ① | A4054 | Tubing, set, for 2 bags, for single use, 10 pcs. ▪ Sterile |
| ② | A4055 | Tubing, set, for 2 bags, 1 pc. ▪ Non-sterile, reusable |



HiQ+

HF Electrodes



Surgery

**Baden-Württemberg
International Design Award 2004**




reddot design award
winner 2000




Design
Award
Winner
2000

- Ceramic tip
- With or without inline suction channel
- Ergonomic design
- Cost effective thanks to high durability
- UHI-4/UHI-3 addition for automatic suction

HiQ+ HF Electrodes

- ① **A6280** HF electrode, button, 5 x 330 mm
- ② **A6281** HF electrode, needle, 5 x 330 mm
- ③ **A6282** HF electrode, hook, 5 x 330 mm
- ④ **A6292** HF electrode, hook, with suction channel, 5 x 330 mm
- ⑤ **A6283** HF electrode, hook long, 5 x 330 mm
- A6289** HF electrode, hook long, 5 x 400 mm
- ⑥ **A6293** HF electrode, hook long, with suction channel, 5 x 330 mm
- A6299** HF electrode, hook long, with suction channel, 5 x 400 mm
- ⑦ **A6284** HF electrode, spoon, 5 x 330 mm
- ⑧ **A6294** HF electrode, spoon, with suction channel, 5 x 330 mm

With 4 mm HF pin.

HF Cables

- | | |
|--------------|--|
| A0358 | HF cable, monopolar, 3.5 m length, for UES-40-30, Erbe International and Valleylab (new) |
| A0355 | HF cable, monopolar, 3.5 m length, for UES-10/-20 and Valleylab (old) |
| A0357 | HF cable, monopolar, 3.5 m length, for Erbe T series, Martin, and Berchtold |