

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție: ocde-b3wdp1-MD-1564734881047 din 02.08.2019

Denumirea procedurii de achiziție: Sisteme de informare și servere

Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
Lotul 1: Sisteme de informare și servere							
48822000-6	1.1 Enterprise Server	Huawei FusionServer 2288H V5	UNGARIA	HUAWEI	Type Enterprise Server Form Factor Rack mount, max 2U (rail-kit included) CPU Included 2 x CPU; Min 16 core per CPU; Min 2.3GHz; Launch date not earlier than Q1'19; min 20MB Cache; Memory Min 24 DDR4 slots Memory installed Min 6 x 32GB DDR4 Min drive bays Min 24 bays 2.5 for data, with hardware raid controller, Support Hot-Swappable; Min 1 bay for OS; Storage installed Min 21 x 2.4Tb, 10K, SAS 12Gb/s Min 3 x SSD Mixed Use 800Gb, SAS 12Gb/s Min 1 x 32Gb SD/SSD/HDD for OS	Huawei FusionServer Pro 2288H V5 (25*2.5inch HDD Chassis, With 2*GE and 2*10GE SFP+(Without Optical Transceiver)) H22H-05; 2 x PAC900S12-BE 900W AC power supply unit; 2 x Intel Xeon Gold 5218(2.3GHz/16-Core/22MB/125W) Cascade lake Processor (with heatsink); 6 x DDR4 RDIMM Memory, 32GB, 2666MT/s, 2 Rank(2G*4bit), 1.2V, ECC; 21 x HDD, 2400GB, SAS 12Gb/s, 10K rpm, 2.5inch(2.5inch Drive Bay);	ISO

					RAID Controller Mixed SSD,SAS and SATA drives to the same controller; Support RAID 0, 1, 5, 6, 10, 50, 60 Support Pass-through mode; Min 2Gb Cache; NICs included Min 1 x 1GE management; Min 2 x 1GE; Min 4 x 10GE; Min 8 x SFP+ SR MM (Cisco Compatible) Supported operating environments Microsoft Windows Server®; Red Hat® Enterprise Linux; Novell SUSE® Linux Enterprise Server; Oracle Linux; Ubuntu; CentOS; VMware® vSphere, Microsoft Hyper-V; Interfaces Min 2 port USB Power supplies included 2 hot-plug PSU with support for 1+1 redundancy with power cables c13-c14 Fan Modules hot-swappable with N+1 redundancy Management A web-based solution for KVM must be included Warranty Hardware and software support from vendor, with available customer portal, next	1 x SSD,240GB,SATA 6Gb/s,Read Intensive,PM883 Series,2.5inch(2.5inch Drive Bay); 3 x ES3600S V5 SSD,800GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay); 1 x SR430C-M 2G(LSI3108) SAS/SATA RAID Card,RAID0,1,5,6,10,50,60,12Gb/s,2GB Cache; 1 x 3*x8 (x16 slot) Riser1 Module; 1 x Ethernet Adapter,10Gb Optical Interface(Mellanox MT27712A0),2-Port,SFP+(without Optical Transceiver),PCIe 3.0 x8; 1 x 2U Static Rail Kit; 8 x Optical Transceiver, SFP+,10G,Multi-mode Module(850nm,0.3km,LC); 1 x 2288H V5 (25*2.5inch HDD Chassis, With 2*GE and 2*10GE SFP+(Without Optical Transceiver)) H22H-05(For oversea)-Co-Care Standard 9x5xNBD Service-36Month(s) Alte detalii tehnice sunt in Datasheet'uri atasate	
--	--	--	--	--	--	--	--

					business day hardware replacement included for min 3 years		
Lotul 2: Echipamente de telecomunicații							
48822000-6	2.1 Disc Type 1		CHINA	HUAWEI	HDD, 2400GB, SAS, 12Gb/s, 10K rpm de model N2400S1210W2 sau echivalent, complet compatibil cu serverul Huawei 2288H V5; Hardware and software support from vendor, with available customer portal, next business day hardware replacement included for min 3 years	Huawei N2400S1210W2, HDD,2400GB,SAS 12Gb/s,10K rpm,256MB,2.5inch(2.5inch Drive Bay)	ISO
48822000-6	2.2 Disc Type 1		CHINA	HUAWEI	SSD, 800GB, SAS 12Gb/s, Mixed Use, 15WPD de model ES3720S-800W2 sau echivalent, complet compatibil cu serverul Huawei 2288H V5; Hardware and software support from vendor, with available customer portal, next business day hardware replacement included for min 3 years	Huawei ES3600S800GW2, ES3600S V5 SSD,800GB SAS 12Gb/s,Mixed Use,2.5inch(2.5inch Drive Bay)	ISO
	TOTAL						

Semnat: _____ Numele, Prenumele: Madan Vladimir În calitate de: Administrator
Ofertantul: SC "VIGURCOM" SRL Adresa: MD-2012, mun. Chisinau, str. Mitropolit Dosoftei, 100