



GUVERNUL
REPUBLICII
MOLDOVA



SERVICIUL FISCAL DE STAT



CERTIFICAT

privind lipsa sau existența restanțelor față de bugetul public național

Nr.
№

1106048

Din
От

14.05.2024 11:06



DATE DESPRE CONTRIBUABIL / ИНФОРМАЦИЯ О НАЛОГОПЛАТЕЛЬЩИКЕ

Codul fiscal / Numărul de identificare

Фискальный код / Идентификационный номер

1010600028048

Denumirea

Наименование

Societatea cu Răspundere Limitată BIOSISTEM MLD



ATESTAREA LIPSEI SAU EXISTENȚEI RESTANȚELOR CONFORM DATELOR SISTEMULUI

INFORMAȚIONAL AUTOMATIZAT / ПОДТВЕРЖДЕНИЕ ОТСУТСТВИЯ ИЛИ НАЛИЧИЯ

ЗАДОЛЖЕННОСТЕЙ СОГЛАСНО ДАННЫМ ИНФОРМАЦИОННОЙ АВТОМАТИЗИРОВАННОЙ СИСТЕМЫ

La data emiterii prezentului certificat restanța față de bugetul public național constituie

На дату выдачи данной справки задолженность перед национальным публичным бюджетом составляет

0 MDL



VALABIL PÂNĂ LA / ДЕЙСТВИТЕЛЕН ДО

29.05.2024 11:06



Prezentul document este eliberat în temeiul Art. 29, alin. (3) din Legea cu privire la registre nr. 71/2007 și în baza datelor furnizate de Serviciul Fiscal de Stat în Portalul Guvernamental al Cetățeanului și al Unităților de Drept / Справка выдана в соответствие со ст. 29 п. (3) Закона о реестрах № 71/2007 на основании данных, предоставленных Государственной налоговой службой на Портале Правительства Гражданина и Юридических Лиц.

Generat și semnat de Portalul Guvernamental al Cetățeanului și al Unităților de Drept la 14.05.2024 11:06

Prezentul certificat este semnat electronic în conformitate cu Legea nr.124 din 19.05.2022

Сертификат подписан электронной подписью в соответствии с Законом № 124 от 19.05.2022



Certificatul este descărcat din Portalul Guvernamental al Cetățeanului și al Unităților de Drept (mcabinet.gov.md) și este semnat electronic de către posesorul acestui portal și are același valoare juridică ca și documentele eliberate pe suport de hârtie de către organele cu atribuții de administrare fiscală. Verificarea autenticității semnăturii electronice poate fi realizată cu ajutorul Serviciului Guvernamental de Semnătură Electronică (msign.gov.md)

Сертификат скачен с Правительственного Портала Гражданина и Юридических Лиц (mcabinet.gov.md) и подписан электронной подписью владельца портала и имеет такую же юридическую силу, как и документы выдаваемые на бумаге органами налоговой администрации. Проверку подлинности электронной подписи можно осуществить с помощью Государственной Службой Электронной Подписью (msign.gov.md)



BC "MOLDINDCONBANK" S.A.

Filiala "Invest"

Republica Moldova, MD-2068
mun. Chișinău, bd. Moscovei, 14/1
Tel. : (373-22) 43-44-81, 43-46-24
Fax : (373-22) 43-44-22
cod: MOLDMD2X329

Data 14. IAN. 2016
Nr. 03/2 - 19/23

Республика Молдова, MD-2068
мун. Кишинэу, бул. Московской, 14/1
Тел. : (373-22) 43-44-81, 43-46-24
Факс : (373-22) 43-44-22
код: MOLDMD2X329

Filiala „Invest” BC „Moldindconbank” SA confirmă existența contului curent în moneda națională al **“BIOSISTEM MLD” S.R.L. (c/f 1010600028048)**, cu **IBAN MD95ML000000002251429243**.

Codul băncii MOLDMD2X329.

Director

Nina Turcan

Director financiar



Nina Balmuş

Ex. Diana Brinza
Tel. 43-45-96

REPUBLICA



MOLDOVA

CERTIFICAT DE ÎNREGISTRARE

Societatea cu Răspundere Limitată "BIOSISTEM MLD"
— ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT —

Numărul de identificare de stat - codul fiscal
1010600028048

Data înregistrării

12.08.2010

Data eliberării

12.08.2010

Svirepova Ludmila, registrator

*Funcția, numele, prenumele persoanei
care a eliberat certificatul*

A. Sizy
semnătura

MD 0101250





AGENȚIA SERVICII PUBLICE

Departamentul înregistrare și licențiere a unităților de drept

EXTRAS

din Registrul de stat al persoanelor juridice

Nr. 531522 data 15.09.2023

Denumirea completă: **Societatea cu Răspundere Limitată "BIOSISTEM MLD"**

Denumirea prescurtată: **"BIOSISTEM MLD" S.R.L.**

Forma juridică de organizare: **Societate cu răspundere limitată,**

Numărul de identificare de stat și codul fiscal (IDNO): **1010600028048**

Data înregistrării de stat: **12.08.2010**

Sediul: **MD-2001, str. Albișoara, 16/1, ap. 7, mun. Chișinău, Republica Moldova.**

Obiectul principal de activitate:

- 1. Activitatea farmaceutică; importul și (sau) producerea articolelor de parfumerie și cosmetică**
- 2. Fabricarea, comercializarea, asistența tehnică, repararea și verificarea articolelor de tehnică și optică medicală**
- 3. Acordarea asistenței medicale de către instituțiile medico-sanitare private**
- 4. Comerțul cu ridicata al calculatoarelor, echipamentelor periferice și software-ului**
- 5. Întreținerea și repararea mașinilor de birou și a tehnicii de calcul**
- 6. Consultații în domeniul sistemelor de calcul**

Capitalul social: **5400 lei,**

Administrator: **POIATA VITALIE, IDNP 0983103892591,**

Asociații:

1. **POIATA VITALIE, IDNP 0983103892591, cota 1803,60 lei, ce constituie 33,4%**

Beneficiar efectiv:

- 1.1. **POIATA VITALIE, IDNP 0983103892591,**

2. **NASEDCHIN ALEXANDR, IDNP 2002001070747, cota 1798,20 lei, ce constituie 33,3%**

Beneficiar efectiv:

- 2.1. **NASEDCHIN ALEXANDR, IDNP 2002001070747,**

3. **KOJEVNIKOV DMITRII, IDNP 0972305012362, cota 1798,20 lei, ce constituie 33,3%**

Beneficiar efectiv:

- 3.1. **KOJEVNIKOV DMITRII, IDNP 0972305012362**

Prezentul extras este eliberat în temeiul art.34 al Legii nr.220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: **15.09.2023.**

**Registrator în domeniul
înregistrării de stat**

Digitally signed by Rusu Diana
Date: 2023.09.15 16:44:17 EEST
Reason: MoldSign Signature
Location: Moldova



Rusu Diana



EB 0461494

Lista fondatorilor Biosistem-mld SRL

Nr.	Nume, Prenume	IDNP
1.	Vitalie Poiata	0983103892591
2.	Alexandr Nasedchin	2002001070747
3.	Dmitrii Kojevnikov	0972305012362

EC DECLARATION OF CONFORMITY

BioSystems S.A., a company placed in Costa Brava 30, 08030 Barcelona (Spain) dedicated to the design, development and manufacturing of *in vitro* diagnostic medical devices,

Hereby DECLARES

That the products stated in the annex of five (5) pages joined herewith, meet the applicable provisions of the

Directive on in Vitro Diagnostic Medical Devices (98/79/EC)

under the specifications declared by BioSystems S.A.

It means that the products:

- complies with all applicable Essential Requirements as set out in the Annex I, and its technical documentation is performed following the requirements of the Annex III
- is classified as Other Device (all devices except Annex II and Self-Testing Devices), that is why the Conformity Assessment follows the procedure stated in the Annex III of the Directive without the intervention of a Notified Body.

Barcelona, November 6th, 2012




Dr. Antonio Elduque
Managing director
BioSystems S.A.



• Certified Management
System
• EN ISO 9001
• EN ISO 13485



CLINICAL CHEMISTRY – BIOCHEMISTRY:

a-Amylase-Direct	Creatine Kinase (CK)
a-Amylase-EPS	Creatine Kinase-MB (CK-MB)
a-Amylase-Pancreatic	Creatinine
Acid Phosphatase (ACP)	Fructosamine
Alanine Aminotransferase (ALT/GPT)	Fructose
Albumin	g-Glutamyltransferase (g-GT)
Alkaline Phosphatase (ALP)-AMP	Glucose
Alkaline Phosphatase (ALP)-DEA	Iron – Chromazurol
AspartateAminotranferase (AST/GOT)	Iron – Ferrozine
Bilirubin (direct)	Iron Binding Capacity
Bilirubin (total and direct)	Lactate Dehydrogenase (LDH)
Bilirubin (total)	Lactate Dehydrogenase (LDH) – IFCC
Calcium – Arsenazo	Lipase
Calcium – MTB	Magnesium
Cholesterol	Phosphorus
Cholesterol HDL	Protein (total)
Cholesterol HDL direct	Protein (urine)
Cholesterol HDL Precipitating reagent	Pyridoxal Phosphate
Cholesterol LDL direct	Triglycerides
Cholesterol LDL Precipitating reagent	Urea/BUN-Color
Cholinesterase (CHE)	Urea/BUN-UV
Citrate	Uric Acid

CLINICAL CHEMISTRY – TURBIDIMETRY:

a1-acid Glycoprotein	C-Reactive Protein (CRP)
Albumin (Microalbuminuria)	C-Reactive Protein-hs (CRP-hs)
Anti-Streptolysin O (ASO)	Ferritin
Antithrombin III	Immunoglobulin A (IgA)
Apolipoprotein A-I (Apo A-I)	Immunoglobulin G (IgG)
Apolipoprotein B (Apo B)	Immunoglobulin M (IgM)
b2-Microglobulin	Prealbumin
Complement Component C3	Rheumatoid Factors (RF)
Complement Component C4	Transferrin

CLINICAL CHEMISTRY – MICROCOLUMN CHROMATOGRAPHY:

17-Hydroxycorticosteroids	Hemoglobin A1C
17-Ketosteroids	Hemoglobin A2
5-Aminolevulinic Acid (ALA) / Porphobilinogen (PBG)	Metanephrines
5-Hydroxyindoleacetic acid (5-HIAA)	Vanilmandelic Acid



CLINICAL CHEMISTRY – STANDARDS and CALIBRATORS:

a-1-acid Glycoprotein Standard	Biochemistry Calibrator (Human)
Adenosine Deaminase (ADA) Standard	Cholesterol HDL/LDL Calibrator
Albumin (Microalbuminuria) Standard	CRP/CRP-hs Standard
Anti-Streptolysin O (ASO) Standard	Ferritin Standard
Antithrombin III Standard	Hemoglobin A1C-Turbi (HbA1C-Turbi) Standard
Apolipoprotein A-I Standard	Prealbumin Standard
Apolipoprotein B Standard	Protein Calibrators
b2-Microglobulin Standard	Protein (urine) Standard
Bilirubin Standard	Rheumatoid Factors (RF) Standard
Biochemistry Calibrator	

CLINICAL CHEMISTRY – INSTRUMENTS:

A15	BA400
A25	BTS-350

CLINICAL CHEMISTRY – BIOCHEMISTRY – REAGENTS AUTOMATED SYSTEMS:

a-Amylase-Direct	Creatine Kinase (CK)
a-Amylase-Pancreatic	Creatine Kinase-MB (CK-MB)
Adenosine Deaminase (ADA)	Creatinine
Alanine Aminotransferase (ALT/GPT)	g-Glutamyltransferase (g-GT)
Albumin	Glucose
Alkaline Phosphatase (ALP)-AMP	Iron Ferrozine
Alkaline Phosphatase (ALP)-DEA	Lactate dehydrogenase (LDH)
Aspartate Aminotransferase (AST/GOT)	Lipase
Bilirubin (direct)	Magnesium
Bilirubin (total)	Phosphorus
Calcium-Arsenazo	Protein (total)
Cholesterol	Protein (urine)
Cholesterol HDL direct	Triglycerides
Cholesterol LDL direct	Urea/BUN UV
	Uric acid



CLINICAL CHEMISTRY – TURBIDIMETRY – REAGENTS AUTOMATED SYSTEMS:

Albumin (Microalbuminuria)	Ferritin
Anti-Streptolysin O (ASO)	Hemoglobin A1C-Turbi (HbA1C-Turbi)
Antithrombin III	Immunoglobulin A (IgA)
Complement Component C3	Immunoglobulin G (IgG)
Complement Component C4	Immunoglobulin M (IgM)
C-Reactive Protein (CRP)	Rheumatoid Factors (RF)
C-Reactive Protein-hs (CRP-hs)	Transferrin

CLINICAL CHEMISTRY – INTERNAL QUALITY CONTROL:

ADA Controls	Hemoglobin A1C Control (Normal)
Biochemistry Control Serum (Human) I	Hemoglobin A2 Control
Biochemistry Control Serum (Human) II	Lipid Control Serum I
Biochemistry Control Serum I	Lipid Control Serum II
Biochemistry Control Serum II	Protein Control Serum I
CK-MB Control Serum	Protein Control Serum II
Control Urine	Rheumatoid Control Serum I
Fertility Biochemistry Control	Rheumatoid Control Serum II
Hemoglobin A1C Control (Elevated)	

AUTOIMMUNITY – IFA (IMMUNOFLUORESCENCE):

Anti-Adrenal Cortex Antibodies (AACA)	Anti-Thyroid Antibodies (ATA)
Anti-Endomysium Antibodies (AEA)	Autoantibodies DUO-HEp2/ML (DUO-HEp2/ML)
Anti-Islet Cell Antibodies (AICA)	Autoantibodies MsK/MsS (AA-MsK/MsS)
Anti-Keratin Antibodies (AKA)	Autoantibodies MsL/MsK/MsS (AA-MsL/MsK/MsS)
Anti-Mitochondrial Antibodies (AMA)	Autoantibodies RK/RS (AA-RK/RS)
Anti-nDNA antibodies (nDNA)	Autoantibodies RL/RK/RS (AA-RL/RK/RS)
Anti-Neutrophil Cytoplasmic Antibodies (ANCA)	Autoantibodies RL/RKm/RS (AA-RL/RKm/RS)
Anti-Nuclear Antibodies HEp-2 (ANA HEp-2)	Glomerular Basement Membrane Antibodies (GBMA)
Anti-Nuclear Antibodies RL (ANA-RL)	
Anti-Skin Antibodies (ASA)	
Anti-Smooth Muscle Antibodies (ASMA)	
Anti-Striated Muscle Antibodies (AStMA)	



AUTOIMMUNITY – ELISA:

ANA Screening	Anti-MPO Antibodies
Anti-Annexin V IgG/IgM (ANX)	Anti-Nucleosome Antibodies (NCL)
Anti-b2-Glycoprotein 1 IgG/IgM (b2GP1)	Anti-Phospholipid IgG/IgM (APLA)
Anti-Cardiolipin Antibodies (ACA-IgG/IgM)	Anti-PR3 Antibodies
Anti-Centromere B Antibodies (CENP-B)	Anti-Ribosomal P Antibodies (Rib P)
Anti-Citrullinated Protein Antibodies (ACPA)	Anti-Scl70 Antibodies
Anti-Deamidated Gliadin Peptides IgA (DGP IgA)	Anti-Sm Antibodies
Anti-Deamidated Gliadin Peptides IgG (DGP IgG)	Anti-Sm/RNP Antibodies
Anti-dsDNA Antibodies	Anti-SSA (Ro) Antibodies
Anti-GBM Antibodies - EIA (GBM)	Anti-SSB (La) Antibodies
Anti-Gliadin Antibodies (AGA-IgG/IgA)	Anti-Thyroglobulin Antibodies (Anti-Tg)
Anti-Histones Antibodies (HIST)	Anti-Thyroid Peroxidase Antibodies (Anti-TPO)
Anti-Insulin Antibodies (INS)	Anti-tTransglutaminase IgA Antibodies (Anti- tTG IgA)
Anti-Jo1 Antibodies	Anti-tTransglutaminase IgG Antibodies (Anti- tTG IgG)
Anti-M2 Antibodies (M2)	ASCA-IgG/IgA (ASCA)
	ENA 4-Profile
	ENA 6-Screening

AUTOINMUNIDAD – INSTRUMENTOS: AUTOIMMUNITY – INSTRUMENTS:

iPRO



RAPID TESTS – LATEX AGGLUTINATION:

Anti-Streptolysin O (ASO) - Slide
C-Reactive Protein (CRP) - Slide

Rheumatoid factors (RF) - Slide

INFECTIOUS IMMUNOLOGY – SYPHILIS:

RPR-Carbon

TPHA

INFECTIOUS IMMUNOLOGY – FEBRILE ANTIGENS:

Febrile Serodiagnostics Multiscreening
Febrile Serodiagnostics Salmonella
Brucella abortus
Brucella abortus, Rose Bengal
Proteus Ox19
Salmonella paratyphi AH
Salmonella paratyphi AO
Salmonella paratyphi BH
Salmonella paratyphi BO
Salmonella paratyphi CH
Salmonella paratyphi CO
Salmonella typhi H
Salmonella typhi O
Brucella Positive Control
Proteus Positive Control
Salmonella Positive Control
Serology Negative Control

Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
518057, P. R. China
Tel: +86 755 26582888
Fax: +86 755 26582500

DECLARATION OF CONFORMITY

To whom it may concern,

We, **Shenzhen Mindray Bio-Medical Electronics Co., Ltd.**, located at Mindray Building, Keji 12th Road South, Hi-tech Industrial Park, Nan-shan, 518057, Shenzhen, P. R. China, hereby confirm that:

We herewith declare that the products listed in Attachment I meet the provisions of the Directive 98/79/EC on In Vitro Diagnostic Medical Devices. The conformity assessment route is according to 98/79/EC Annex III (not includes Section 6).

Classification: The device not in IVDD annex II and not for self testing/performance evaluation

Product Category(ies): Clinical Chemistry Analyzer, Hematology Analyzer, Microplate washer, Microplate reader, Urine Analyzer, Chemiluminescence Immunoassay Analyzer, Reagents for Hematology Analyzer, Reagents for Clinical Chemistry Analyzer, Reagents for Chemiluminescence Immunoassay Analyzer, Urinalysis reagent strips.

Products: Attachment I

EC-Representative: Shanghai International Holding Corp. GmbH (Europe)
Eiffestraße 80, 20537 Hamburg, Germany

We hereby certify that the forgoing is a true and accurate statement.


Place, Date Of Issue : Shenzhen, **2016-09-01**



Signatory name: Chuanbin Tan

signatory title: Technical Regulation Manager


Shenzhen Mindray Bio-Medical Electronics Co., Ltd.



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500


ATTACHMENT I

Product Name	Product Model	Accessories
Hematology Analyzer	BC-2300、 BC-2100	M-23CFL LYSE M-23D DILUENT M-23E E-Z CLEANSER M-23P PROBE CLEANSER B30 Hematology Control S30 Hematology Calibrator SC-CAL PLUS Hematology Calibrator BC-3D Hematology Control
Auto Hematology Analyzer	BC-1800、 BC-1900、 BC-2900	M-18CFL LYSE M-18D DILUENT M-18R RINSE M-18E E-Z CLEANSER M-18P PROBE CLEANSER B30 Hematology Control S30 Hematology Calibrator BC-3D Hematology Control SC-CAL PLUS Hematology Calibrator
Auto Hematology Analyzer	BC-3000 Plus	M-30D DILUENT M-30R RINSE M-30CFL LYSE M-30E E-Z CLEANSER M-30P PROBE CLEANSER B30 Hematology Control S30 Hematology Calibrator SC-CAL PLUS Hematology Calibrator BC-3D Hematology Control
Auto Hematology Analyzer	BC-3200、 BC-3200CT	M-30D DILUENT M-30R RINSE M-30CFL LYSE M-30E E-Z CLEANSER M-30P PROBE CLEANSER B30 Hematology Control S30 Hematology Calibrator SC-CAL PLUS Hematology Calibrator BC-3D Hematology Control
Auto Hematology Analyzer	BC-5500、	M-50D DILUENT




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

	BC-5200	M-50LH LYSE M-50LEO(I)LYSE M-50LEO(II)LYSE M-50LBA LYSE M-50 CLEANSER M-50P PROBE CLEANSER BC-5D Hematology Control CBC-5DMR Hematology Control SC-CAL PLUS Hematology Calibrator S50 Calibrator B55 Hematology Control SC-CAL PLUS Hematology Calibrator BC-5D Hematology Calibrator
Auto Hematology Analyzer	BC-5300、 BC-5100	M-53LEO(I)LYSE M-53LEO(II)LYSE M-53LH LYSE M-53D DILUENT M-53 CLEANSER M-53P PROBE CLEANSER S50 Calibrator B55 Hematology Control SC-CAL PLUS Hematology Calibrator BC-5D Hematology Calibrator
Auto Hematology Analyzer	BC-5380、 BC-5180	M-53LEO(I)LYSE M-53LEO(II)LYSE M-53LH LYSE M-53D DILUENT M-53 CLEANSER M-53P PROBE CLEANSER S50 Calibrator B55 Hematology Control SC-CAL PLUS Hematology Calibrator BC-5D Hematology Calibrator
Auto Hematology Analyzer	BC-2800、 BC-2600	M-18CFL LYSE M-18D DILUENT M-18R RINSE M-18E E-Z CLEANSER M-18P PROBE CLEANSER B30 Hematology Control S30 Hematology



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

		Calibrator SC-CAL PLUS Hematology Calibrator BC-3D Hematology Control
Auto Hematology Analyzer	BC-3600、 BC-3300、 BC-3300CT、 BC-3600CT	M-30D DILUENT M-30CFL LYSE M-30R RINSE PROBE CLEANSER B30 Hematology Control S30 Hematology Calibrator
Auto Hematology Analyzer	BC-5800、 BC-5600	M-58LEO(I) LYSE M-58LEO(II) LYSE M-58LH LYSE M-58LBALYSE M-58DDILUENT PROBE CLEANSER S50 Calibrator B55 Hematology Control SC-CAL PLUS Hematology Calibrator BC-5D Hematology Calibrator
Auto Hematology Analyzer	BC-6600、 BC-6800	M-68DR DILUENT M-68DS DILUENT M-68LD LYSE M-68LN LYSE M-68LB LYSE M-68LH LYSE M-68FN DYE M-68FR DYE M-68FD DYE PROBE CLEANSER BC-6D Hematology control BC-NRBC Hematology Control BC-RET Hematology Control SC-CAL PLUS Hematology Calibrator BR60 Hematology Control
Auto Hematology Analyzer	BC-5310	M-53D DILUENT M-53LEO(I) LYSE M-53LEO(II) LYSE M-53LH LYSE M-53P PROBE CLEANSER S50 Calibrator B55 Hematology Control



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
518057, P. R. China

Tel: +86 755 26582888

Fax: +86 755 26582500

Auto Hematology Analyzer	BC-5390	M-53D DILUENT M-53LEO(I) LYSE M-53LEO(II) LYSE M-53LH LYSE M-53P PROBE CLEANSER S50 Calibrator B55 Hematology Control
Auto Hematology Analyzer	BC-5150、 BC-5000、 HM-500X	M-52D DILUENT M-52DIFF LYSE M-52LH LYSE PROBE CLEANSER S50 Calibrator B55 Hematology Control BC-5D Hematology control SC-CAL PLUS Hematology Calibrator
Urine Analyzer	UA-66、UA-600、 UA-600T	Urinalysis reagent strips
Auto Hematology Analyzer	BC-20s、BC-21s、 BC-30s、BC-31s、 HM-200X	M-30D DILUENT M-30CFL LYSE PROBE CLEANSER B30 Hematology Control S30 Hematology Calibrator
Auto Hematology Analyzer	BC-5390 CRP BC-5180 CRP	M-53D DILUENT M-5 LEO(I) LYSE M-5 LEO(II) LYSE M-53 LH LYSE LC LYSE Probe Cleanser S50 Calibrator B55 Hematology Control C-reactive Protein Control C-reactive Protein (CRP) Calibrator C-reactive Protein (CRP) Kit (Latex Immunoturbidimetric Method)
Auto Sample Processing System	CAL 8000	/
Auto Slide Maker & Stainer	SC-120	M-68DS DILUENT PROBE CLEANSE
Automated Glycohemoglobin Analyzer	H50 H50P	Analytical Column Eluent A Eluent B Hemolysis Solution M-30P PROBE CLEANSER Hemoglobin A1c Control



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

		Hemoglobin A1c Calibrator
Flow Cytometer	BriCyt E6	Sheath Fluid Cleaning Solution
Lysing Solution	/	/
CD3-FITC/CD8-PE/CD45-PerCP/CD4-APC Reagent	/	/
CD3-FITC/CD16+56-PE/CD45-PerCP/CD19-APC Reagent		
HLA-B27 Reagent		
Laboratory Data Management Software	/	/
Mindray labXpert Software	/	/
Specific Protein Analyzer	CRP-M100	M-68DS Diluent LC Lyse CRP Cleanser Probe Cleanser
Auto Hematology Analyzer	BC-5120 BC-5130 BC-5140	M-52D DILUENT M-52DIFF LYSE M-52LH LYSE PROBE CLEANSER
Chemistry Analyzer	BS-300、BS-320	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit
Chemistry Analyzer	BS-400、BS-420	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit CD80 detergent Reaction cuvette




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
518057, P. R. China

Tel: +86 755 26582888

Fax: +86 755 26582500

		Mindray reagent bottles Bar code module Drainage unit Water supply unit
Chemistry Analyzer	Perfect plus	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit CD80 detergent Reaction cuvette Mindray reagent bottles Bar code module Drainage unit Water supply unit
Chemistry Analyzer	BS-380、BS-390	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit CD80 detergent Reaction cuvette Mindray reagent bottles Bar code module Water supply unit
Chemistry Analyzer	BS-350、BS-330	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

		Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit Reaction cuvette Mindray reagent bottles Bar code module
Semi-auto Chemistry Analyzer	BA-88A	/
Chemistry Analyzer	BS-120、BS-130、BS-180	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit Reaction cuvette Mindray reagent bottles Bar code module
Chemistry Analyzer	BS-200、BS-220	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit Reaction cuvette Mindray reagent bottles Bar code module
Chemistry Analyzer	BS-200E/BS-220E BS-330E/BS-350E	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

		Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit Reaction cuvette Mindray reagent bottles Bar code module
Microplate reader	MR-96A	/
Microplate washer	MW-12A	/
Chemistry Analyzer	BS-800、BS-820、 BS-800M、 BS-820M、 BS-1800、BS-1800 plus	ISE module MR Na electrode MR K electrode MR Cl electrode MR reference electrode MR Serum Standard MR Urine Standard MR Urine Quality Control MR Buffer Solution MR Detergent Solution MR Na/K Check Solution Built-in sample/reagent bar code reader External Air Pump Water Supply Unit Remote Maintenance System (RMS)
Chemistry Analyzer	BS-2000、 BS-2000M、 BS-2200、 BS-2200M	ISE module MR Na electrode MR K electrode MR Cl electrode MR reference electrode MR Serum Standard MR Urine Standard MR Urine Quality Control MR Buffer Solution MR Detergent Solution MR Na/K Check Solution Built-in sample/reagent bar code reader External Air Pump Water Supply Unit Remote Maintenance System (RMS)




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

Chemistry Analyzer	BS-600、BS-620	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit CD80 detergent Reaction cuvette Mindray reagent bottles Bar code module Drainage unit Water supply unit External vacuum pump unit
Chemistry Analyzer	BS-480、BS-490	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit CD80 detergent Reaction cuvette Mindray reagent bottles Built-in sample/reagent bar code reader Remote management system (RMS) Water supply module External air pump
Chemistry Analyzer	BS-430、BS-450、 BS-460	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

		Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit CD80 detergent Reaction cuvette Mindray reagent bottles Bar code module Water supply unit Probe clog detection module
Chemistry Analyzer	BS-230、BS-240	ISE Module, 4-channel (No consumables) Sodium Electrode Potassium Electrode Chloride Electrode Reference Electrode Lithium Electrode Spacer Electrode Reagent Pack Na/K/Cl Cleaning Solution Kit Troubleshooting Kit Urine Diluent, 125 ml Urine Diluent, 500 ml Bi-Level Quality Control Kit Tri-Level Quality Control Kit CD80 detergent Reaction cuvette Mindray reagent bottles Bar code reader(optional)
Chemiluminescence Immunoassay Analyzer	CL-2000i、 CL-2200i	Hand-held bar code reader External vacuum pump Reaction cuvette Waste Bin
Chemiluminescence Immunoassay Analyzer	CL-1000i、 CL-1200i	Built-in sample bar code reader Built-in reagent bar code reader Reaction cuvettes. waste container
α -Amylase (α -AMY) Kit (IFCC Method)	/	/




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

Aspartate Aminotransferase (AST) Kit (IFCC Method)	/	/
Gamma-Glutamyltransferase (GGT) Kit (Szasz Method /IFCC stand.)	/	/
Lactate Dehydrogenase (LDH) Kit (IFCC Method)	/	/
Alanine Aminotransferase (ALT) Kit (IFCC Method)	/	/
C-Reactive Protein Kit(Turbidimetry Method)	/	/
Apolipoprotein B Kit (Turbidimetry Method)	/	/
Apolipoprotein A1 Kit (Turbidimetry Method)	/	/
Triglycerides Kit(GPO-POD Method)	/	/
Bilirubin Total Kit(DSA Method)	/	/
Creatinine Kit(Modified Jaffe Method)	/	/
Albumin Kit(Bromocresol Green Method)	/	/
Bilirubin Direct Kit(DSA Method)	/	/
Total Protein Kit(Biuret Method)	/	/
Magnesium Kit(Xylidyl Blue Method)	/	/
α -Hydroxybutyrate Dehydrogenase Kit(DGKC Method)	/	/
Total Cholesterol kit(CHOD-POD Method)	/	/
Alkaline Phosphatase Kit(IFCC Modified Method)	/	/
Urea Kit(Urease-GLDH,UV Method)	/	/
Uric Acid Kit(Uricase-peroxidase Method)	/	/




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

Glucose Kit (GOD-POD Method)	/	/
Phosphorus Kit(Phosphomolybdate Method)	/	/
Calcium Kit(Arsenazo III Method)	/	/
Lipoprotein(a) Kit(Turbidimetry Method)	/	/
Complement C3 Kit(Turbidimetry Method)	/	/
Complement C4 Kit(Turbidimetry Method)	/	/
Immunoglobulin M Kit(Turbidimetry Method)	/	/
Immunoglobulin G Kit(Turbidimetry Method)	/	/
Prealbumin Kit(Turbidimetry Method)	/	/
Glucose Kit (HK Method)	/	/
Immunoglobulin A Kit(Turbidimetry Method)	/	/
Bilirubin Total Kit(VOX Method)	/	/
Creatine Kinase Kit(IFCC Method)	/	/
Total Bile Acids Kit(Enzymatic Cycling assay)	/	/
Creatinine Kit(Sarcosine Oxidase Method)	/	/
HDL-Cholesterol kit(Direct Method)	/	/
Bilirubin Direct Kit(VOX Method)	/	/
LDL-Cholesterol Kit(Direct Method)	/	/
Creatine Kinase-MB Kit(IFCC Method)	/	/



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

HDL&LDL Cholesterol Control P	/	/
Prealbumin Control N&P	/	/
Lipids Calibrator	/	/
Specific Proteins Calibrator	/	/
Multi Sera Calibrator	/	/
CK-MB Calibrator	/	/
Lipoprotein(a) Calibrator	/	/
Multi Control Sera N Multi Control Sera P	/	/
Prealbumin Calibrator	/	/
Lipoprotein(a) Control N&P	/	/
Lipids Control N Lipids Control P	/	/
CK-MB Control N CK-MB Control p	/	/
Specific Proteins Control N Specific Proteins Control P	/	/
Cholinesterase(CHE) Kit (DGKC Method)	/	/
Carbon Dioxide (CO2) Kit (Enzymic Method)	/	/
Iron (Fe) Kit (Colorimetric Assay)	/	/
Fructosamine (FUN) Kit(Colorimetric Assay)	/	/
Antibodies Against Streptolysin O Kit(Particle-enhanced Immunoturbidimetric Assay Method	/	/
Homocysteine Kit(Enzymatic Assay Method)	/	/
Rheumatoid Factor Kit(Particle-enhanced Immunoturbidimetric Assay Method)	/	/



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

Lipase Kit(Enzymatic Colorimetric Assay Method)	/	/
Hemoglobin A1c Kit (Enzymatic Assay Method)	/	/
Unsaturated Iron Binding Capacity (UIBC) Kit (Colorimetric Method)	/	/
Microalbumin (MALB) Kit	/	/
Ferritin (FER) Kit	/	/
Transferrin (TRF) Kit	/	/
TRF Calibrator	/	/
TRF Control	/	/
FER Calibrator	/	/
Multimun Control	/	/
MALB Calibrator	/	/
MALB Control	/	/
UIBC Control	/	/
UIBC Calibrator	/	/
α -L-Fucosidase Kit (CNPF method)	/	/
5'-Nucleotidase Kit (Enzymatic Colorimetric Method)	/	/
Adenosine Deaminase Kit (Enzymatic Colorimetric Method)	/	/
Cystatin C Kit (Turbidimetry Method)	/	/
β 2-Microglobulin Kit (Turbidimetry Method)	/	/
5'-NT Calibrator	/	/
5'-NT Control	/	/
ADA Control	/	/
ADA Calibrator	/	/
AFU Control	/	/
ASO Calibrator	/	/
CysC Calibrator	/	/



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

CysC Control	/	/
HbA1c Calibrator	/	/
HCY Calibrator	/	/
HS-CRP Calibrator	/	/
RF Calibrator	/	/
TBA Control	/	/
β 2-MG Calibrator	/	/
β 2-MG Control	/	/
Free Triiodothyronine (CLIA)	/	/
Free Thyroxine (CLIA)	/	/
Total Triiodothyronine (CLIA)	/	/
Total Thyroxine (CLIA)	/	/
Thyroid-stimulating Hormone (CLIA)	/	/
Follicle Stimulating Hormone (CLIA)	/	/
Luteinizing Hormone (CLIA)	/	/
Prolactin (CLIA)	/	/
Estradiol (CLIA)	/	/
Estriol (CLIA)	/	/
Testosterone (CLIA)	/	/
Progesterone (CLIA)	/	/
Total β Human Chorionic Gonadotropin (CLIA)	/	/
Free T3 Calibrators	/	/
Free T4 Calibrators	/	/
Total T3 Calibrators	/	/
Total T4 Calibrators	/	/
TSH Calibrators	/	/
FSH Calibrators	/	/
LH Calibrators	/	/
Prolactin Calibrators	/	/
Estradiol Calibrators	/	/
Estriol Calibrators	/	/
Testosterone Calibrators	/	/
Progesterone Calibrators	/	/
Total β HCG Calibrators	/	/




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

Thyroid Function Multi Control	/	/
Reproductive Multi Control	/	/
Carcinoembryonic Antigen (CLIA)	/	/
Alpha-fetoprotein (CLIA)	/	/
Cancer Antigen 125 (CLIA)	/	/
Cancer Antigen 15-3 (CLIA)	/	/
Carbohydrate Antigen 19-9 (CLIA)	/	/
CEA Calibrators	/	/
AFP Calibrators	/	/
CA125 Calibrators	/	/
CA15-3 Calibrators	/	/
CA19-9 Calibrators	/	/
Ferritin (CLIA)	/	/
Ferritin Calibrators	/	/
Wash Buffer	/	/
Substrate solution	/	/
Antistreptolysin "O" (ASO) Kit (Latex Immunoturbidimetric Method)	/	/
Antistreptolysin "O" Calibrator	/	/
ASO/CRP/RF triple Control	/	/
Cystatin C (CysC) Kit (Latex Immunoturbidimetric Method)	/	/
Cystatin C Calibrator	/	/
Cystatin C Control	/	/
Full Range C-Reactive Protein (FR-CRP) Kit(Latex Immunoturbidimetric Method)	/	/
C-reactive Protein Calibrator	/	/
Rheumatoid Factor (RF) Kit(Immunoturbidimetric Method)	/	/
Rheumatoid Factor Calibrator	/	/
β 2-Microglobulin (β 2-MG) Kit (Latex Immunoturbidimetric Method)	/	/
β 2-Microglobulin Control	/	/
β 2-Microglobulin Calibrator (for Serum)	/	/
β 2-Microglobulin Calibrator (for Urine)	/	/
D-Dimer kit (Particle-enhanced Immunoturbidimetric Assay Method)	/	/
Angiotensin Converting Enzyme (ACE) Kit (Enzymatic Colorimetric Assay Method)	/	/




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

Retinol Binding Protein (RBP) Kit (Particle-enhanced Immunoturbidimetric Assay Method)	/	/
Glucose-6-Phosphate Dehydrogenase (G6PD) Kit (UV Enzymatic Method)	/	/
Myoglobin (MYO) Kit (Particle-enhanced Immunoturbidimetric Assay Method)	/	/
Immunoglobulin E (IgE) Kit (Particle-enhanced Immunoturbidimetric Assay Method)	/	/
β -Hydroxybutyrate (β -HB) Kit (Enzymatic Colorimetric Method)	/	/
High Sensitivity C-reaction Protein Kit (Particle-enhanced Immunoturbidimetric Assay Method)	/	/
HbA1c control N	/	/
HbA1c control P	/	/
Rheumatism Control N	/	/
Rheumatism Control P	/	/
HCY Control N	/	/
HCY Control P	/	/
FUN Control P	/	/
CO2 Control N	/	/
D-Dimer Calibrator	/	/
ACE Calibrator	/	/
RBP Calibrator	/	/
MYO Calibrator	/	/
IgE Calibrator	/	/
β -HB Calibrator	/	/
D-Dimer Control	/	/
ACE Control	/	/
RBP Control	/	/
G6PD Control	/	/
β -HB Control	/	/
Sample Processing System	SPL 1000	/
Troponin I (CLIA)	/	/
Troponin I Calibrators	/	/
B-type natriuretic peptide (CLIA)	/	/
BNP Calibrators	/	/
Myoglobin (CLIA)	/	/
MYO Calibrators	/	/




Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

Creatine kinase MB(CLIA)	/	/
CK-MB Calibrators	/	/
Thyroglobulin(CLIA)	/	/
Thyroglobulin Calibrators	/	/
Antibody to thyroglobulin(CLIA)	/	/
Anti-Tg Calibrators	/	/
Antibody to thyroid peroxidase(CLIA)	/	/
Anti-TPO Calibrators	/	/
Insulin(CLIA)	/	/
Insulin Calibrators	/	/
C-Peptide(CLIA)	/	/
C-Peptide Calibrators	/	/
Cortisol(CLIA)	/	/
Cortisol Calibrators	/	/
Dehydroepiandrosterone sulfate(CLIA)	/	/
DHEA-S Calibrators	/	/
Adrenocorticotrophic hormone(CLIA)	/	/
ACTH Calibrators	/	/
Cardiac Marker Multi Control	/	/
Thyroid Function Multi Control	/	/
Immunoassay Multi Control	/	/
ACTH Control	/	/
Anti-thyroid Antibodies Control	/	/
System Detection Solution	/	/
System Wash Solution	/	/
ClinChem Multi Control (level 1)	/	/
ClinChem Multi Control (level 2)		
Sample Diluent	/	/
HCY Control	/	/
Homocysteine (HCY) Kit (Enzymatic Cycling Method)	/	/
Total Protein in Urine/CSF(TPUC) Kit (Pyrogallol Red-Molybdate Method)	/	/
TPUC Control	/	/
25-OH-Vitamin D Total (CLIA)	/	/



Shenzhen Mindray Bio-Medical Electronics Co., Ltd.
 Keji 12th Road South, Hi-tech Industrial Park, Shenzhen
 518057, P. R. China
 Tel: +86 755 26582888
 Fax: +86 755 26582500

25-OH-Vitamin D Total Calibrators	/	/
Parathyroid hormone (CLIA)	/	/
PTH Calibrators	/	/
Calcitonin (CLIA)	/	/
Calcitonin Calibrators	/	/
Folate(CLIA)	/	/
Folate Calibrators	/	/
Vitamin B12(CLIA)	/	/
Vitamin B12 Calibrators	/	/
Metabolic Multi Control	/	/
Red Blood Cell Folate Releasing Reagent	/	/
Cancer Antigen 72-4 (CLIA)	/	/
Neuron-specific enolase (CLIA)	/	/
CYFRA 21-1 (CLIA)	/	/
Antibody to Treponema pallidum (CLIA)	/	/
CA72-4 Calibrators	/	/
Cyfra21-1 Calibrators	/	/
Anti-TP Calibrators	/	/
NSE Calibrators	/	/
Tumor Marker Multi Control	/	/
NSE Control	/	/
Anti-TP Control	/	/





Declaration of Conformity



According to the In Vitro Diagnostic Medical Devices Directive 98/79/EC

Manufacturer: Dirui Industrial Co., Ltd.
95 Yunhe Street New& High Tech. Development Zone
Changchun Jilin 130012 P.R. China

Authorized Representative : Emergo Europe
Molenstraat 15 2513 BH The Hague
The Netherlands

Medical Device : Product Name: Reagent strips for Urinalysis
IVDD-Classification: Professional use

Lot/batches/Serial mber, Type, Periods of manufacture
(where applicable)

DIRUI 1 ITEMS (GLU)	DIRUI 1 ITEMS (KET)	DIRUI 1 ITEMS (PRO)
DIRUI 2 ITEMS (PRO, GLU)	DIRUI 2 ITEMS (KET, GLU)	
DIRUI 3 ITEMS (PRO, PH, GLU)	DIRUI 3 ITEMS (PRO, KET, GLU)	
DIRUI 4 ITEMS (PRO, PH, BLD, GLU)	DIRUI 4 ITEMS (PRO, PH, SG, GLU)	
DIRUI 5 ITEMS (PRO, PH, BLD, KET, GLU)		
DIRUI 8 ITEMS	DIRUI H8	
DIRUI 9 ITEMS		
DIRUI A10	DIRUI H10	DIRUI E10
DIRUI H11	DIRUI H11-MA	DIRUI M10
DIRUI H11-800MA	DIRUI H12-800MA	DIRUI H10-800
DIRUI H13-Cr	DIRUI H14-Ca	
DIRUI H13-Cr (H-800)	DIRUI H14-Ca (H-800)	

The undersigned hereby declares that the In Vitro Diagnostic medical device as specified above conforms with the essential requirements listed in the Annex 1 of the European In Vitro Diagnostic Medical Device Directive 98/79/EC (IVDD)

This declaration of conformity is based on the European In Vitro Diagnostic Medical Device Directive 98/79/EC, Annex III.

Valid Since

May 9th, 2012
Changchun, China

(place and date of issue)

Representative:

Yu Ge

Dirui Industrial Co., Ltd.

于歌

(name and signature or equivalent
marking of authorized person)



EU Declaration of Conformity

OSRAM

Document number: 2016 / 9C1-3364256-EN-00
Manufacturer or representative: OSRAM GmbH
Address: Marcel-Breuer-Str. 6
80807 München
Germany
Brand name or trade mark: OSRAM
Product type: Lamp controlgear
Product designation: QUICKTRONIC
☒ See attached list


The designated product(s) is (are) in conformity with the relevant Union harmonisation legislation:


- | | | |
|-------------------------------------|--------------------------------------|--|
| ☒ | Low Voltage Directive: | 2006/95/EC: Directive of the European Parliament and of the Council of 12 December 2006 on the harmonisation of the laws of Member States relating to electrical equipment designed for use within certain voltage limits (until 19.04.2016)
2014/35/EU: Directive of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits; Official Journal of the EU L96, 29/03/2014, p. 357-374 (from 20.4.2016) |
| ☒ | EMC Directive: | 2004/108/EC: Directive of the European Parliament and of the Council of 15 September 2004 on the approximation of the laws of the Member States relating to electromagnetic compatibility (until 19.04.2016)
2014/30/EU: Directive of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility; Official Journal of the EU L96, 29/03/2014, p. 79-106 (from 20.4.2016) |
| ☒ | 2009/125/EC
and amendments | Directive of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products |
| ☐ | 244/2009
and amendments | Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for non-directional household lamps |
| ☒ | 245/2009
and amendments | Commission Regulation (EC) implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps, and repealing Directive 2000/55/EC of the European Parliament and of the Council |
| ☐ | 1194/2012
and amendments | Commission Regulation (EU) No 1194/2012 of 12 December 2012 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment |
| ☒ | 2011/65/EU
and amendments | Directive of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment; Official Journal of the EU L174, 1/07/2011, p. 88-110 |
| ☐ | 1999/5/EC
and amendments | Directive of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity |

Last two digits of the year in which the CE marking was affixed: 16

Place and date of signatures: München, 20.04.2016

Signatures:

LS QM QMIP
Veser Alwin

Quality Management

QM&EHS LAB 1
Schemmel Bernhard

Quality Assurance

Names:

Mr. Alwin Veser

Mr. Bernhard Schemmel

Customer service contact: OSRAM GmbH, Steinerner Furt 62, 86167 Augsburg, Deutschland

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It certifies compliance with the indicated Directives, but implies no warranty of properties.

EU Declaration of Conformity

Annex

Document number: 2016 / 9C1-3364256-EN-00

The conformity of the designated product(s) with the provisions of the European **Low Voltage Directive** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- | | | |
|-------------------------------------|--|--|
| ☒ | EN 61347-1:
2008 + A1:2011 + A2:2013 | Lamp controlgear — Part 1: General and safety requirements |
| ☒ | EN 61347-2-3:
2011 + Corr. 2011 | Lamp controlgear — Part 2-3: Particular requirements for a. c. and/or d. c. supplied electronic ballasts for fluorescent lamps |

The conformity of the designated product(s) with the provisions of the European **EMC Directive** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- | | | |
|-------------------------------------|------------------------------|--|
| ☒ | EN 55015:
2013 | Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment |
| ☒ | EN 61000-3-2:
2014 | Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase) |
| ☒ | EN 61000-3-3:
2013 | Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional connection |
| ☒ | EN 61547:
2009 | Equipment for general lighting purposes — EMC immunity requirements |

The conformity of the designated product(s) with the provisions of the European Directive **2009/125/EC** is given by the compliance with the following European Standard(s). If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- | | | |
|-------------------------------------|-------------------------|---|
| ☒ | EN 62442-1: 2011 | Energy performance of lamp controlgear - Part 1: Controlgear for fluorescent lamps - Method of measurement to determine the total input power of controlgear circuits and the efficiency of the controlgear |
|-------------------------------------|-------------------------|---|

The conformity of the designated product(s) with the provisions of the European Directive **2011/65/EU** is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

- | | | |
|-------------------------------------|------------------------|--|
| ☐ | EN 50581: 2012 | Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances |
| ☒ | internal report | |

EU Declaration of Conformity Attached list

Document number: 2016 / 9C1-3364256-EN-00

QTi 1x14/24/21/39 GII	QTP-OPTIMAL 1x18-40
QTi 1x28/54/35/49 GII	QTP-OPTIMAL 2x18-40
QTi 2x14/24/21/39 GII	QTP-OPTIMAL 1x54-58
QTi 2x28/54/35/49 GII	QTP-OPTIMAL 2x54-58
QTi 1x/35/49/80 GII	
QTi 2x35/49/80 GII	
QTP5 1x49	QTP-FC 1x55
QTP5 1x80	QTP-M 1x26-42
QTP5 1x14-35	QTP-M 2x26-32
QTP5 2x14-35	QT-M 2x26-42/220-240 S
QTP5 2x49	QT-FQ 2x80
QTP5 3x14, 4x14	
QTP-DL 1x18-24	QTP-T/E 1x26-42, 2x26
QTP-DL 1x36-40	QTP-T/E 1x18, 2x18
QTP-DL 2x18-24	
QTP-DL 2x36-40	QT-FIT 5/8 1x18-39
QTP-DL 1x55 GII	QT-FIT 5/8 2x18-39
QTP-DL 2x55 GII	QT-FIT 5/8 1x54-58
QTP-D/E 1x10-13	QT-FIT 5/8 2x54-58
QTP-D/E 2x10-13	

Declaration of Conformity Attached list

Document number: 2016 / 9C1-3364256-EN-00

QT-FIT5 1x14-35	QT-FIT8 1x18
QT-FIT5 2x14-35	QT-FIT8 1x36
QT-FIT5 3x14, 4x14	QT-FIT8 1x58-70
QT-FIT5 1x49	QT-FIT8 2x18
QT-FIT5 2x49	QT-FIT8 2x36
	QT-FIT8 3x18, 4x18
QT-ECO 1x4-16/220-240 S	QT-FIT8 3x36
QT-ECO 1x4-16/220-240 L	QT-FIT8 2x58
QT-ECO 1x18-21/220-240 S	QT-FIT8 2x58-70
QT-ECO 2x5-11/220-240 S	
QT-ECO 1x18-24/220-240 S	
QT-ECO 1x18-24/220-240 L	
QT-ECO 1x26/220-240 S	
QT-COMBI 1x36/220-240	QT ENDURA 70-100/120-240 S
QT-COMBI 1x58/220-240	QT ENDURA 100-150/120-240 S
QT-ECO 1x18-24/220-240 LI	
QT-ECO 1x4-16/220-240 LI	