

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 4, 5, 6, 8, iar de către autoritatea contractantă – în coloanele 1, 2, 3, 7]

Numărul procedurii:	<a href="#">ocds-b3wdp1-MD-1581072737881</a>	Data: „02”martie 2020	Alternativa nr.: _____
Denumirea procedurii:	Calculatoare, echipamente periferice, imprimante, laptopuri	Lot: 7	Pagina: <u>1</u> din <u>1</u>

N/o	Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8	9
Lot 7	30200000-1	Imprimanta	P801	China	Ricoh	Printer A4, white/black, print speed single side: min 55 ppm, double side min 36,5 ipm, print quality 1200x1200, print resolution 600x600, warm-up time up to 30 seconds or less from power on, first page out time up to 8 sec, minim 200 000 pages per month, Secure print, plain paper, heavy paper, label, envelope, power 220V-240V, Cassete: 60 to 120 g/m, (A4, A5, B5 and other), Multi-purpose tray: 60 to 199 g/m, paper input min. 500 sheet cassette, Noise level max. 71 dB, processor speed 528 MHz+264 MHz or more, memory 1 GB or more, USB 2.0 High-Speed, GLAN, LAN print functions, Remote User Interface, Toner Status, uniFlow compatibility, Support Windows 7/10 x32/x64/Server 2008/2012, no wireless connections. Cartridge	Printer A4, white/black, print speed single side: 60 ppm, double side 40 ipm, print quality 1200x1200, print resolution 1200x1200, warm-up time 25.4 seconds or less from power on, first page out time 6 sec, max 275 000 pages per month, Secure print, Locked Print1, SSL communication encryption, S/MIME, IPsec communication, Transport Layer Security (TLS), SMTP over SSL/TLS, Wireless LAN encryption, Network Protocol, IP filtering, Trusted Platform Module, Data Overwrite Security System, power 220V-240V, Paper weight Trays: 64 - 120g/m <sup>2</sup> , Bypass: 60 - 220g/m <sup>2</sup> , Duplex: 64 - 120g/m <sup>2</sup> , paper input 500 sheet cassette, Noise level max. 70 dB, processor speed 1.3GHz, memory 2 GB, USB 2.0 High-Speed, GLAN, LAN print	

						originale minimum 11 000 pages, include reserve cartridge original minimum 25 000 pages	functions, Remote User Interface, Toner Status, uniFlow compatibility, Support Windows 7/10 x32/x64/Server 2008/2012, no wireless connections. Cartridge originale 11 000 pages, include reserve cartridge original IM 600 <b>25 500</b> pages	
--	--	--	--	--	--	---	--	--

Semnat: \_\_\_\_\_ Numele, Prenumele: Srimtaev Emilia În calitate de: administrator  
Ofertantul: Daito SRL Adresa: or. Orhei

**Specificații de preț (F 4.2)**

*[Acest tabel va fi completat de către ofertant în coloanele 6,7,8,9 iar de către autoritatea contractantă – în coloanele 1,2,3,4,5,10]*

Numărul procedurii: <a href="#">ocds-b3wdp1-MD-1582547275412</a>	Data: „02” martie 2020	Alternativa nr.: _____
Denumirea procedurii: Calculatoare, echipamente periferice, imprimante, laptopuri	Lot: 7	Pagina: <u>1</u> din <u>1</u>

N/o	Cod CPV	Denumirea bunurilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare
1	2	3	4	5	6	7	8	9	10
Lot 7	30200000-1	<b>Imprimanta</b>	buc	20	14190.00	17028.00	283800.00	340560.00	30 zile
		<b>TOTAL</b>					283800.00	340560.00	

Semnat: \_\_\_\_\_ Numele, Prenumele: Srimtaev Emilia În calitate de: administrator  
 Ofertantul: Daito SRL Adresa: or. Orhei