OptiPlex All-in-One

Work in comfort and in style with a sleek new design, and built-in intelligent collaboration & security features.

> >



11180

D&LLTechnologies

Intelligence meets simplicity

Experience ultimate collaboration and performance in a new, sleek and easy-to-set-up design.

. . .

Most powerful OptiPlex yet

Intel vPro with 13th Gen Intel® CoreTM processors, up to i9 65W deliver business-class performance that accelerates productivity while minimizing security risks by leveraging technologies deep in the silicon¹

Next-level video conferencing

Optional 5MP IR Camera with Express Sign-In and Intelligent Privacy provides secure collaboration while its auto-tilt profile keeps users front and center during video calls.

• • •

Sleek design

New silver or dark gray chasses (based on configuration option)

0....

Smart connections

Up to native USB 3.2 Type C Gen2x2 (20Gb), USB 3.2 Gen 2 (10 Gb) with easy access on the side panel

• • •

Secure access to digital and virtual workspaces

With thin client solutions powered by Dell Cloud Client Workspace¹³

• • •

Tackle graphically intensive workloads with optional AMD discrete graphics





Sustainable innovation

With post-consumer recycled plastic, and Modern Standby; EPEAT Gold, ENERGY STAR and TCO certifications (on select configurations)

Breadth of custom accessories

. . .

Matching InfinityEdge FHD displays, collaboration accessories and more ergonomic stand options than ever

Work comfortably all day

 Expansive TUV Low Blue Light certified touch and non-touch panels

Most intelligent with Dell Optimizer²

More intuitive app performance and connectivity, and best ever noise-cancelling audio experiences

. . .

Hear and be heard

2 microphones and 2 speakers featuring Intelligent Audio deliver ultimate collaboration

•••

Easy to manage With a single BIOS across new All-in-One configurations

Faster and more expandable

Available with up to dual M.2 SSD storage drives, RAID capable, and DDR5 memory up to 64GB

2

OPTIPLEX All-in-One

Sustainability on OptiPlex

OptiPlex is a leading platform for sustainable innovation and utilizes the most recycled content of all Dell PCs with up to 59.6% recycled plastic and closed-loop materials in its design.¹





Design

1st

OptiPlex was the first Dell product made with recycled materials in 2007.²

OPTIPLEX HAS

120 +EPEAT registered products*

 (\rightarrow) EPEAT

Sustainable Materials

Our use of sustainable materials helps reduce the environmental impact of making and recycling them.+



⇒ тсо

Up to 54% post consumer recycled plastic

Packaging Innovation

87% 87% of Dell's packaging is made from recycled or renewable materials.³



8.0 ENERGY STAR®* throughout the portfolio

ENERGY STAR®

Dell Optimizer

We make it intelligent. You make it yours.

In a work-from-anywhere world, powering the world's most intelligent commercial PCs* is not enough, Dell Optimizer is extending personalized intelligence to the rest of the Dell ecosystem.

Dell Optimizer lets you accomplish anything with built-in intelligence that learns and adapts to the way you work.



Elevate your work experience with personalized performance extending from your OptiPlex to the devices within your workspace.

(1)

Hear and be heard better than ever

Intelligent Audio reduces background noise and optimizes audio experiences, now with more impressive features: **Neural noise and echo cancelation** intelligently removes background noises and echoes of the participants in your conference calls. **Voice Quality Monitoring** checks the quality of your voice during conference calls and notifies you when the quality is poor.

2

ExpressConnect delivers the world's first simultaneous multinetwork connection^{**} for faster transfers and downloads. It also optimizes connectivity and bandwidth for clearer, more productive conferencing.



An intelligent ecosystem

Enjoy easy pairing and management of your Dell monitors and accessories with the **integration of Dell Display Manager and Dell Peripheral Manager**.



Seamless workspace transitions and enhanced privacy

ExpressSign-in wakes your PC when upon approach and locks it when you step away.

Intelligent Privacy texturizes your screen when an onlooker is detected and dims it when you look away. (Available on select OptiPlex All-in-One configurations with optional 5MP IR Camera; also available on select Dell monitors and webcams with proximity sensors).

With Dell Optimizer, optimization and data collection follow a stringent process to ensure your privacy and security.

Click here to learn more about Dell Optimizer.

 \bigcirc

Improved app performance

ExpressResponse analyzes how you use your preferred apps to boost performance.

Based on Dell analysis, October 2022. Dell Optimizer not available in OptiPiex 3000 series, Latitude Chromebook Enterprise, and Linux-based devices. Feature availability and functionality may vary by model. For more details visit: https://www.delltechnologies.com/asset/en-us/solutions/business-solutions/technical-support/dell-optimizer-features-availability-matrix.pdf.external.



RECOMMENDED ACCESSORIES



Dell UltraSharp 24 Monitor – U2422H

Take your work to new heights with this 23.8-inch FHD monitor with a wide color coverage. Features ComfortView Plus an always-on built-in low blue light screen, fast connectivity and transfer speeds.



Dell 24 Monitor - P2423D

Stay focused on a 23.8-inch QHD monitor optimized to deliver high performance details and clarity.



Dell Premier Collaboration Keyboard and Mouse - KM900

World's 1st Zoom-certified* keyboard with dedicated touch controls for effortless collaboration on Zoom calls.

*Based on Dell analysis of publicly available information of competitive personal zoom room keyboards, August 2022.



Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W

Multi-task seamlessly across 3 devices with this premium full-size keyboard and sculpted mouse combo featuring programmable shortcuts and 36 months battery life.



Dell Premier Wireless ANC Headset – WL7022

Collaborate with ease anywhere with this Teams certified wireless headset which offers active noise cancellation and smart sensors that automatically mute and unmute your call.



OptiPlex Entry 24 All-in-One Height Adjustable Stand

With the ability to tilt and raise your monitor to the optimal viewing level, you can ensure that your workspace is as comfortable as possible.



.0

OptiPlex Premier 24 All-in-One Height Adjustable Stand

Raise, tilt, pivot or swivel your All-In-One Plus to enjoy the best view.



OptiPlex Premier 24 All-in-One Height Adjustable with Flex Bay (ODD Drive) Stand

A convenient optical disc drive is integrated into the base of this custom Height Adjustable Stand for OptiPlex Plus. Maximize productivity and work at your optimal viewing level.

OptiPlex All-in-One offers 3 base configurations

Base configuration determines the set of customizable features available for this PC.





OptiPlex All-in-One Plus

Sleek silver chassis, FHD or 5MP IR Camera with Express Sign-In and Intelligent Privacy, 2x5 watt audio and optional discrete graphics for high performance video and professional applications with 65-watt processor base power and DDR5 memory.





OptiPlex All-in-One

Dark grey chassis and FHD camera with high performance 65-watt processor base power and DDR5 memory.





OptiPlex All-in-One (Energy Efficient Processor)

Dark grey chassis and FHD camera with energy efficient 35-watt processor base power, DDR4 memory and an external power supply unit.

OPTIPLEX All-in-One

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER OptiPlex All-in-Ope Plus 7410

PROCESSOR 13th Generation Intel® core™ i3-13100 (12 MB cache 4 cores, 8 threads, 3.40 GHz to 4.50 GHz turbo, 60 W) OPTIONS¹ 13th Generation Intel[®] core™ i5-13400 (20 MB cache 10 cores, 16 threads, 2.50 GHz to 4.60 GHz turbo, 65 W) 13th Generation Intel® core™ i5-13500 vPro® (24 MB cache, 14 cores, 20 threads, 2,50 GHz to 4,80 GHz turbo, 65 W) 13th Generation Intel[®] core[™] i5-13600 vPro[®] (24 MB cache, 14 cores, 20 threads, 2.70 GHz to 5.00 GHz turbo, 65 W) 13th Generation Intel[®] core™ i7-13700 vPro[®] (30 MB cache, 16 cores, 24 threads, 2.10 GHz to 5.10 GHz turbo, 65 W) 13th Generation Intel[®] core™ i9-13900 vPro[®] (36 MB cache, 24 cores, 32 threads, 2.00 Ghz to 5.20 GHz turbo, 65 W)

OPERATING Windows 11 Home SYSTEM¹

Windows 11 Pro Windows 11 Pro National Academic Windows 11 Pro Downgrade (Windows 10 image) Windows 10 CMIT (CMGE) Ubuntu[®] Linux[®] 22.04 LTS, 64-bit

THIN CLIENT Dell Hybrid Client on Ubuntu® Linux® 22.04 LTS, 64-bit OPERATING SYSTEMS^{1,13}

8 GB, 1 x 8 GB, DDR5, 4800 MHz, single-channel 16 GB, 1 x 16 GB, DDR5, 4800 MHz, single-channel 16 GB, 2 x 8 GB, DDR5, 4800 MHz, dual-channel MEMORY OPTIONS^{1,2,3} 32 GB, 1 x 32 GB, DDR5, 4800 MHz, single-channel 32 GB, 2 x 16 GB, DDR5, 4800 MHz, dual-channel 64 GB, 2 x 32 GB, DDR5, 4800 MHz, dual-channel

STORAGE M.2 2230, 256 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 512 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 1 TB, PCIe NVMe, SSD, Class 35 OPTIONS^{1,5} M.2 2280, 512 GB, PCIe NVMe, SSD, Class 40 M.2 2280, 1 TB, PCIe NVMe, SSD, Class 40 M.2 2280, 2 TB, PCIe NVMe, SSD, Class 40 M.2 2230, 256 GB, PCIe NVMe,Self-Encrypting drive. Class 35 M.2 2280, 512 GB, PCIe NVMe, SSD, self-encrypting drive, Class 40 M.2 2280, 1 TB, PCIe NVMe, SSD, self-encrypting drive, Class 40

GRAPHICS Integrated:

Intel[®] UHD Graphics 730 with 13th Generation Intel[®] core™ i3/i5 Intel[®] UHD Graphics 770 with 13th Generation Intel[®] core™ i5/i7/i9

Discrete:

AMD Radeon™ RX 6500, 4 GB, GDDR6

23.8-inch, FHD 1920 x 1080, 60 Hz, anti-glare, TUV Low DISPLAY **OPTIONS** Blue Light certified non-touch panel, 99% sRGB, 250 nits, IPS, ComfortView Plus

> 23.8-inch, FHD 1920 x 1080, 60 Hz, anti-glare, TUV Low Blue Light certified touch panel, 99% sRGB, 300 nits, IPS, stylus support, ComfortView Plus

STANDS OptiPlex Premier 24 All-in-One Height Adjustable Stand OptiPlex Premier 24 All-in-One Height Adjustable with Flex Bay (ODD Drive) Stand OptiPlex Premier 24 All-in-One Fixed Stand

PERIPHERAL Dell 24 Monitor - P2423D ECOSYSTEM Dell UltraSharp 24 Monitor - U2422H Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W Dell Premier Collaboration Keyboard and Mouse - KM900 Dell Premier Wireless ANC Headset - Blazer - WL7022

CHASSIS COLOR Silver

TECHNICAL SPECIFICATION

OntiPlex All-in-One 7410

Intel® Pentium® Gold G7400 (6 MB cache, 2 cores, 4 threads, up to 3.70 GHz, 46 W)

13th Generation Intel[®] core™ i3-13100 (12 MB cache 4 cores, 8 threads, 3.40 GHz to 4.50 GHz turbo, 60 W) 13th Generation Intel[®] core™ i5-13400 (20 MB cache 10 cores, 16 threads, 2.50 GHz to 4.60 GHz turbo, 65 W) 13th Generation Intel[®] core[™] i5-13500 vPro[®] (24 MB cache. 14 cores, 20 threads, 2.50 GHz to 4.80 GHz turbo, 65 W) 13th Generation Intel[®] core[™] i5-13600 vPro[®] (24 MB cache, 14 cores, 20 threads, 2.70 GHz to 5.00 GHz turbo, 65 W) 13th Generation Intel[®] core™ i7-13700 vPro[®] (30 MB cache, 16 cores, 24 threads, 2.10 GHz to 5.10 GHz turbo, 65 W)

Windows 11 Home

Windows 11 Pro Windows 11 Pro National Academic Windows 11 Pro Downgrade (Windows 10 image) Windows 10 CMIT (CMGE) Ubuntu[®] Linux[®] 22.04 LTS, 64-bit

Dell ThinOS Dell Hybrid Client on Ubuntu® Linux® 22.04 LTS, 64-bit Windows 10 IoT Enterprise LTSC 2021 (coming soon)

8 GB, 1 x 8 GB, DDR5, 4800 MHz, single-channel 16 GB, 1 x 16 GB, DDR5, 4800 MHz, single-channel 16 GB, 2 x 8 GB, DDR5, 4800 MHz, dual-channel 32 GB, 1 x 32 GB, DDR5, 4800 MHz, single-channel 32 GB, 2 x 16 GB, DDR5, 4800 MHz, dual-channel 64 GB, 2 x 32 GB, DDR5, 4800 MHz, dual-channel

M.2 2230, 256 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 512 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 1 TB, PCIe NVMe, SSD, Class 35 M.2 2280, 512 GB, PCIe NVMe, SSD, Class 40 M.2 2280. 1 TB. PCIe NVMe, SSD, Class 40 M.2 2280, 2 TB, PCIe NVMe, SSD, Class 40 M.2 2230, 256 GB, PCIe NVMe,Self-Encrypting drive, Class 35 M.2 2280, 512 GB, PCIe NVMe, SSD, self-encrypting drive, Class 40 M.2 2280, 1 TB, PCIe NVMe, SSD, self-encrypting drive Class 40

Integrated:

Intel® UHD Graphics 710 with Intel® Pentium® Gold processor

. Intel® UHD Graphics 730 with 13th Generation Intel® core™

i3/i5 processor Intel® UHD Graphics 770 with 13th Generation Intel® core™ i5/i7 processor

23.8-inch, FHD 1920 x 1080, 60 Hz, anti-glare, TUV Low Blue Light certified non-touch panel, 99% sRGB, 250 nits, IPS. ComfortView Plus

23.8-inch, FHD 1920 x 1080, 60 Hz, anti-glare, TUV Low Blue Light certified touch panel, 99% sRGB, 300 nits, IPS, stylus support, ComfortView Plus

OptiPlex Entry 24 All-in-One Height Adjustable Stand OptiPlex Entry 24 All-in-One Fixed Stand

Dell 24 Monitor - P2423D Dell UltraSharp 24 Monitor - U2422H Dell Premier Multi-Device Wireless Keyboard and Mouse - KM7321W Dell Pro Stereo Headset - WH3022

Textured Black

TECHNICAL SPECIFICATION

OptiPlex All-in-One 7410 (Energy Efficient Processor)

Intel® Pentium® Gold G7400T (6 MB cache, 2 cores, 4 threads, up to 3.10 GHz, 35 W) Intel® Celeron® G6900T (4 MB cache, 2 cores, 2 threads,

up to 2.80 GHz, 35 W) 13th Generation Intel[®] core[™] i3-13100T (12 MB cache,

4 cores, 8 threads, 2.50 GHz to 4.20 GHz turbo, 35 W) 13th Generation Intel[®] core™ i5-13400T (20 MB cache 10 cores, 16 threads, 1.30 GHz to 4.40 GHz turbo, 35 W) 13th Generation Intel[®] core™ i5-13500T vPro[®] (24 MB cache, 14 cores, 20 threads, 1.60 GHz to 4.60 GHz turbo, 35 W) 13th Generation Intel[®] core™ i5-13600T vPro[®] (24 MB cache, 14 cores, 20 threads, 1.80 GHz to 4.80 GHz turbo, 35 W)

Windows 11 Home Windows 11 Pro Windows 11 Pro National Academic Windows 11 Pro Downgrade (Windows 10 image) Windows 10 CMIT (CMGE) Ubuntu[®] Linux[®] 22.04 LTS, 64-bit

Dell ThinOS

Dell Hybrid Client on Ubuntu® Linux® 22.04 LTS, 64-bit Windows 10 IoT Enterprise LTSC 2021 (coming soon)

4 GB, 1 x 4 GB, DDR4, 3200 MHz, single-channel 8 GB, 1 x 8 GB, DDR4, 3200 MHz, single-channel 16 GB, 1 x 16 GB, DDR4, 3200 MHz, single-channel 16 GB. 2 x 8 GB. DDR4. 3200 MHz. dual-channel 32 GB, 1 x 32 GB, DDR4, 3200 MHz, single-channel 32 GB, 2 x 16 GB, DDR4, 3200 MHz, dual-channel 64 GB, 2 x 32 GB, DDR4, 3200 MHz, dual-channel

2.5-inch, 1 TB, 7200 RPM, SATA, HDD M.2 2230, 256 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 512 GB, PCIe NVMe, SSD, Class 35 M.2 2230, 1 TB, PCIe NVMe, SSD, Class 35 M 2 2280 512 GB PCIe NVMe SSD Class 40 M.2 2280, 1 TB, PCIe NVMe, SSD, Class 40 M.2 2280, 2 TB, PCIe NVMe, SSD, Class 40 M 2 2230. 256 GB. PCIe NVMe,Self-Encrypting drive, Class 35

M.2 2280, 512 GB, PCIe NVMe, SSD, self-encrypting drive, Class 40

M.2 2280, 1 TB, PCIe NVMe, SSD, self-encrypting drive, Class 40

Integrated:

Intel[®] UHD Graphics 710 with Intel[®] Pentium[®] Gold Processor and Intel[®] Celeron[®] processor Intel® UHD Graphics 730 with 13th Generation Intel® core™

i3/i5 processo Intel[®] UHD Graphics 770 with 13th Generation Intel[®] core™ i5 processo

23.8-inch, FHD 1920 x 1080, 60 Hz, anti-glare, TUV Low Blue Light certified non-touch panel, 99% sRGB, 250 nits, IPS, ComfortView Plus

23.8-inch, FHD 1920 x 1080, 60 Hz, anti-glare, TUV Low Blue Light certified touch panel, 99% sRGB, 300 nits, IPS, $% 10^{-1}$ stylus support, ComfortView Plus

OptiPlex Entry 24 All-in-One Height Adjustable Stand OptiPlex Entry 24 All-in-One Fixed Stand

Dell 24 Monitor - P2423D Dell UltraSharp 24 Monitor - U2422H Dell Premier Multi-Device Wireless Keyboard and Mouse -KM7321W Dell Pro Stereo Headset - WH3022

Textured Black

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER OptiPlex All-in-One Plus 7410

SOFTWARE¹

PRODUCTIVITY Dell Command

Dell Digital Delivery - Cirrus Client Dell Optimizer Excalibur SupportAssist Adobe Acrobat Pro 2020 Perpetual - Consumer Adobe Acrobat Standard Perpetual - Commercial 2020 Adobe Acrobat Std Perpetual-EM-Consumer 2020 Adobe Acrobat Standard DC 12 mo Sub. - Commercial Adobe Acrobat Standard 2020 - Consumer Adobe Creative Cloud Photography Plan - 12 month Subscription Adobe Lightroom - 12 month Subscription Adobe Photoshop Elements 2023 & Premier Elements 2023 Bundle, Commercial CyberLink PowerDirector Cyberlink PowerDirector and PhotoDirector 365 Commercial Dell SW Token Foxit PDF Editor MS Office - Fed & Premier opt out, comm SKUs MS Office - No Productivity MOD for Japan M365 Personal M365 Family MS Office Digital Attach Upsell Home & Business 2021-Commercial MS Office Digital Attach Upsell Professional 2021-Commercial MS Office Digital Attach Upsell Home & Student 2021 MS Office Home & Business Non Premium Digital Attach (JPN) - Consumer MS Office Home & Business Non Premium Office 2021 Digital Attach (JPN) - Commercial MS Office Professional Non Premium Digital Attach (JPN) - Commercial Workspace ONE

SECURITY Safe

SafeSupply Chain Add-on Dell Trusted Device Agent Absolute Control (Pro) - 1, 3, 4, and 5 year options Absolute Resilience (Premium) - 1, 3, 4, and 5 year options Absolute Resilience (Premium), SLED - 1, 3, 4, and 5 year options Absolute Visibility (Standard) - 1, 3, 4, and 5 year options McAfee Business Protection Secureworks Taegis XDR VMware Carbon Black

HARDWARE Kensington security-cable slot SECURITY Chassis intrusion switch

Cristiss influsion switch Trusted Platform Module (Discrete TPM Enabled) SafeBIOS including Dell Off-host BIOS Verification BIOS Recovery, and additional BIOS Controls SafeID including Trusted Platform Module (TPM) 2.0 Self-Encrypting Drives (SED) Smart card keyboard (FIPS) D-Pedigree (Secure Supply Chain Functionality)

WARRANTY^{9,10} 3-year Basic Warranty with hardware on-site service after remote diagnosis 2-5 year Basic Warranty extension 1-5 year ProSupport with Next Business Day on-site service 1-5 year ProSupport Plus for Client with Next Business Day

1-5 year ProSupport Plus for Client with Next Business Day on-site service

ACCIDENTAL 1-5 year Accidental Damage Service

DAMAGE SERVICES

PORTS Right: 1 USB 3.2 Gen 2 port with PowerShare Left:

1 Universal audio port

Below Display: 1 SD 4.0 card slot 1 USB 3.2 Gen 2x2 Type-C® port Back panel: 2 USB 3.2 Gen 2 ports 2 USB 3.2 Gen 1 ports with Smart Power On 1 audio line-out port, retaskable 1 DisplayPort++ 14a/HDCP 2.3 port, up to 5120 x 3200 @ 60Hz 1 HDMI-out 2.1/HDCP 1.4 port, up to 4096 x 2160 @ 60Hz 1 HDMI-out 2.1/HDCP 2.3 port, up to 4096 x 2160 @ 60Hz 1 RJ45 Ethernet Port 10/100/1000 Mbps port

TECHNICAL SPECIFICATION

OptiPlex All-in-One 7410

Dell Command Dell Digital Delivery - Cirrus Client Dell Optimizer Excalibur SupportAssist Adobe Acrobat Pro 2020 Perpetual - Consumer Adobe Acrobat Standard Perpetual - Commercial 2020 Adobe Acrobat Std Perpetual-EM-Consumer 2020 Adobe Acrobat Standard DC 12 mo Sub. - Commercial Adobe Acrobat Standard 2020 - Consumer Adobe Creative Cloud Photography Plan - 12 month Subscription Adobe Lightroom - 12 month Subscription Adobe Photoshop Elements 2023 & Premier Elements 2023 Bundle, Commercial CyberLink PowerDirector Cyberlink PowerDirector and PhotoDirector 365 Commercial Dell SW Token Foxit PDF Editor MS Office - Fed & Premier opt out, comm SKUs MS Office - No Productivity MOD for Japan M365 Personal M365 Family MS Office Digital Attach Upsell Home & Business 2021-Commercial MS Office Digital Attach Upsell Professional 2021-Commercial MS Office Digital Attach Upsell Home & Student 2021 MS Office Home & Business Non Premium Digital Attach (JPN) - Consumer MS Office Home & Business Non Premium Office 2021 Digital Attach (JPN) - Commercial MS Office Professional Non Premium Digital Attach (JPN) - Commercial Workspace ONE

SafeSupply Chain Add-on

Dell Trusted Device Agent Absolute Control (Pro) - 1, 3, 4, and 5 year options Absolute Resilience (Premium) - 1, 3, 4, and 5 year options Absolute Resilience (Premium), SLED - 1, 3, 4, and 5 year options Absolute Visibility (Standard) - 1, 3, 4, and 5 year options McAfee Business Protection Secureworks Taegis XDR VMware Carbon Black

Kensington security-cable slot Chassis intrusion switch

Trusted Platform Module (Discrete TPM Enabled) SafeBIOS including Dell Off-host BIOS Verification BIOS Resilience BIOS Recovery, and additional BIOS Controls SafeID including Trusted Platform Module (TPM) 2.0 Self-Encrypting Drives (SED) Smart card keyboard (FIPS) D-Pedigree (Secure Supply Chain Functionality)

1-year Basic Warranty with hardware on-site service after remote diagnosis 2-5 year Basic Warranty extension 1-5 year ProSupport with Next Business Day on-site service 1-5 year ProSupport Plus for Client with Next Business Day on-site service

1-5 year Accidental Damage Service

Right: 1 USB 3.2 Gen 2 port with PowerShare Left: 1 Universal audio port Below Display: 1 SD 4.0 card slot 1 USB 3.2 Gen 2 Type-C port Back panel: 2 USB 3.2 Gen 2 ports 2 USB 3.2 Gen 1 ports with Smart Power On 1 audio line-out port, retaskable 1 DisplayPort++ 14a/HDCP 2.3 port, up to 5120 x 3200 @ 60Hz 1 HDMI-iou 12/HDCP 2.3 port, up to 1920 x 1080 @ 60Hz 1 HDMI-iou 12/HDCP 2.3 port, up to 4096 x 2160 @ 60Hz 1 RJ45 Ethernet Port 10/100/1000 Mbps port

TECHNICAL SPECIFICATION

OptiPlex All-in-One 7410 (Energy Efficient Processor)

Dell Command Dell Digital Delivery - Cirrus Client Dell Optimizer Excalibur SupportAssist Adobe Acrobat Pro 2020 Perpetual - Consumer Adobe Acrobat Standard Perpetual - Commercial 2020 Adobe Acrobat Std Perpetual-EM-Consumer 2020 Adobe Acrobat Standard DC 12 mo Sub. - Commercial Adobe Acrobat Standard 2020 - Consumer Adobe Creative Cloud Photography Plan - 12 month Subscription Adobe Lightroom - 12 month Subscription Adobe Photoshop Elements 2023 & Premier Elements 2023 Bundle, Commercial CyberLink PowerDirector Cyberlink PowerDirector and PhotoDirector 365 Commercial Dell SW Token Foxit PDF Editor MS Office - Fed & Premier opt out, comm SKUs MS Office - No Productivity MOD for Japan M365 Personal M365 Family MS Office Digital Attach Upsell Home & Business 2021-Commercial MS Office Digital Attach Upsell Professional 2021-Commercial MS Office Digital Attach Upsell Home & Student 2021 MS Office Home & Business Non Premium Digital Attach (JPN) - Consumer MS Office Home & Business Non Premium Office 2021 Digital Attach (JPN) - Commercial MS Office Professional Non Premium Digital Attach (JPN) Commercial Workspace ONE SafeSupply Chain Add-on

Safesuppiy Chain Add-Gri Dell Trusted Device Agent Absolute Control (Pro) - 1, 3, 4, and 5 year options Absolute Resilience (Premium) - 1, 3, 4, and 5 year options Absolute Resilience (Premium), SLED - 1, 3, 4, and 5 year options Absolute Visibility (Standard) - 1, 3, 4, and 5 year options McAfee Business Protection Secureworks Taegis XDR VMware Carbon Black

Kensington security-cable slot Chassis intrusion switch Trusted Platform Module (Discrete TPM Enabled) SafeBIOS including Dell Off-host BIOS Verification BIOS Resilience BIOS Recovery, and additional BIOS Controls SafeID including Trusted Platform Module (TPM) 2.0 Self-Encrypting Drives (SED) Smart card keyboard (FIPS) D-Pedigree (Secure Supply Chain Functionality)

1-year Basic Warranty with hardware on-site service after remote diagnosis

2-5 year Basic Warranty extension

1-5 year ProSupport with Next Business Day on-site service 1-5 year ProSupport Plus for Client with Next Business Day on-site service

1-5 year Accidental Damage Service

 Right:

 1 USB 3.2 Gen 2 port with PowerShare

 Left:

 1 Universal audio port

 Below Display:

 1 SD 4.0 card slot

 1 USB 3.2 Gen 2 Type-C port

 Back panel:

 2 USB 3.2 Gen 1 ports

 2 USB 3.2 Gen 1 ports

 1 USB 2.0 ports with Smart Power On

 1 audio line-out port, retaskable

 1 DisplayPort++1.4a/HDCP 2.3 port, up to 5120 x 3200 @ 60Hz

 1 RJ45 Ethernet Port 10/100/1000 Mbps port

OPTIPLEX All-in-One

FEATURE TECHNICAL SPECIFICATION

MODEL NUMBER OptiPlex All-in-Ope Plus 7410

1 M.2 2230 slot for WiFi and Bluetooth combo card SLOTS 2 M.2 2230/2280 slots for PCIe solid-state drive

DIMENSIONS US Dimensions

Height (Front): 13.95 in. (354.3 mm) Height (Rear): 13.95 in. (354.3 mm) Width: 21.26 in. (540 mm) Depth: 2.28 in. (57.90 mm) Starting weight, with stand: 18.13 lb (8.23 kg) Weight (maximum), with stand: 21.22 lb (9.63 kg) Starting weight, without stand: 13.95 lb (6.33 kg) Weight (maximum), without stand: 14.90 lb (6.76 kg)

ROW Dimensions Height (Front): 354.3 mm (13.95 in.) Height (Rear): 354.3 mm (13.95 in.) Width: 540 mm (21.26 in.) Depth: 57.90 mm (2.28 in.) Starting weight, with stand: 8.23 kg (18.13 lb) Weight (maximum), with stand: 9.63 kg (21.22 lb) Starting weight, without stand: 6.33 kg (13.95 lb) Weight (maximum), without stand: 6.76 kg (14.90 lb)

- 1080p at 30 fps FHD camera CAMERA 1920p at 30 fps 5MP RGB camera + 360p at 30 fps nHD IR camera
- AUDIO¹ Realtek Audio Controller, ALC3289 Two stereo speakers, 5 W x 2 = 10 W
- Intel® AX201, 2x2, MIMO, 2400 Mbps, 2.40 GHz/5 GHz, WIRELESS Wi-Fi 6 (WiFi 802.11ax), Bluetooth® wireless card Intel® AX211, 2x2 MIMO, 2400 Mbps, 2.40 GHz/5 GHz/6 GHz, Wi-Fi 6E (WiFi 802.11ax), Bluetooth® wireless card Realtek RTL8852BE, 2x2 MIMO, 1201 Mbps, 2.40 GHz/5 GHz, Wi-Fi 6 (WiFi 802.11ax), Bluetooth® wireless card

PRIMARY BATTERY N/A

- 160 W internal power supply unit (PSU), 85% Efficient, 80 POWER Plus Bronze 240 W internal power supply unit (PSU), 92% Efficient, 80 Plus Platinum
- Made with post-consumer recycled plastic SUSTAINABILITY Packaging made with recycled or renewable materials MATERIALS EPEAT registered configurations available ENERGY STAR qualified configurations available TCO 9.0 certified configurations available US CEC MEPS compliant configurations available Australia and New Zealand MEPS compliant configurations available CEL WEEE Japan Energy Law South Korea E-standby EU RoHS China RoHS
- Product Safety, EMC and Environmental Datasheets **REGULATORY**^{8,12} Dell Regulatory Compliance Home Page Dell and the Environment

TECHNICAL SPECIFICATION

OntiPlex All-in-One 7410

1 M.2 2230 slot for WiFi and Bluetooth combo card 2 M.2 2230/2280 slots for PCle solid-state drive

US Dimensions

Height (Front): 13.95 in. (354.3 mm) Height (Rear): 13.95 in. (354.3 mm) Width: 21.26 in. (540 mm) Depth: 2.28 in. (57.90 mm) Starting weight, with stand: 16.55 lb (7.51 kg) Weight (maximum), with stand: 20.25 lb (9.19 kg) Starting weight, without stand: 12.37 lb (5.61 kg) Weight (maximum), without stand: 13.93 lb (6.32 kg)

ROW Dimensions

Height (Front): 354.3 mm (13.95 in.) Height (Rear): 354.3 mm (13.95 in.) Width: 540 mm (21.26 in.) Depth: 57.90 mm (2.28 in.) Starting weight, with stand: 7.51 kg (16.55 lb) Weight (maximum), with stand: 9.19 kg (20.25 lb) Starting weight, without stand: 5.61 kg (12.37 lb) Weight (maximum), without stand: 6.32 kg (13.93 lb)

1080p at 30 fps EHD camera

Realtek Audio Controller, ALC3289 Two stereo speakers, 2 W x 2 = 4 W

Intel® AX201, 2x2, MIMO, 2400 Mbps, 2.40 GHz/5 GHz, Wi-Fi 6 (WiFi 802.11ax), Bluetooth® wireless card

Intel® AX211, 2x2 MIMO, 2400 Mbps, 2.40 GHz/5 GHz/6 GHz. Wi-Fi 6E (WiFi 802.11ax), Bluetooth® wireless card Realtek RTL8852BE, 2x2 MIMO, 1201 Mbps, 2.40 GHz/5

GHz, Wi-Fi 6 (WiFi 802.11ax), Bluetooth® wireless card

N/A

160 W internal power supply unit (PSU), 85% Efficient, 80 Plus Bronze

Made with post-consumer recycled plastic Packaging made with recycled or renewable materials EPEAT registered configurations available ENERGY STAR qualified configurations available TCO 9.0 certified configurations available US CEC MEPS compliant configurations available Australia and New Zealand MEPS compliant configurations available WEEE Japan Energy Law South Korea E-standby EU RoHS China RoHS

Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Dell and the Environment

TECHNICAL SPECIFICATION

OptiPlex All-in-One 7410 (Energy Efficient Processor)

1 SATA slot for 2.5-inch HDD 1 M.2 2230 slot for WiFi and Bluetooth combo card 1 M.2 2230/2280 slots for PCle solid-state drive

US Dimensions

Height (Front): 13.95 in. (354.3 mm) Height (Rear): 13.95 in. (354.3 mm) Width: 21.26 in. (540 mm) Depth: 2.28 in. (57.90 mm) Starting weight, with stand: 16.55 lb (7.51 kg) Weight (maximum), with stand: 20.25 lb (9.19 kg) Starting weight, without stand: 12.37 lb (5.61 kg) Weight (maximum), without stand: 13.93 lb (6.32 kg)

ROW Dimensions Height (Front): 354.3 mm (13.95 in.) Height (Rear): 354.3 mm (13.95 in.) Width: 540 mm (21.26 in.) Depth: 57.90 mm (2.28 in.) Starting weight, with stand: 7.51 kg (16.55 lb) Weight (maximum), with stand: 9.19 kg (20.25 lb) Starting weight, without stand: 5.61 kg (12.37 lb) Weight (maximum), without stand: 6.32 kg (13.93 lb)

1080p at 30 fps FHD camera

Realtek Audio Controller, ALC3246 Two stereo speakers, 2 W x 2 = 4 W

Intel® AX201, 2x2, MIMO, 2400 Mbps, 2.40 GHz/5 GHz, Wi-Fi 6 (WiFi 802.11ax), Bluetooth® wireless card

Intel® AX211, 2x2 MIMO, 2400 Mbps, 2.40 GHz/5 GHz/6 GHz, Wi-Fi 6E (WiFi 802.11ax), Bluetooth® wireless card

Realtek RTL8852BE, 2x2 MIMO, 1201 Mbps, 2.40 GHz/5 GHz, Wi-Fi 6 (WiFi 802.11ax), Bluetooth® wireless card

N/A

130 W AC adapter, 7.4 mm barrel 180 W AC adapter, 7.4 mm barrel

Made with post-consumer recycled plastic Packaging made with recycled or renewable materials EPEAT registered configurations available ENERGY STAR qualified configurations available TCO 9.0 certified configurations available US CEC MEPS compliant configurations available Australia and New Zealand MEPS compliant configurations available CEL WEEE Japan Energy Law South Korea E-standby EU RoHS China RoHS

Product Safety, EMC and Environmental Datasheets Dell Regulatory Compliance Home Page Dell and the Environment

Product disclaimers

Page 2

Final performance benchmarks pending

Source: *Based on Dell analysis, October 2022. Dell Optimizer not available in OptiPlex 3000 series, Latitude Chromebook Enterprise, and Linux-based devices. Feature availability and functionality may vary by model. For more details visit: https://www.delltechnologies.com/asset/en-us/solutions/business-solutions/technical-support/dell-optimizer-features-availability-matrix.pdf.external. Disclaimer: Offering may vary by country and by configuration and operating system. Some items may be available after product introduction. At launch, Dell ThinOS and Dell Hybrid Client are customer install options sold separately and require the device to be configured with 8 GB.

Page 3

Source: Percentage is of total plastic weight in product and may vary by model.

Source: Based on internal analysis, February 2023 CLM-007154

+ Percentage is of total plastic weight in product and may vary by model. Based on internal analysis, February 2023 CLM-007352

3. OptiPlex is Dell's most sustainable desktop portfolio, Based on Dell internal analysis, October, 2021; (analyzing areas of innovation, materials and % recycled plastic and closed-loop plastic) CLM-003453.

*EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

* Based on Dell analysis of publicly available information of competitive Personal Zoom Room keyboards, August 2022.

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Setup and Specifications published on www.dell.com/support.

2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.

3. 8GB or Greater System Memory Capability: A 64-bit operating system is required to support 8GB or more of system memory.

4. Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality

5. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

6. TPM is available in selected regions.

7. Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lojackforlaptops.com.

8. Please refer to www.epeat.net for specific country registration rating and participation.

9. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.

10. on-site service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

11. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.

12. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19. 13. Offering may vary by country and by configuration and operating system. Some items may be available after product introduction. At launch, Dell ThinOS and Dell Hybrid Client are customer install options sold separately and require the device to be configured with 8 GB Memory, 128 GB or higher capacity SSD/HDD and Ubuntu Linux 22.04 with Dell Client Agent Enabler (DCA-Enabler).

