dispoFINE

injection needle, sterile

features

- needle tube is made of smooth and durable stainless steel
- sheath and hub made of polypropylene
- thin walls assure adequate stream pace
- tip sharpened in three surfaces (back cut) • bevel type: LB/BL standard long bevel
- surface of needle tube covered with sliding agent (silicone)
- glued needle elements to prevent their separation (glue epoxy resin)
- hubs coloured in accordance with ISO code allowing fast recognition
- of needle size
- latex-free, phthalate-free
- non-toxic, non-pyrogenic
- EO sterilized
- packaging: 1 pc./paper-foil

indication

• device designed for intravenous, intramuscular and hypodermic injections

REF	size	colour	G	intermediate packaging	REF
IN-03X13	0,3 mm x 13 mm	yellow	30	100 pcs	IN-08X25
IN-04X19	0,4 mm x 19 mm	medium grey	27	100 pcs	IN-08X40
IN-045X12	0,45 mm x 12 mm	brown	26	100 pcs	*IN-08X50
IN-045X16	0,45 mm x 16 mm	brown	26	100 pcs	IN-09X25
IN-045X22	0,45 mm x 22 mm	brown	26	100 pcs	IN-09X40
IN-05X16	0,5 mm x 16 mm	orange	25	100 pcs	IN-11X40
*IN-05X20	0,5 mm x 20 mm	orange	25	100 pcs	IN-12X40
IN-05X25	0,5 mm x 25 mm	orange	25	100 pcs	IN-12X50
IN-05X40	0,5 mm x 40 mm	orange	25	100 pcs	IN-16X40
IN-06X25	0,6 mm x 25 mm	deep blue	23	100 pcs	IN-18X40
IN-06X30	0,6 mm x 30 mm	deep blue	23	100 pcs	IN-21X40
IN-06X40	0,6 mm x 40 mm	deep blue	23	100 pcs	
IN-07X30	0,7 mm x 30 mm	black	22	100 pcs	
IN-07X40	0,7 mm x 40 mm	black	22	100 pcs	↓
*IN-07X50	0,7 mm x 50 mm	black	22	100 pcs	bulk packaging:

KEF		colour		packaging	
IN-08X25	0,8 mm x 25 mm	deep green	21	100 pcs	
IN-08X40	0,8 mm x 40 mm	deep green	21	100 pcs	
*IN-08X50	0,8 mm x 50 mm	deep green	21	100 pcs	
IN-09X25	0,9 mm x 25 mm	yellow	20	100 pcs	
IN-09X40	0,9 mm x 40 mm	yellow	20	100 pcs	
IN-11X40	1,1 mm x 40 mm	cream	19	100 pcs	
IN-12X40	1,2 mm x 40 mm	pink	18	100 pcs	
IN-12X50	1,2 mm x 50 mm	pink	18	100 pcs	
IN-16X40	1,6 mm x 40 mm	white	16	100 pcs	
IN-18X40	1,8 mm x 40 mm	blue-grey	15	100 pcs	
IN-21X40	2,1 mm x 40 mm	pale green	14	100 pcs	
\sim					
	IN-08X40 *IN-08X50 IN-09X25 IN-09X40 IN-11X40 IN-12X40 IN-12X50 IN-16X40 IN-18X40	IN-08X25 0,8 mm x 25 mm IN-08X40 0,8 mm x 40 mm *IN-08X50 0,8 mm x 50 mm IN-09X25 0,9 mm x 25 mm IN-09X40 0,9 mm x 40 mm IN-11X40 1,1 mm x 40 mm IN-12X50 1,2 mm x 50 mm IN-12X50 1,2 mm x 40 mm IN-12X50 1,2 mm x 40 mm IN-16X40 1,6 mm x 40 mm IN-18X40 1,8 mm x 40 mm	IN-08X25 0,8 mm x 25 mm deep green IN-08X40 0,8 mm x 40 mm deep green *IN-08X50 0,8 mm x 50 mm deep green IN-09X25 0,9 mm x 25 mm yellow IN-09X40 0,9 mm x 40 mm yellow IN-09X40 0,9 mm x 40 mm yellow IN-11X40 1,1 mm x 40 mm cream IN-12X40 1,2 mm x 50 mm pink IN-12X50 1,2 mm x 50 mm pink IN-16X40 1,6 mm x 40 mm white IN-18X40 1,8 mm x 40 mm blue-grey	IN-08X25 0,8 mm x 25 mm deep green 21 IN-08X40 0,8 mm x 40 mm deep green 21 *IN-08X50 0,8 mm x 50 mm deep green 21 *IN-08X50 0,8 mm x 50 mm deep green 21 IN-09X25 0,9 mm x 25 mm yellow 20 IN-19X40 0,9 mm x 40 mm yellow 20 IN-11X40 1,1 mm x 40 mm cream 19 IN-12X40 1,2 mm x 50 mm pink 18 IN-12X50 1,2 mm x 40 mm white 16 IN-16X40 1,6 mm x 40 mm white 16	packaging IN-08X25 0,8 mm x 25 mm deep green 21 100 pcs IN-08X40 0,8 mm x 40 mm deep green 21 100 pcs *IN-08X50 0,8 mm x 50 mm deep green 21 100 pcs IN-09X25 0,9 mm x 25 mm yellow 20 100 pcs IN-09X40 0,9 mm x 25 mm yellow 20 100 pcs IN-19X40 0,9 mm x 40 mm yellow 20 100 pcs IN-11X40 1,1 mm x 40 mm cream 19 100 pcs IN-12X40 1,2 mm x 50 mm pink 18 100 pcs IN-12X50 1,2 mm x 50 mm pink 18 100 pcs IN-16X40 1,6 mm x 40 mm white 16 100 pcs IN-18X40 1,8 mm x 40 mm blue-grey 15 100 pcs

 \odot BESTSELLER

DEE

50 x 100 pcs

S bulk packaging: 50 x 50 pcs

* available on request

dispoGUARD

safety injection needle, sterile

features

- · safety cover can be activated with one hand and it shields needle immediately after injection
- · cover integrated with needle

- tip sharpened in three surfaces (back cut)
 colour coding system for size, marked on hub
 activation of safety mechanism signalized by audible click
- needle is securely closed inside activated safety cover
- latex-free, phthalate-free
- non-toxic, non-pyrogenic
- EO sterilized
- packaging: 1 pc./paper-foil

indication

• device designed for intravenous, intramuscular and hypodermic injections

	REF	size	colour	G	intermediate packaging
i		0.2	li abt vallavu	20	50
	INB-03X13	0,3 mm x 13 mm	light yellow	30	50 pcs
	INB-045X12	0,45 mm x 12 mm	brown	26	50 pcs
	INB-05X25	0,5 mm x 25 mm	orange	25	50 pcs
	INB-05X40	0,5 mm x 40 mm	orange	25	50 pcs
	INB-06X25	0,6 mm x 25 mm	blue	23	50 pcs
	INB-06X30	0,6 mm x 30 mm	blue	23	50 pcs
	INB-07X30	0,7 mm x 30 mm	black	22	50 pcs
	INB-07X40	0,7 mm x 40 mm	black	22	50 pcs
	INB-08X40	0,8 mm x 40 mm	green	21	50 pcs
	INB-09X40	0,9 mm x 40 mm	yellow	20	50 pcs
	INB-11X40	1,1 mm x 40 mm	beige	19	50 pcs
	INB-12X40	1,2 mm x 40 mm	pink	18	50 pcs





21

nasal oxygen cannula

sterile

features

- made of medical PVC
 very soft tips with smooth edges
 fastening under the chin with a soft, sliding adjustment ring
 various spacing of the nasal part of the cannula depending on the size
 universal connector compatible with any source of oxygen
 tubing with star cross-section that is resistant to bending
 available in 3 sizes: for adults, for children and for infants with 140 cm, 200 cm, 300 cm and 500 cm long tubing
 single-use
 latex-free

50

- latex-freeEO sterilized
- packaging: 1 pc./foil

inication

• designed to deliver oxygen through the nose

REF	length of tubing	purpose	intermediate packaging	bulk packaging
CTNN-200	200 cm	for infants	25 pcs	10 x 25 pcs
CTNZ-200	200 cm	for children	25 pcs	10 x 25 pcs
CTND-140	140 cm	for adults	30 pcs	10 x 30 pcs
CTND-200	200 cm	for adults	25 pcs	10 x 25 pcs
CTND-300	300 cm	for adults	15 pcs	10 x 15 pcs
CTND-500	500 cm	for adults	10 pcs	10 x 10 pcs



oxygen tubing

sterile

features

- made of transparent, non-toxic PVC
- tubing with star cross-section that is resistant to bending,
- with reinforcing straps along the entire length standardized connectors at the end of the tubing allowing
- connection to oxygen devices
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

· for transporting oxygen from an oxygen source to another medical device for oxygen supply, e.g. oxygen mask

REF	length of tubing	bulk packaging
DT2100	210 cm +/- 2%	100 x 1 pc.
DT4260	426 cm +/- 2%	50 x 1 pc.
DT7620	762 cm +/- 2%	25 x 1 pc.



cervical brush

standard, sterile

features


32

- · straight shape enables obtaining samples from the cervical canal
- soft bristle tips to prevent irritation
- optimal outreach thanks to the long handle
- single-use
- latex-free, phthalate-free EO sterilized
- packaging: 1 pc./paper-foil
- indication

 device designed for obtaining cell samples from the cervix in smear tests



TITITI



cervical brush

special, sterile

features

- broom type enables obtaining samples from the cervix, cervical canal and transformation zone
- soft bristle tips enables precise collection of material for examination
- made entirely of polyethylene
- · optimal outreach thanks to the long handle single-use
- latex-free, phthalate-free
- EO sterilized packaging: 1 pc./paper-foil

indication

· device designed for obtaining cell samples from the cervix, cervical canal and transformation zone in smear tests

REF	type	intermediate packaging
SC-002	special	100 pcs



umbilical cord clamp

sterile

features

- made of polypropylene
- safe clamping teeth with rounded edges do not cut the umbilical cord
- serrated clamping surface of the arms stabilize the clamp on the umbilical cord, after closing it is not
- possible to open the clamp again · double lock catch prevents accidental opening
- universal size
- single-use
- non-pyrogenic
- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

 device is designed for clamping the umbilical cord of a newborn in a labour ward in order to close the lumen of the umbilical blood vessels after cutting it off of the placenta

REF	size	colour	intermediate packaging	•
ZDPB	universal	white	50 pcs	
2010	universat	write	50 pcs	









intubation stylet

sterile

features

- made of PVC-coated aluminium
- · special material for both stiffness and pliability
- intended for use during difficult intubation
- size and diameter markings
- 54
- single-uselatex-freeEO sterilized
 - packaging: 1 pc./paper-foil

indication

- allows you to give the endotracheal tube the right curvature
 introduced to the endotracheal tube facilitates intubation in routine and difficult cases, when the laryngeal inlet is not visible



REF	size	diameter	length	endotracheal tube I.D.	intermediate packaging	bulk packaging
PRI-06	6 Fr	2,0 mm	310 mm (±10)	from 2.0 to 4.0	50 pcs	10 x 50 pcs
PRI-10	10 Fr	3,3 mm	390 mm (±10)	from 4.5 to 6.5	50 pcs	10 x 50 pcs
PRI-14	14 Fr	4,7 mm	390 mm (±10)	from 7.0 to 10.0	40 pcs	10 x 40 pcs

endotracheal tube

uncuffed, sterile

features

- made of flexible PVC
- radiopaque line over the entire tube length
- equipped with lateral Murphy eye
- graduated every 1 cm
- double depth marker to control the position of the tube
- tube size marked in 3 places (on the connector and in two places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

- for both oral and nasal intubation
- · inserted into the trachea to prevent airway obstruction and respiratory failure

REF	size	intermediate packaging
RIB-20	I.D. (mm) 2.0	20 pcs
RIB-25	I.D. (mm) 2.5	20 pcs
RIB-30	I.D. (mm) 3.0	20 pcs
RIB-35	I.D. (mm) 3.5	20 pcs
RIB-40	I.D. (mm) 4.0	20 pcs
RIB-45	I.D. (mm) 4.5	20 pcs
RIB-50	I.D. (mm) 5.0	20 pcs
RIB-55	I.D. (mm) 5.5	20 pcs
RIB-60	I.D. (mm) 6.0	20 pcs
RIB-65	I.D. (mm) 6.5	20 pcs
RIB-70	I.D. (mm) 7.0	20 pcs
RIB-75	I.D. (mm) 7.5	20 pcs
RIB-80	I.D. (mm) 8.0	20 pcs
RIB-85	I.D. (mm) 8.5	20 pcs
RIB-90	I.D. (mm) 9.0	20 pcs
RIB-95	I.D. (mm) 9.5	20 pcs
RIB-100	I.D. (mm) 10.0	20 pcs



bulk packaging: 10 x 20 pcs



oxygen mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
 equipped with a 210 cm (+/- 5%) long tubing with universal connectors
- tubing with star cross-section that is resistant to bending
- · revolving connector that allows adjusting to patient's position
- 48 single-use
 - latex-free
 - EO sterilized • packaging: 1 pc./paper-foil

indication

+ designed to deliver oxygen with precise regulation of concentration, for medium oxygen concentration

REF	length of tubing	size
MTS-S	210 cm +/- 5%	S
MTS-M	210 cm +/- 5%	М
MTS-L	210 cm +/- 5%	L
MTS-XL	210 cm +/- 5%	XL





non-rebreather mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
 equipped with a 210 cm (+/- 5%) long tubing with universal connectors
 tubing with star cross-section that is resistant to bending
- 1000 ml oxygen reservoir
- revolving connector that allows adjusting to patient's position
- · silicone valves on the connector and ventilation openings
- single-uselatex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

designed to deliver oxygen with precise regulation of concentration, for high oxygen concentration

REF	length of tubing	size
MTW-S	210 cm +/- 5%	S
MTW-M	210 cm +/- 5%	Μ
MTW-L	210 cm +/- 5%	L
MTW-XL	210 cm +/- 5%	XL





laryngeal mask

PVC, sterile

features

- made of medical PVC
- elastic mask body with description (size, cuff volume, suggested patient's weight)
- elliptic shape, flexible sealing cuff and universal, transparent connector: 15 mm
- · colour-coded valve protection makes it easy to quickly recognize size
- version with syringe and with lubricant contains in the packaging:
 lubricant (methylsilicone oil), which allows the outer surface of the cuff to be moisturized before insertion
- bypacked luer syringe, which allows the cuff to be filled with the minimum amount of air required to ensure an effective seal
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./rigid blister

indication

- device inserted through the mouth, up to the back of the throat, forms
- a seal at the top of the glottis in order to:
- direct protecting the patient's airway patency
 artificial ventilation also during cardiopulmonary resuscitation
- maintaining airway patency in: short-term surgical procedures, without the need of muscles relaxation, when endotracheal intubation is not necessary and under anesthesia for diagnostic procedures

REF	size	colour of valve protection	weight of patient	max. inflation	intermediate packaging
MKP-10	1	pink	≤5 kg	4 ml	10 pcs
MKP-15	1.5	orange	5-10 kg	7 ml	10 pcs
MKP-20	2	dark green	10-20 kg	10 ml	10 pcs
MKP-25	2.5	brown	0-30 kg	14 ml	10 pcs
MKP-30	3	green	30-50 kg	20 ml	10 pcs
MKP-40	4	purple	50-70 kg	30 ml	10 pcs
MKP-50	5	dark blue	70-100 kg	40 ml	10 pcs

with syringe and lubricant

REF	size	colour of valve protection	weight of patient	capacity of syringe	max. inflation	intermediate packaging
MKPL-10	1	pink	≤ 5 kg	10 ml	4 ml	10 pcs
MKPL-15	1.5	orange	5-10 kg	10 ml	7 ml	10 pcs
MKPL-20	2	dark green	10-20 kg	10 ml	10 ml	10 pcs
MKPL-25	2.5	brown	20-30 kg	20 ml	14 ml	10 pcs
MKPL-30	3	green	30-50 kg	30 ml	20 ml	10 pcs
MKPL-40	4	purple	50-70 kg	30 ml	30 ml	10 pcs
MKPL-50	5	dark blue	70-100 kg	30 ml	40 ml	10 pcs

laryngeal mask

silicone, sterile

features

- made of biocompatible silicone, which ensures excellent flexibility of the device
- elastic mask body with description (size, cuff volume, suggested patient's weight)
- elliptic shape, flexible sealing cuff and universal, transparent connector: 15 mm
- single-uselatex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication


- device inserted through the mouth, up to the back of the throat, forms a seal at the top of the glottis in order to:
- direct protecting the patient's airway patency
- artificial ventilation also during cardiopulmonary resuscitation
- maintaining airway patency in short-term surgical procedures, without the need of muscles relaxation, when endotracheal intubation is not necessary and under anesthesia for diagnostic procedures

REF	size	weight of patient	max. inflation	intermediate packaging
MKS-10	1	≤5 kg	4 ml	10 pcs
MKS-15	1.5	5-10 kg	7 ml	10 pcs
MKS-20	2	10-20 kg	10 ml	10 pcs
MKS-25	2.5	20-30 kg	14 ml	10 pcs
MKS-30	3	30-50 kg	20 ml	10 pcs
MKS-40	4	50-70 kg	30 ml	10 pcs
MKS-50	5	70-100 kg	40 ml	10 pcs





bulk packaging: 5 x 10 pcs





nebulizer


with mouthpiece and tubing, sterile

features

- made of transparent, non-toxic PVC
- · tubing with star cross-section that is resistant to bending
- 15 ml nebulizer (graduated at 2, 4, 6, 9, 12, 15 ml)
- set components: nebulizer, tubing, mouthpiece
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./foil

indication

 designed for producing aerosol containing a comminuted medicine, that can be delivered directly to the respiratory system as the patient breathes





nebulizer

with Tadaptor, mouthpiece, corrugated tube and tubing, sterile

features

- made of transparent, non-toxic PVC
- · tubing with star cross-section that is resistant to bending
- 20 ml nebulizer (graduated every 2 ml) set components: nebulizer, tubing, T adaptor, mouthpiece
- and 15 cm long corrugated tube diameter of T adaptor: 22f/22f
- single-use latex-free
- EO sterilized
- packaging: 1 pc./foil

indication

 designed for producing aerosol containing a comminuted medicine, that can be delivered directly to the respiratory system as the patient breathes







SELF-ADHESIVE DRESSINGS WITH ABSORBENT PAD

features

- self-adhesive dressings with centrally situated absorbent pad, made of hydrophobic non-woven, covered with acrylic glue
- · absorbent pad coated with a polyethylene mesh that prevents sticking to the wound, absorbs a small and medium amount of exudate and protects against the influence of external factors
- · rounded edges prevent accidental removal of the dressing
- silicone backing paper facilitates the precise, painless and efficient application
- micropores in the structure of the non-woven provide adequate vapor permeability, thanks to which a proper gas exchange
- between the dressing and the skin takes place
- hypoallergenic



air permeable

structure

 \odot BESTSELLER

made of

hydrophobic

non-woven

 $\left(\right)$

white colour

non-woven dressing with absorbent pad

elastopor STERIL



indication

especially recommended for covering surgical wounds
for treating wounds with a small and medium amount of exudate

REF	dimensions	packaging unit paper-paper	bulk packaging box
801001	5 cm x 7,2 cm	1 pc.	100 x 1 pc.
801012	6 cm x 10 cm	1 pc.	50 x 1 pc.
801002	8 cm x 10 cm	1 pc.	30 x 1 pc.
801013	10 cm x 10 cm	1 pc.	30 x pc.
801021	10 cm x 12 cm	1 pc.	30 x 1 pc.
801014	10 cm x 15 cm	1 pc.	30 x 1 pc.
801003	6 cm x 15 cm	1 pc.	50 x 1 pc.
801004	8 cm x 15 cm	1 pc.	30 x 1 pc.
801005	8 cm x 20 cm	1 pc.	30 x 1 pc.
801015	10 cm x 20 cm	1 pc.	25 x 1 pc.
801016	10 cm x 25 cm	1 pc.	25 x 1 pc.
801017	10 cm x 30 cm	1 pc.	25 x 1 pc.
801018	10 cm x 35 cm	1 pc.	25 x 1 pc.



 $\uparrow \uparrow \uparrow$ 111

air permeable

structure





non-woven dressing with absorbent pad, incision and O-hole

elastopor STERIL D

sterile

- dressing application around the inserted drain
- securing the outlet of drains and catheters
- · for treating wounds with a small and medium amount of exudate

REF	dimensions	packaging unit paper-paper	bulk packaging box
801031	9 cm x 10 cm	1 pc.	3 рс.
801030	12 cm x 14 cm	1 pc.	25 х рс.

dental brush

with suction, non-sterile

features


- made of polypropylene
- soft bristles on one side, foam on the other side
- total length 18 cm
- length of the cleaning part 2,5 cm
- suction opening from both the bristle side and the space between the foam and the bristles
- + controlled suction connector at 45° angle for convenient manipulation
- single-use

66

- latex-free, phthalate-free non-sterile
- packaging: 1 pc./foil
- · packaging, 1 pc./101

indication

- hygiene of the patient's oral cavity
- function for simultaneous brushing, rinsing and suction





oral swab

non-sterile

features

- overall length 15 cm (+/- 2 mm)
- length of the foam part 2,5 cm
- handle made of polyester
- swab made of polypropylene
- single-use
- latex-free, phthalate-free
- non-sterilepackaging: 1 pc./foil
- indication

marcation

- intended for oral hygiene in patients partially or completely dependent on medical personnel
- allows the oral mucosa to be kept in proper humidity
- allows you to perform a procedure to prevent pathological changes in the mouth

REF	intermediate packaging	
HJM-GB	50 pcs	bulk packaging: 10 x 50 pcs



oropharyngeal airway/guedel airway

sterile

feature

- made of high quality PE (polyethylene), free of PVC
- · distinctive anatomical curve of airway tube allows for the opening of the upper respiratory tract and the free flow of anaesthetic gases, air
- colour coded sizes
- numeric marking of the size on the airway

58 single-use

- latex-free, phthalate-free
 - EO sterilized
 - packaging: 1 pc./foil

indication

- + used during artificial ventilation procedures to ensure the airway patency
- · as a tool for paramedic to assist in the management of a casualty's
- airway which increases the effectiveness of the rescue operation
- · facilitates the stabilization of the endotracheal tube and protects it against biting

REF number size colour

40 mm	000	pink
50 mm	00	dark blue
60 mm	0	black
70 mm	1	white
80 mm	2	green
90 mm	3	yellow
100 mm	4	red
110 mm	5	blue
120 mm	6	orange
	50 mm 60 mm 70 mm 80 mm 90 mm 100 mm 110 mm	50 mm 00 60 mm 0 70 mm 1 80 mm 2 90 mm 3 100 mm 4 110 mm 5

bulk packaging 100 x 1 pc.

bulk packaging: 100 x 1 pc.



air cushion anaesthetic mask

non-sterile

features

- due to the high quality of materials used, ventilation is conducted in an atraumatic and safe way for the patient
- anatomically shaped inflatable cuff, ensures perfect tightness of the mask with minimal pressure
- · device, when applied to the face, tightly covers the patient's mouth and nose without compressing the eyes
- · clear shell provides continuous visual observation of the patient
- colour-coded retaining rings, easy for size recognition
- · retaining ring can be removed when it is not needed
- full size range allows to properly choose the size of the mask depending on the age of the patient
- all sizes are equipped with inflatable check valve to adjust air amount for best cushion fitting auto patient's face
- single-use
- latex-free, phthalate-free
- non-sterile • packaging: 1 pc./foil
- indication

- intended for the administration of a gas mixture coming through devices for artificial ventilation
- enables performing medical procedures including artificial ventilation, administration of anesthetic gas and carrying out emergency treatment of an unconscious patient

REF	size	age of patient/ size	colour
MAP-0	0	neonate	-
MAP-1	1	infant	-
MAP-2	2	pediatric	yellow
MAP-3	3	adult S	green
MAP-4	4	adult M	red
MAP-5	5	adult L	blue



easyFLOW TS

transfusion set, sterile

features

- 2-way sharp closure-piercing device of the drip chamber with anti-slip surface that guarantees tight and reliable connection with containers/bags • air inlet with anti-bacterial filter and a coloured (red) flap
- pliable drip chamber
- private unp channel
 dropper: 20 drops = 1 ml +/- 0,1 ml
 special blood filter with large area, pore size 200 µm
 min. 150 cm-long, soft, flexible tubing
 universal luer lock fitting at the end of tubing

- Universal tuer lock intring a trie trid of damage
 precise safe flow regulator with integrated holder for the closure-piercing device and with hook for securing the tubing
- name of the manufacturer placed on the flow regulator
 both tips of the device additionally secured with protective caps
- device available in a version containing phthalates and without phthalates
- single-use
- non-pyrogenic, non-toxiclatex-free
- EO sterilized
- packaging: 1 pc./paper-foil with a coloured code (red) identifying the device

indication

· device used for the administration of blood and blood products

REF	version	~
TS	with phthalates	bulk packaging
TS-BF	without phthalates	250 pcs



3-way stopcock

sterile

features

- made of polycarbonate
- transparent housing
- · clear optical identifier of open/close position (marked flow directions) operating in 360 degrees
- · consistent, straight flow channels and an optimal internal diameter ensure correct pressure measurement
- rotating male luer lock
- all inlets protected with caps
- resistant to lipids
- · latex-free, phthalate-free
- single-use
- non-pyrogenic, non-toxic
- EO sterilized • packaging: 1 pc./paper-foil

- · device designed for managing the flow of infusion fluids during administration
- · enables switching the infusion flow path
- for blood pressure monitoring
- · for direct medicine/fluid supply

REF	colour intermediate packaging		
KT-002	blue	50 pcs	bulk packaging: 20 x 50 pcs



endotracheal tube

cuffed, sterile

features

- made of flexible PVC
- equipped with lateral Murphy eye and radiopaque line over the entire tube length
- graduated every 1 cm, double depth marker to control the position of the tube
- low-pressure, high-volume cuff
- tube size marked in 4 places (on the connector, on the pilot balloon and in two
 places on the tube body)
- detachable connector with an outer diameter of 15 mm
 pilot balloon with LOT and size indication
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

- for both oral and nasal intubation
- · inserted into the trachea to prevent airway obstruction and respiratory failure

	REF	size	intermediate packaging
	RIM-30	I.D. (mm) 3.0	20 pcs
	RIM-35	I.D. (mm) 3.5	20 pcs
	RIM-40	I.D. (mm) 4.0	20 pcs
	RIM-45	I.D. (mm) 4.5	20 pcs
	RIM-50	I.D. (mm) 5.0	20 pcs
	RIM-55	I.D. (mm) 5.5	20 pcs
	RIM-60	I.D. (mm) 6.0	20 pcs
	RIM-65	I.D. (mm) 6.5	20 pcs
	RIM-70	I.D. (mm) 7.0	20 pcs
	RIM-75	I.D. (mm) 7.5	20 pcs
	RIM-80	I.D. (mm) 8.0	20 pcs
	RIM-85	I.D. (mm) 8.5	20 pcs
	RIM-90	I.D. (mm) 9.0	20 pcs
	RIM-95	I.D. (mm) 9.5	20 pcs
	RIM-100	I.D. (mm) 10.0	20 pcs



reinforced endotracheal tube

cuffed, sterile

features

- made of flexible PVC
- reinforcing within the wall of the entire tube
- equipped with lateral Murphy eye and radiopaque line over the entire tube length
- graduated every 1 cm, double depth marker to control the position of the tube
- tube size marked in 4 places (on the connector, on the pilot balloon and in two
- places on the tube body)
- detachable connector with an outer diameter of 15 mm
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

- · for both oral and nasal intubation
- inserted into the trachea to prevent airway obstruction and respiratory failure
- for intubation of the patient in an unusual position, with a high risk of kinking the endotracheal tube

 REF	size	intermediate packaging
RIMZP-30	I.D. (mm) 3.0	10 pcs
RIMZP-35	I.D. (mm) 3.5	10 pcs
RIMZP-40	I.D. (mm) 4.0	10 pcs
RIMZP-45	I.D. (mm) 4.5	10 pcs
RIMZP-50	I.D. (mm) 5.0	10 pcs
RIMZP-55	I.D. (mm) 5.5	10 pcs
RIMZP-60	I.D. (mm) 6.0	10 pcs
RIMZP-65	I.D. (mm) 6.5	10 pcs
RIMZP-70	I.D. (mm) 7.0	10 pcs
RIMZP-75	I.D. (mm) 7.5	10 pcs
RIMZP-80	I.D. (mm) 8.0	10 pcs
RIMZP-85	I.D. (mm) 8.5	10 pcs
RIMZP-90	I.D. (mm) 9.0	10 pcs
RIMZP-95	I.D. (mm) 9.5	10 pcs
RIMZP-100	I.D. (mm) 10.0	10 pcs











endotracheal tube holder

sterile

features

- made of high-quality materials
- universal Velcro fasteners enabling fast and effective fixing of the holder around the head
- adjustable handle allows for easy and fast fixation of every size of endotracheal tube
- special design of the bite-piece prevents patient trauma or damaging the tube (by biting)
- additional opening allows for chyme, saliva and blood suction from the oral cavity
- single-use

56

- latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

 to stabilize the position of the endotracheal tube after its insertion into the trachea

REF	version	colour
SRI-N	horizontal fixation	blue-red
SRI-A	vertical fixation	green







tracheostomy tube

cuffed, sterile

features

- made of medical, flexible PVC
- swivel 15 mm connector
- · flexible neckplates with slits for strap insertion to secure tube position
- soft, low-pressure, thin-walled cuff
- pilot balloon in contrasting colour clearly indicates the level of the cuff's inflation
- 2 fixation straps protected with foil
- clear size marking on the neckplates
- atraumatic, soft rounded tip, curved cannula
- radiopaque lineequipped with obturator
- single-uselatex-free
- EO sterilized
- packaging: 1 pc./rigid blister

- to control respiratory tracts in people after tracheostomy
- introduced to the airways by a surgical incision of the tracheal's front wall to allow ventilation
- · provides free breathing bypassing the nose, throat and larynx

REF	size	intermediate packaging
RTM-40	4.0	10 pcs
		10 pcs
RTM-45	4.5	10 pcs
RTM-50	5.0	10 pcs
RTM-60	6.0	10 pcs
RTM-65	6.5	10 pcs
RTM-70	7.0	10 pcs
RTM-75	7.5	10 pcs
RTM-80	8.0	10 pcs
RTM-85	8.5	10 pcs
RTM-90	9.0	10 pcs
RTM-95	9.5	10 pcs
RTM-100	10.0	10 pcs







EC Certificate Directive 93/42/EEC Annex V Production Quality Assurance Medical Devices

Registration No.: DD 60139535 0001

Report No.:

26300232 017

Manufacturer: ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Pod Borem 18 41-808 Zabrze Polska

Products:

(see attachments for products and sites included) Replaces EC Certificate, Registration No.: DD 60117020 0001

Expiry Date:

2024-05-27

The Notified Body hereby declares that the requirements of Annex V of the directive 93/42/EEC have been met for the listed products. The above named manufacturer has established and applies a quality assurance system, which is subject to periodic surveillance, defined by Annex V, section 4 of the aforementioned directive. For placing on the market of class IIb and class III devices covered by this certificate an EC type-examination certificate according to Annex III is required.

Effective Date: 20

Date:

2019-06-09

2019-05-27

Notified Body TÜVRheini Rafal Byczkowski Tifizierung

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg TÜV Rheinland LGA Products GmbH is a Notified Body according to Directive 93/42/EEC concerning medical devices with the identification number 0197.



Doc. 1/6, Rev. 0

TÜV Rheinland LGA Products GmbH Tillystraße 2, 90431 Nürnberg

Attachment to Certificate Registration No.: Report No.:

DD 60139535 0001 26300232 017

Manufacturer:

ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Pod Borem 18 41-808 Zabrze Polska

Products included:

- Sterile and non-sterile cutting gauze
- Non-sterile dressing gauze
- Sterile and non-sterile gauze swabs (with or without X-ray thread)
- Sterile and non-sterile gauze lap sponges (with X-ray thread/ with X-ray chip)
- Sterile and non-sterile gauze balls (with or without X-ray thread)
- Sterile and non-sterile gauze rolls (with or without X-ray thread)
- Sterile and non-sterile non-woven swabs (with or without X-ray thread)
- Sterile paraffin gauze dressings
- Sterile three-way stopcocks
- Sterile transfusion sets for single use
- Sterile infusion sets for single use
- Sterile extension tubes for infusion pump

Notified Body



Rafal Byczkowski

Date: 2019-05-27

0/020 h 04.08 @ TUV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approva



Doc. 2/6, Rev. 0

TÜV Rheinland LGA Products GmbH Tillystraße 2, 90431 Nürnberg

Attachment to Certificate Registration No.: Report No.:

DD 60139535 0001 26300232 017

Manufacturer:

ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Pod Borem 18 41-808 Zabrze Polska

Products included:

- Sterile endotracheal tubes
- Sterile tracheostomy tubes
- Sterile breathing circuits
- Sterile catheter mounts
- Non-sterile anaesthetic masks
- Sterile laryngeal masks
- Sterile oxygen masks
- Sterile Multi-Vent masks
- Sterile non-rebreath masks
- Sterile nebulizer masks
- Sterile nasal oxygen cannulas
- Sterile nebulizer sets
- Sterile oxygen tubing
- Sterile suction catheters
- Sterile abdominal drains
- Sterile feeding tubes
- Sterile stomach and duodenal tubes
- Sterile urology catheters
- Sterile surgical suction sets

TUV, TUEV and TUV are registered trademarks. Utilisation and application requires prior app

- Sterile surgical suction cannulas
- Sterile syringes for single use

Notified Body



Rafal Byczkowski

Date: 2019-05-27



Doc. 3/6, Rev. 0

TÜV Rheinland LGA Products GmbH Tillystraße 2, 90431 Nürnberg

Attachment to Certificate Registration No.: Report No.:

DD 60139535 0001 26300232 017

Manufacturer:

ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Pod Borem 18 41-808 Zabrze Polska

Products included:

- Sterile insulin syringes
- Sterile tuberculin syringes
- Sterile hypodermic needles
- Sterile insulin pen needles
- Sterile blood lancets
- Sterile IV cannulas
- Sterile needle free valves
- Sterile surgical gloves

TÜVRheinlan **Notified Body** Tinzierungs

Date: 2019-05-27

10/020 h 04.08 (8) TUV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval

Rafal Byczkowski



Doc. 4/6, Rev. 0

TÜV Rheinland LGA Products GmbH Tillystraße 2, 90431 Nürnberg

Attachment to Certificate **Registration No.: Report No.:**

DD 60139535 0001 26300232 017

Manufacturer:

ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Pod Borem 18 41-808 Zabrze Polska

Products included:

For the following medical devices the scope covers only the aspects of manufacture concerned with securing and maintaining sterile conditions:

- Adhesive cannulla fixation dressings
- Adhesive wound dressings
- Eye pads
- Incise films
- Transparent film dressings
- Foam dressings
- Absorbent wound dressings
- Surgical gowns
- Surgical drapes
- Sets of surgical drapes
- Fluid collection pouches
- Nelaton catheters



Rafal Byczkowski

Date: 2019-05-27

10/020 h 04.08
TUV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approval



Doc. 5/6, Rev. 0

TÜV Rheinland LGA Products GmbH Tillystraße 2, 90431 Nürnberg

Attachment to Certificate Registration No.: Report No.:

DD 60139535 0001 26300232 017

Manufacturer:

ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Pod Borem 18 41-808 Zabrze Polska

Products included:

For the following medical devices the scope covers only the aspects of manufacture concerned with securing and maintaining sterile conditions:

- Vaginal speculums
- Cervical brushes
- Urine bags
- Tongue depressors
- Guedel airways
- Intubation stylets
- Endotracheal tube holders
- Suction tubes
- Withdrawal cannulas
- Alginate dressings
- Cannula stoppers
- Umbilical cord clamps



Rafal Byczkowski

Date: 2019-05-27

0/020 h 04.08 ®

TUV, TUEV and TUV are registered trademarks. Utilisation and application requires prior approva



Doc. 6/6, Rev. 0

TÜV Rheinland LGA Products GmbH Tillystraße 2, 90431 Nürnberg

Attachment to Certificate Registration No.: Report No.:

DD 60139535 0001 26300232 017

Manufacturer:

ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Pod Borem 18 41-808 Zabrze Polska

Products included:

ZARYS International Group Spolka z ograniczona odpowiedzialnoscia, spolka komandytowa ul. Gustawa Eiffel'a 15 44-109 Gliwice Poland

Activity: Production

Notified Body TÜVRheinla Tifizierung

Date: 2019-05-27

04.08 ®

TUV, TUEV and TUV are registered trademarks. Utilisation and application requires prior app

Rafal Byczkowski

Certificate

Quality Management System EN ISO 13485:2016

Registration No.:

SX 1023663-1

Organization:

malversit ZARYS International Group Spółka z ograniczoną odpowiedzialnością, spółka komandytowa ul. Pod Borem 18 41-808 Zabrze Poland

Scope:

Design and development, manu acture and distribution of sterile: surgical kits, procedure sets, surgical drapes and sets of surgical drapes. Manufacture and distribution of sterile and non-sterile disposable

medical devices and non sterile reusable medical devices. Distribution of indical devices.

fication Body of TÜV Rheinland LGA Products GmbH certifies that the organization has established and applies The Co a quarty management system for medical devices.

been furnished that the requirements specified in the above mentioned standard are fulfilled. The quality nt system is subject to yearly surveillance.

Eeport No.:	84947434 020
Effective date:	2020-06-10
Expiry date:	2023-06-08

Issue date:

)AkkS

Deutsche

Akkreditierungsstelle D-ZM-14169-01-02

10/020 h 04 08 🐵 TÜV, TUEV and TUV are registered trademarks. Utilization and application requires prior approval

2020-06-10

Invalid N



TUVRheinlan

Rafał Byczkowski TR LGA Products GmbH Tillystraße 2 · 90431 Nürnberg · Germany 1/2