

Specificații tehnice Anexa nr.22

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, 8, iar de către autoritatea contractantă – în coloanele 1, 2, 6,]

Numărul procedurii de achiziție_ ocds-b3wdp1-MD-1707218760098_din 27/02/2024

Obiectul achiziției: TEHNICA DE CALCUL 2024

Nr. d/o	Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	8
2	Cablu UTP 4x2 Cat.5E		China		Cablu CAT-5E, 305m UTP 8 min.1/0,50 , material conductor: cupru. La necesitate.		CE
4			China				CE
9			China				CE
10			China				CE
11			China				CE
14			China				CE

15			China				CE
17			China				CE
18			China				CE
20			China				CE

24			China				CE
25			China				CE
28			China				CE
29		DCP-B7500D	China	Brother		Brother DCP-B7500D	CE

31		Archer AX55	China	TP-LINK		<p>"Wi-Fi 6 Dual Band TP-LINK Router ""Archer AX55 AX3000 Dual-Band Wi-Fi 6 Router SPEED: 574 Mbps at 2.4 GHz + 2402 Mbps at 5 GHz SPEC: 4× Antennas, 1× Gigabit WAN Port + 4× Gigabit LAN Ports, USB 3.0 Port, 1024-QAM, OFDMA, HE160 FEATURE: Tether App, WPA3, Access Point Mode, IPv6 Supported, IPTV, Beamforming, Smart Connect, Airtime Fairness, VPN Server, VPN Client, DFS, Cloud Support, HomeShield, Easymesh (Compatible with Onemesh)"</p>	CE
38		ZE-DDR3-4G1600b	China	Zeppelin		<p>Memorie DDR Zeppelin DDR3 4GB frecventa 1600 MHz, 1 modul, retail „ZE-DDR3-4G1600b”</p>	CE
39			China				CE
41		Workstation PC	China	AMD MSI		<p>HPC B-09 ATX Case, (550W, 24 pin, 1x 8pin(4+4), 1x PCI-E 6pin, 2x IDE, 3x SATA, 12cm red fan), 1xUSB3.0, 2xUSB2.0 / HD Audio, Black CPU AMD, skt. AM4 AMD Ryzen 3, 3200G, frecventa 3.6 GHz, turbo 4.0 GHz, 4 nuclee, putere 65 W, cooler 8GB DDR4-3200 GOODRAM, PC25600, CL22, 1.2V GR3200D464L22S/8G</p>	CE

					<p>PLACA de BAZA MSI „A520M PRO”, skt AM4, mATX, AMD A520, 2 x DDR4, max. 64 GB, 4 x SATA, 1 x M.2, 7.1, „A520M PRO” M.2 NVMe SSD 250GB GOODRAM PX600 Gen2, Interface: PCIe4.0 x4 / NVMe1.4, M2 Type 2280 form factor, Sequential Reads/Writes 3200 MB/s / 1700 MB/s, TBW: 100TB, MTBF: 2mln hours, 3D NAND TLC</p> <p>CARD adaptor GEMBIRD, PCI-Express la 2 x Port Serial, cu bracket low-profile „SPC-22”</p> <p>MONITOR LCD 24" IPS/24MP450P-B LG „24MP450P-B”</p> <p>Windows 11 Pro x64</p> <p>Keyboard Esperanza Titanium TKR101 - Russian Layout / Office keyboard standard, 107 buttons, USB</p> <p>Mouse Spacer optic led albastru black USB SPMO-080</p>	
46		32MN500M-B	China	LG	<p>Monitor 31.5" LG 32MN500M-B, IPS, FHD 1920*1080, 16:9, 250 cd/mp, 5 ms ,178/178, Haze 1%, 3H, 2*HDMI, headphone out, AMD FreeSync, flicker safe,VESA 100x100, cablu HDMI inclus, culoare negru</p>	CE

47		EFL002	China	Esperanza		Laminator Esperanza ETERNITY EFL002 A4, Power consumption: 265W, Film thickness for hot lamination: 80-125 microns	CE
48		Aster 2000	China	Njoy		UPS Njoy „Aster 2000”, Online, Tower/rack, 1800 W, fara AVR, IEC x 8, display LCD, back-up 11 – 20 min. „UPCMCOP920HASC01B”	CE
49		Foto	China	4Prin		Hitrie Foto 4Print, 260g, (A4*20)	CE
51			China			Laminating pouches A4 150mic 100pcs	CE
54		WD84PURZ	China	WD		"HDD SATA 8TB 6GB / S 128MB / PURPLE WD84PURZ WDC Purple 8TB SATA SATA 3.0 Buffer 128 MB 5640 rpm 3,5""	CE
55		DS-2CD2166G2-ISU2C	China	Hikvision		CAMERA IP Hikvision, dome pt. interior exterior, dist. IR 30 m, tip lentila fixa 2.8 mm, 6 Mpx, microfon, PoE, carcasa metal si plastic, slot SD card, „DS-2CD2166G2-ISU2C	CE
56		DS-2CD2063G2-I28	China	Hikvision		CAMERA IP BULLET 6MP 2.8MM IR40M ACUSENS „DS-2CD2063G2-I28”	CE

57

ProLiant
DL360 Gen10
Plus

China

HPE

HPE ProLiant DL360 Gen10 Plus Intel Xeon-S
4314 16-Core (2.4GHz 24MB) 32GB (1 x
32GB) PC4-3200AA-R RDIMM 8 x Hot Plug
2.5in Small Form Factor Tri-Mode Basic Carrier
MR416i-a NC-B No Optical 800W 3 Year Next
Business Day Warranty
2xHPE 1.2TB SAS 12G Mission Critical 10K
SFF (2.5in) Basic Carrier 3 Year Warranty 512e
ISE HDD
2xHPE 480GB SATA 6G Read Intensive SFF
(2.5in) Basic Carrier Multi Vendor SSD
NVIDIA A2 16GB PCIe Accelerator for HPE

CE

			Buc.								
			Buc.						la comandă în decurs de 30 zile din data efectuării comenzii		