

Specificații tehnice (F4.1)

Numărul procedurii de achiziție : nr. și data indicate on SIA RSAP MTender la procedura de achiziție in cauză

Denumirea procedurii de achiziție: Echipamente de telecomunicații

Cod CPV	Denumire a bunurilor/ serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standard de referință
1	2	3	4	5	6	7	8
Lotul 1: Echipamente de telecomunicații							
32522000-8	Switch tip I	N5K-C5672UP-16G Nexus 5672UP 1RU, 24x10G SFP+, 24pxUP SFP+, 6x40G QSFP+	SUA China	Cisco Do Networks Limited	În conformitate cu Specificația tehnică anexată la procedura în cauză	N5K-C5672UP-16G Nexus 5672UP 1RU, 24x10G SFP+, 24pxUP SFP+, 6x40G QSFP+ included: 1x N5672-ACC-KIT Nexus 5672 Chassis Accessory Kit 1x N6KUK9-730N1.1 Nexus 5600/6000 Base OS Software Rel 7.3(0)N1(1) 1x N56-BAS1K9 Nexus 5600 Series LAN Base License 3x N6K-C6001-FAN-F Nexus 6001 Fan for Port Side exhaust (Front to Back) airflow 2x NXA-PAC-1100W Nexus 1100W Platinum PS, Port side Exhaust airflow 2x CAB-C13-CBN Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors 30x SFP+SR, 300m, 10Gbps 4x SFP-T, copper, 10/100/1000Mbps 6x QSFP+, 40Gbps, 300m, MTP/MPO 30x LC-LC MM OM4 Patch-cord, 7m, duplex 15x LC-LC MM OM4 Patch-cord, 10m, duplex Datasheet anexat	
32522000-8	Switch tip II	N2K-C2348UPQ Nexus 2000, 10GE UP FEX; 48x1/10GE SFP+ ; 6x40G QSFP	SUA China	Cisco Do Networks Limited	În conformitate cu Specificația tehnică anexată la procedura în cauză	N2K-C2348UPQ Nexus 2000, 10GE UP FEX; 48x1/10GE SFP+ ; 6x40G QSFP included: 2x N2200-PAC-400WB-SN N2200-PAC-400W-B for Service purposes 3x NXA-FAN-30CFM-B-SN Service Specific - Fan 1x N2348UPQ-BA-BUN Port Side Intake, airflow pack: N2K-C2348UPQ, 2AC PS, 3Fan 2x CAB-C13-CBN Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors 30x SFP+SR, 300m, 10Gbps	

						<p>2x QSFP+, 40Gbps, 300m, MTP/MPO 4x SFP-T, copper, 10/100/1000Mbps 2x MTP/MPO MM OM4 patch-cord, 7m,12 cores 2x MTP/MPO MM OM4 patch-cord, 10m,12 cores 2x MTP/MPO MM OM4 patch-cord, 12m,12 cores 20x LC-LC MM OM4 patch-cord, 2m, Duplex 20x LC-LC MM OM4 patch-cord, 5m, Duplex</p> <p>Datasheet anexat</p>	
32522000-8	Switch tip III	C9200L-24T-4X-E Catalyst 9200L 24-port data, 4 x 10G ,Network Essentials	SUA	Cisco	În conformitate cu Specificația tehnică anexată la procedura în cauză	<p>C9200L-24T-4X-E Catalyst 9200L 24-port data, 4 x 10G ,Network Essentials included: 1x C9200L-NW-E-24 C9200L Network Essentials, 24-port license 2x C9200-STACK-BLANK Catalyst 9200 Blank Stack Module 1x NETWORK-PNP-LIC Network Plug-n-Play Connect for zero-touch device deployment 1x PWR-C5-125WAC/2 125W AC Config 5 Power Supply - Secondary Power Supply 2x CAB-C15-CBN Cabinet Jumper Power Cord, 250 VAC 13A, C14-C15 Connectors 1x C9200L-DNA-E-24 C9200L Cisco DNA Essentials, 24-port Term license 1x C9200L-DNA-E-24-3Y C9200L Cisco DNA Essentials, 24-port, 3 Year Term license</p> <p>Datasheet anexat</p>	
32522000-8	Switch tip IV	C9200L-48P-4X-A Catalyst 9200L 48-port PoE+, 4 x 10G, Network Advantage	SUA	Cisco	În conformitate cu Specificația tehnică anexată la procedura în cauză	<p>C9200L-48P-4X-A Catalyst 9200L 48-port PoE+, 4 x 10G, Network Advantage included: 1x C9200L-NW-A-48 C9200L Network Advantage, 48-port license 1x PWR-C5-1KWAC/2 1KW AC Config 5 Power Supply - Secondary Power Supply 2x C9200-STACK-BLANK Catalyst 9200 Blank Stack Module 1x NETWORK-PNP-LIC Network Plug-n-Play Connect for zero-touch device deployment 2x CAB-C15-CBN Cabinet Jumper Power Cord, 250 VAC 13A, C14-C15 Connectors 1x C9200L-DNA-A-48 C9200L Cisco DNA Advantage, 48-port Term license 1x C9200L-DNA-A-48-3Y C9200L Cisco DNA Advantage, 48-port, 3 Year Term license 1x PI-LFAS-T Prime Infrastructure Lifecycle & Assurance Term - Smart Lic 1x PI-LFAS-AP-T-3Y PI Dev Lic for Lifecycle & Assurance Term 3Y</p>	

						Datasheet anexat	
32522000-8	Switch tip V	C1-WSC3850-48XS-S Cisco ONE Catalyst 3850 48 Port 10G Fiber Switch IP Base	SUA China	Cisco Do Network s Limited	În conformitate cu Specificația tehnică anexată la procedura în cauză	C1-WSC3850-48XS-S Cisco ONE Catalyst 3850 48 Port 10G Fiber Switch IP Base included: 1x S3850UK9-166 UNIVERSAL 1x PWR-C3-750WAC-R/2 750W AC Config 3 Redundant Power Supply front to back cool 5x FAN-T3-R Catalyst 3850 Type 3 front to back cooling Fan 1x PWR-C3-750WAC-R 750W AC Config 3 Power Supply front to back cooling 1x C3850-48XS-L-S C3850-48XS LAN Base to IP Base E- Delivery License 1x C1FPCAT38505K9 Cisco One Foundation Perpetual Catalyst 3850 48-port Fiber 1x C1-PI-LFAS-2K3K-K9 Cisco ONE PI Device License for LF & AS for Cat 2k, 3k 1x C1-ISE-BASE-48P Cisco ONE Identity Services Engine 50 EndPoint Base Lic 1x C1F1VCAT38505-04 Tracker PID v04 Fnd Perpetual CAT38505 - no delivery 1x C38505-DNAC1E DNAC1 Essentials Term C3850 48P Fiber 1x C38505-DNAC1E-1Y DNAC1 Ess. Term C3850 48P Fiber 1Y 1x C1-PI-LFAS-2K3K-D PI Lifecycle & Assurance C2K/3K for Support only (No Lic) 1x PI-DNAC1-TRK-1Y DNA4C1 PI LFAS Tracker SKU 0-36M 1x C1-ISE-BASE-48P-D ISE 50 EndPoint Base Support only (No Lic) 1x ISE-B-DNAC1-TRK-1Y DNA4C1 ISE BASE Tracker SKU 0-36M 1x C3850-48F-DNAE C3850 DNA Essentials 48-Port Fiber Term License 1x C3K-DNAC1-TRK-1Y DNAC1 Support Only Tracker Term SKU 1Y 2x CAB-C15-CBN Cabinet Jumper Power Cord, 250 VAC 13A, C14-C15 Connectors 4x QSFP+, 40Gbps, 20km, LC 30x Pair of SFP+LR, 10Gbps, WDM, 20km Datasheet anexat	
	TOTAL						

Semnat: _____

Numele, Prenumele: Cioban Alexei

În calitate de: Director

Ofertantul: IT-LAB GRUP SRL

Adresa: mun. Chisinau; str-la Studentilor 2/4 of 217