

S.C. "VALDCONGRUP" S.R.L.

C/f: 1009600000374

Email: valdcongrup@gmail.com

Tel: 0 22 428393; 0 78 664664

Fax: 0 22 428062

Adresa: str. Uzinelor 171/2, Chişinău, Republica Moldova



Nr. 167 din 20.12.2024

Către: Agenția de Dezvoltare Regională Nord
Președintele grupului de lucru:
Ion ILIEV

Referință:

*Scrisoarea nr 654 din 18.12.2024 privind
prezentarea clarificărilor la subiectele abordate*

MTender ID **ocds-b3wdp1-MD-1726143186889**

“Construcția rețelelor exterioare de alimentare cu apă în s. Slobozia Cremene și s. Slobozia Vărăncău, com. Vărăncău în cadrul proiectului Construcția sistemelor de alimentare cu apă în 7 localități din raionul Soroca”

Prin prezenta VALDCONGRUP SRL, vă aduce la cunoștință că în cadrul Licitației Publice pentru proiectul LOT II **“Lotul nr. 2 - Construcția rețelelor exterioare de alimentare cu apă în s. Racovăț. Etapa II, în cadrul proiectului Construcția sistemelor de alimentare cu apă în 7 localități din raionul Soroca”** la obiectivul *”Construcția rețelelor exterioare de alimentare cu apă în s. Slobozia Cremene și s. Slobozia Vărăncău, com. Vărăncău în cadrul proiectului Construcția sistemelor de alimentare cu apă în 7 localități din raionul Soroca”* publicat în sistemul M-Tender cu nr. **ocds-b3wdp1-MD-1726143186889** din data de 08 octombrie 2024 ora 15:52 în conformitate cu art. 66 alin. (3) al Legii nr. 131 din 03.07.2015 privind achizițiile publice și pct. 136, alin (7) alin (8) al Regulamentului privind achizițiile publice de lucrări, aprobat prin Hotărârea de Guvern nr.669 din 27.05.2016, vă prezintă următoarele clarificări care se referă la identificarea actelor care demonstrează existența stocurilor la furnizor pentru viitoarea executare conform contractului.

În acest sens vă prezentăm proforma - invoice nr. 2024-V001-61-000077 din 27.05.2024 eliberată de Bento Product pentru compania “Gama Vilo Service” SRL și specificația tehnică a materialului “Trassgel (bentonită activă pentru fluid de foraj)” vezi anexa A

Cu respect,

Director VALDCONGRUP SRL
ȚURCAN Denis



Bentoproduct d.o.o. Šipovo | Društvo za proizvodnju i promet proizvoda od nemetalnih minerala
Sokolac bb, 70270 Šipovo | PJ Banja Luka: Bulevar vojvode Stepe Stepanovića 181C, 78000 Banja Luka
T: + 387 51 225 210 F: + 387 51 225 212 W: www.bentoproduct.ba E: contact@bentoproduct.ba
JIB: 4402684990000 PIB: 402684990000 MB: 11024637 ŽR: 555007-0022177076

Proforma invoice

Number: **2024 - V001 - 61 - 000077**

Date: **27.05.2024.**

S.C" GAMA-VILO SERVICE" S.R.L

B.C" MAIB" S.A fil.nr.1 Chisinau, 2029 CHISINAU

JIB: MDA4800381

No.	Article	Unit	Quantity	Price	Discount (%)	Value	VAT (%)	VAT	Total Value
1	BENTOPRODRILL P 25kg	KOM	120.000						

Payment Instructions:

BA395551101000206345
BENTOPRODUCT DOO
SOKOLAC BB
70270 SIPOVO
NOVA BANKA AD BANJALJKA
SWIFT: NOBIBA22

COMMERZBANK AG
FRANKFURT AM MAIN
SWIFT: COBADEFFXXX

Brutto (kg):	cca	3,060.000
Netto (kg):		3,000.000
Pack.:	3	

Payment term:

Delivery **20 DAYS AFTER THE PAYMENT**

Director:

LS

BENTOPRODRILL-P

DESCRIPTION

BENTOPRODRILL-P is a premium API grade drilling bentonite (200 mesh / 74µm) intended to be used for preparation of water-based drilling fluids for all types of vertical drilling operations. It is suitable to be mixed with polymers and other additives. Marsh viscosity (without aging and additives) of ≥ 60 s is obtained at a concentration of 60 kg per 1 m³ of water.

PRODUCT PROPERTIES

Parameter	Unit	Limit value	Typical value
Moisture	%	≤ 13	9 - 13
Yield	bb/t	≥ 100	125 - 138
	m ³ /t	≥ 16	20 - 22

APPLICATION

Suspension properties	Unit	Limit value (API)	Typical value
Viscosity 600 rpm FANN	reading	≥ 30	37 - 40
Fluid loss	ml	≤ 15	13 - 15
YP/PV	-	≤ 3	2 - 3
Sieve residue 74 µm, wet screen	%	$\leq 4,0$	1,5 - 2,5

NOTE: Lab tests have been made in accordance with ISO13500/API Spec.13A/API RB 13 B (22.5g / 350ml).
Water quality affects BENTOPRODRILL-P performance. For best results set water pH to 8,5 - 9,5 by adding soda ash.

PACKAGING, STORAGE AND SHELF LIFE

- 25 kg (paper bags on a pallet 1.000 kg, protected with plastic foil)
- 1 ton (big bags)
- In bulk (delivered by silo truck)

To be stored in original packaging in dry place. Shelf life: 1 year.

QUALITY CONTROL

BENTOPRODUCT operates in accordance with the Integrated Management System that implies ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018. Certified by TÜV.





www.bentoproduct.ba



www.bentoproduct.ba


www.bentoproduct.ba

www.bentoproduct.ba

 Bentoproduct Ltd. Šipovo
Manufacturing and sales of non-metallic mineral products

 Bulevar vojvode Stepe Stepanovića 181C,
78000 Banja Luka, Bosnia and Herzegovina

 +387 51225 214  contact@bentoproduct.ba

 +387 51225 212  www.bentoproduct.ba

TECHNICAL DATA SHEET revision number: BPD-P-ENG-2022-0.1

Disclaimer: All information provided by this technical data sheet is accurate according to the knowledge of Bentoproduct Ltd. and as such, has been used for the best purpose. The indicated technical parameters are approximate values obtained through tests performed by Bentoproduct's laboratory and/or external laboratories and testing institutes. Bentoproduct Ltd. is committed to the continuous development and improvement of its products, which implies that some product characteristics may be altered with no prior notice.