

prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

Safety Data Sheet

According to Annex II to REACH – Regulation 2015/830

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Code: 535

Product name OXY CLEANER 6% P.M.C. n. 20298

1.1. Relevant identified uses of the substance or mixture and uses advised against

Intended use Presidio Medico Chirurgico n. 20298 Oxygen Peroxide 6%

	-		-		
Identified uses	Industrial	Professional	Consumer		
Recommendend uses	-	✓	-		
1.2. Details of the supplier of the safety data sheet Registration Holder Distributor Full address District and Country	t HOUND CLEANER Srl, via Lario 16, - 20159 Milano MONDIAL S.N.C. Via Don G. Zonta 3 35010-Limena (PD) IT				
	Tel. +39 049768712				
	Fax +39 049769497				
e-mail address of the competent person					
responsible for the Safety Data Sheet	info@mondialprod.it				
1.3. Emergency telephone number For urgent inquiries refer to	NHS 111 - 24/7 service +39 02-66101029 Osp. Niguarda Ca' Granda - Milano +39 06-68593726 Osp. Pediatrico Bambino Gesù - Roma +39 0881-732326 Az. Osp. Univ. Foggia				
	+39 081-7472870 Az. Osp. A +39 06-49978000 Policlinico +39 055-7947819 Az. Osp. C +39 0382-24444 Centro Nazi +39 800883300 Azienda Osp +39 06 49978000 Azienda Os +39 800 011 858 Azienda Os integrata Verona -centro.an	A. Gemelli - Roma areggi U.O. Tossicologia Me onale di Informazione Tossi pedaliera Papa Giovanni XXI spedaliero-Universitaria Pol spedaliera Universitaria	cologica – Pavia I - Bergamo		

Section 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements. Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation

Precautionary statements:

P220 Keep away from clothing and other combustible materials.
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

P311 Call a POISON CENTER / doctor

P370+P378 In case of fire: use water spray to extinguish.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008

(CLP)HYDROGEN PEROXIDE

SOLUTION

CAS 7722-84-1 $6 \le x < 7,5$ Ox. Liq. 1 H271, Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Corr. 1A H314,

Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412, Classification

note/notes according to Annex VI to the CLP Regulation: $\ensuremath{\mathsf{B}}$

EC 231-765-0

INDEX 008-003-00-9

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTIN 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by adoctor.



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combi nation with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainderwith inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapoursor mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the productin clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU	Deutschland	IRGS 900 - Seite 1 von 69 (Fassung 29.03.2019) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 – INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition, published 2018)
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
	TLV-ACGIH	ACGIH 2020

HYDROGEN PEROXYDE SOLUTION

Threshold Limit Value						
Туре	Country	TWA/8H		STEL/15min		Remarke/observation
		mg/m3	ppm	mg/m3	ppm	
MAK	DEU	0,71	0,5	0,71	0,5	
VLA	ESP	1,4	1			
VLEP	FRA	1,5	1			
WEL	GBR	1,4	1	2,8	2	
NDS/NDSCh	POL	0,4		0,8		
TLV-ACGIH		1,4	1			

Predictec no-effect concentration -PNEC

Normal value in fresh water 0,0126 mg/l

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soapand water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance withenvironr standards

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid

Colour transparent Odour Not available

Odour threshold Not available

pH 1,95

Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point Not available **Evaporation rate** Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

Upper explosive limit Not available
Vapour pressure Not available
Vapour density Not available
Relative density 1,0176

Solubility soluble in water

Partition coefficient: n-octanol/water Not availableAuto-ignition temperature Not

available

Decomposition temperature Not available
Viscosity Not available
Explosive properties Not available
Oxidising properties Not available

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

Do not mix with other products.

10.1. Reactivity

HYDROGEN PEROXIDE SOLUTION

Decomposes if exposed to: light, heat. Decomposes on contact with: alkaline metals. Possibility of explosion.

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

10.4 Conditions to avoid Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

HYDROGEN PEROXIDE SOLUTION

Avoid exposure to: light, heat. Avoid contact with: alkaline substances.

10.5. Incompatible materials

HYDROGEN PEROXIDE SOLUTION

 $Incompatible \ with: flammable \ substances, acetone, ethanol, glycerol, organic, sulphides, hydrated \ bases, oxidizing \ substances, iron, copper, bronze, chromium, zinc, lead, silver, manganese, acetic \ acid.$



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

10.6. Hazardous decoi	nposition products
-----------------------	--------------------

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

HYDROGEN PEROXIDE SOLUTION

LD50 (Oral) 1193 mg/kg Rat

at the concentration of 35%

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

HYDROGEN PEROXIDE SOLUTION

12.2. Persistence and degradability

HYDROGEN PEROXIDE SOLUTION

Solubility in water 100000 mg/l

Rapidly degradable



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

12.3. Bioaccumulative potential

HYDROGEN PEROXIDE SOLUTION

Partition coefficient: n-octanol/water -1,57

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

The spent solutions as the wastewater can be conveyed in authorized sewage network in accordance with legal standards.

13.1. Waste treatment methods

Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Liq. 1 Oxidising liquid, category 1
Ox. Liq. 2 Oxidising liquid, category 2
Acute Tox. 4 Acute toxicity, category 4
Skin Corr. 1A Skin corrosion, category 1A

URBANO CHIMICA

Safety Data Sheet

prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

Eye Irrit. 2 Eye irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- $\hbox{- TLV CEILING: } Concentration that should not be exceeded during any time of occupational exposure. \\$
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- $\mbox{\sc vPvB:}$ Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)



prepared in accordance with Regulations n.1907/2006/EC, n.1272/2008/EC and n. 830/2015/EC

Revision 06/10/2020

PO 535

OXY CLEANER 6%

- 13. Regulation (EU) 2017/776 (X Atp. CLP) 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website

Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy