

ANNEX II + III: TECHNICAL SPECIFICATIONS + TECHNICAL OFFER

Contract title: Supply of < special vehicle with high capacity pump, 8+1 passenger car >

p 1 /...

Publication reference: < Achiziționarea vehiculelor în cadrul proiectului ROMD00074– FLOOD RESCUE - Pregătirea comună pentru salvarea vieților de la inundații , Programul de cooperare ”(Interreg VI–A) NEXT România-Republica Moldova” 2021-2027 Autovehicul 8+1 locuri >

Columns 1-2 should be completed by the contracting authority

Columns 3-4 should be completed by the tenderer

Column 5 is reserved for the evaluation committee

Annex III - the contractor's technical offer

The tenderers are requested to complete the template on the next pages:

- Column 2 is completed by the contracting authority shows the required specifications (not to be modified by the tenderer),
- Column 3 is to be filled in by the tenderer and must detail what is offered (for example the words ‘compliant’ or ‘yes’ are not sufficient)
- Column 4 allows the tenderer to make comments on its proposed supply and to make eventual references to the documentation

The eventual documentation supplied should clearly indicate (highlight, mark) the models offered and the options included, if any, so that the evaluators can see the exact configuration. Offers that do not permit to identify precisely the models and the specifications may be rejected by the evaluation committee.

The offer must be clear enough to allow the evaluators to make an easy comparison between the requested specifications and the offered specifications.

1. Item number	2. Specifications required	3. Specifications offered	4. Notes, remarks, ref to documentation	5. Evaluation committee's notes
1	Motor: - Emission standard: Euro 6 or higher; - Fuel: Diesel; - Power: minimum 170 hp; - Maximum torque: minimum 400 Nm; - Capacity cylindrical: minimum 1910 cm³ - maximum 2200 cm³ ; Mixed fuel consumption: maximum 14 liters/100km; Fuel tank volume: minimum 75 liters; Gearbox: Automatic, in 7-9 ratios; Drive: Rear/front; Number of seats: 8+1; Ground clearance: minimum 180 mm; Payload weight: minimum 500 kg; Suspension: - Metal spring; Braking system: - front disc brake; - rear brake combined disc drum ; Vehicle dimensions: - Length: minimum 6800 maximum 7400 mm. - Width: minimum 2000 mm. - Height: minimum 2500 mm. Authorized weight : maximum 3500 kg. All amenities listed below are minimum requirements. Additional amenities are accepted at no additional cost. - Type bodywork: car - places 8+1 - Norm of pollution- Euro6 - Syst of ABS braking , ESP, - Seat driver and front passenger with adjustment, with armrest, heated; - Comfortable driver's seat with floating suspension - Salon filter - Steering wheel Multifunction - Adjustable steering wheel for reach and tilt - Wheel of book same format normal - Belts safety preloading for all passengers - Color : White - Set TIRES size R16 C. (summer/winter) - Air conditioning system - Additional air conditioning in the rear - Independent electric auxiliary air heater - Heating back glass - Heating places driver's side passenger - Trailer towing device - 13-pin trailer socket - Mats for all seasons - Navigation system - Digital Extra: Smartphone Integration - Multimedia system - Active emergency braking system - Blind spot monitoring system - Side marker lights - Additional lighting at the back - Driver and passenger airbag - First aid kit, fire extinguisher, damage indicator - USB 5 V socket - minimum 2 pcs, - 12 V socket inside the cabin, luggage compartment, minimum 180W - Hydraulic jack - Reinforced body frame - Heated and electrically adjustable rearview mirrors - Tire pressure control system	Motor: - Emission standard: Euro 6 or higher; - Fuel: Diesel; - Power: minimum 177 hp; - Maximum torque: minimum 410 Nm; - Capacity cylindrical: 1968 cm³ ; Mixed fuel consumption: maximum 11,5 liters/100km; Fuel tank volume: 80 liters; Gearbox: Automatic, in 8 ratios; Drive: Rear/front; Number of seats: 8+1; Ground clearance: 200 mm; Payload weight: minimum 500 kg; Suspension: - Metal spring; Braking system: - front disc brake; - rear brake combined disc drum ; Vehicle dimensions: - Length: 7391 mm. - Width: 2040 mm. - Height: 2590 mm. Authorized weight : 2485 kg. All amenities listed below are minimum requirements. Additional amenities are accepted at no additional cost. - Type bodywork: car - places 8+1 - Norm of pollution- Euro6 - Syst of ABS braking , ESP, - Seat driver and front passenger with adjustment, with armrest, heated; - Comfortable driver's seat with floating suspension - Salon filter - Steering wheel Multifunction - Adjustable steering wheel for reach and tilt - Wheel of book same format normal - Belts safety preloading for all passengers - Color : White - Set TIRES size R16 C. (summer/winter) - Air conditioning system - Additional air conditioning in the rear - Independent electric auxiliary air heater - Heating back glass - Heating places driver's side passenger - Trailer towing device - 13-pin trailer socket - Mats for all seasons - Navigation system - Digital Extra: Smartphone Integration - Multimedia system - Active emergency braking system - Blind spot monitoring system - Side marker lights - Additional lighting at the back - Driver and passenger airbag - First aid kit, fire extinguisher, damage indicator - USB 5 V socket - minimum 2 pcs, - 12 V socket inside the cabin, luggage compartment, minimum 180W - Hydraulic jack - Reinforced body frame - Heated and electrically adjustable rearview mirrors - Tire pressure control system		

