Service Protocol



TAD1640GE, TAD1640VE-B, TAD1641GE, TAD1641VE, TAD1641VE-B, TAD1642GE, TAD1642VE, TAD1642VE-B, TAD1643VE, TAD1643VE-B, TAD1650GE, TAD1650VE, TAD1650VE-B, TAD1651GE, TAD1651VE, TAD1660VE, TAD1661VE, TAD1662VE, TAD1670VE, TAD1671VE, TAD1672VE, TWD1643GE, TWD1644GE, TWD1645GE, TWD1652GE, TWD1653GE, TWD1663GE

Application		
Customer		
	—	
Engine Hours	Serial number Engine	Chassi ID
Engine #1		
Warranty repairs	Campaign No.	
Total Labor Hours		
Name		
Signature		
Date		

Dealer Stamp

S1, S2, S3 = Special Interval Service	C = Clean		
A - F = Type of service (regular service)	R = Replace		
	A = Adjustment		
	L = Lubrication		
	I = Inspection (include adjustment, lubrication)		aning,
S1			
Every 150-600 hours / at least every 12 month	(1) (2)		1
Engine Oil and Oil Filters / By-pass filter		R	
1) Oil change intervals vary, depending on oil grade, sulfi	ur content of the fuel and running co	nditions.	
2) TAD1643VE-B, TAD1650VE-B, TAD1651VE: Every 1:	25-500 Hours / at Least Every 12 Mo	onths	
S2			
Oil Analysis			✓
See dealer's information		I	
S3			
After the first 1000 hours			

Valve clearance

I

Α

Every 500 hours /		At least every (mont			
		12	24	48	1
Inspection with VODIA (Diagnostic Tool) ⁽¹⁾	I	•			
Coolant level and antifreeze mixture	I	•			
Drive belts, belt tensioner and idler wheels	I	•			
Batteries, electrolyte level	I	•			
Air Filter	I	•			
Fuel pre-filter, draining water / contamination	С	•			
Start and warm up engine					
Engine and transmission, abnormal noises	I	•			
Engine and transmission, oil / fuel / water leakage	I	•			

¹⁾ Readout if any fault codes and LVD

В

Every 1000 hours /		At least every (month)			
		12	24	48	1
Fuel pre-filter, filter insert	R	•			
Fuel fine filter	R	•			
Air Filter	R	•			
Engine and transmission, inspect hoses and cable clamping	I	•			
Engine and transmission, cleaning / painting	I	•			

C

Every 2000 hours /		At I	At least every (month)			
		12	24	48	1	
Valve clearance	1					
Drive Belts	R			•		
Air Filter, Tank Breather	R		•			
Air Filter, Compressor (Does not apply to all models.)	R		•			
AdBlue®/DEF filter (Does not apply to all models.)	R		•			
Turbocharger, inspect / clean as required	ı		•			

D

Every 8000 hours /	8000 hours /		At least every (month		
		12	24	48	1
Coolant VCS (yellow) ⁽¹⁾	R			•	

¹⁾ Different types of coolant must not be mixed with each other.

Miscellaneous
T1 – 8000 EURO - la un an de zile (la necessitate)
T2 – 11000 EURO – la doi ani de zile (la necessitate)