Product Highlights

- Ergonomic handling
- Rotary dial designed for fine tip movements
- Color-coded cables for convenience
- 1 mm band electrodes


Ordering Information

7 F Duo-Decapolar catheter (1 unit per box) Note: Requires two catheter extension cables

Reorder Number	French Size	Electrode Spacing (mm)	Tip Electrode (mm)	Distal Reach	Usable Length (cm)
401904	7	2-10-2	2	Super Large Curl	95
401905	7	5-5-5	2	Super Large Curl	95
401914	7	2-5-2	2	Super Large Curl	95
401908	7	2-2-2	2	Medium Curl	115

Required Catheter Connecting Cables - Page 123

Reorder Number	Color	Connects these Catheters	Usable Length (cm)
401972	Black	Hexapolar, Octapolar and Decapolar	150
401977	Red	Hexapolar, Octapolar and Decapolar	150
401976	Black	Hexapolar, Octapolar and Decapolar	210







Directive 93/42/EEC on Medical Devices, Annex II Section 4

No.

CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place

Minnetonka Minnesota 55345-2126

USA

In respect of:

Livewire™ Electrophysiology Catheter

BSI has performed a design examination on the above devices in accordance with the Council Directive 93/42/EEC, Annex II Section 4. The design conforms to the requirements of this directive. For marketing of these products an additional Annex II excluding Section 4 certificate is required.

For and on behalf of BSI, a Notified Body for the above Directive (Notified Body Number 2797):

Gary E Slack, Senior Vice President Medical Devices

Gary C Stade

First Issued: 2009-07-01

Date: 2019-06-25

Expiry Date: 2024-05-26

...making excellence a habit."

Page 1 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780 BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Intended Purpose per IFU

The Livewire™ Steerable Electrophysiology Catheter can be used in the evaluation of a variety of cardiac arrhythmias from endocardial and intravascular sites.

Product	Model Number	Size (F)	Electrode Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
Livewire™ EP Bipolar (2 electrodes)	401786	7	2	2	Large Curl	80	Class III
Livewire™ EP Quadripolar	401572	6	2-5-2	2	Medium Sweep	115	Class III
(4 electrodes)	401576	7	2-5-2	4	Small Sweep	115	Class III
	401577	7	2-5-2	4	Medium Sweep	115	Class III
	401578	7	2-5-2	4	Large Sweep	115	Class III
	401586	7	2-5-2	4	Small Curl	115	Class III
	401587	7	2-5-2	4	Medium Curl	115	Class III
	401588	7	2-5-2	4	Large Curl	115	Class III
	401600	6	2-5-2	4	Medium Sweep	115	Class III
	401603	6	2-5-2	4	Medium Curl	115	Class III

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit."

Page 2 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Product	Model Number	Size (F)	Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
	401606	6	2-5-2	2	Large Sweep	115	Class III
	401647	5	5-5-5	2	Medium Curl	115	Class III
	401648	5	5-5-5	2	Large Curl	115	Class III
	401649	5	2-5-2	2	Medium Curl	115	Class III
	401780	5	5-5-5	2	Medium Sweep	115	Class III
	401781	5	5-5-5	2	Large Sweep	115	Class III
	401933	6	5-5-5	2	Medium Sweep	115	Class III
	401934	6	5-5-5	2	Large Sweep	115	Class III
Livewire™ EP Pentapolar (5 electrodes)	402019	5	5-5-5-175	2	Medium Sweep	115	Class III
eccounta _j	402022	5	5-5-5-175	2	Large Curl CRD-2™	115	Class III

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit

Page 3 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Product	Model Number	Size (F)	Electrode Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
Livewire TH EP Hexapolar (6	401580	7	2-5-2-5-2	2	Medium Sweep	115	Class III
electrodes)	401653	5	2-5-2-5-2	2	Medium Sweep CRD-2 TH	115	Class III
	401654	5	5-5-5-5	2	Medium Sweep CRD-2***	115	Class III
Livewire™ EP Octapolar (8	401581	7	2-5-2-5-2-5-	2	Medium Sweep	115	Class III
electrodes)	401652	5	2-2-2-2-2-	2	Medium Sweep CRD-2™	115	Class III
	401917	6	2-2-2-2-2-	2	Medium Sweep	115	Class III
	401949	6	2-2-2-2-2-	2	Large Sweep	115	Class III
Livewire™ EP Decapolar (10 electrodes)	401575	6	2-5-2-5-2-5- 2-5-2	2	Medium Sweep	115	Class III
	401582	7	2-5-2-5-2-5- 2-5-2	2	Medium Sweep	115	Class III

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit."

Page 4 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780 BSI Group The Netherlands B.V. registered in The Netherlands under 33264284.

A member of BSI Group of Companies.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Product	Model Number	Size (F)	Electrode Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
	401655	5	2-5-2-5-2-5- 2-5-2	2	Extra Large Curl	115	Class III
	401915	6	2-5-2-5-2-5- 2-5-2	2	Extra Large Curl	115	Class III
	401923	6	2-2-2-2-2- 2-2-2	2	Extra Large Curl	115	Class III
	401926	6	2-8-2-8-2-8- 2-8-2	2	Extra Large Sweep CSL™ Bi- Directional	115	Class III
	401935	7	2-5-2-5-2-5- 2-5-2	2	Extra Large Sweep CSMTH	115	Class III
	401938	5	5-5-5-5-5- 5-5-5	2	Medium Sweep	115	Class III
	401939	5	2-2-2-2-2- 2-2-2	2	Medium Sweep	115	Class III
	401940	5	2-5-2-5- 2-5-2	2	Medium Sweep	115	Class III

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit

Page 5 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: 851, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780 851 Group The Netherlands 8.V. registered in The Netherlands under 33264284.

A member of 851 Group of Companies.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Product	Model Number	Size (F)	Electrode Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
	401941	5	2-8-2-8-2-8- 2-8-2	2	Extra Large Curl	115	Class III
	401942	6	2-8-2-8-2-8- 2-8-2	2	Extra Large Curl	115	Class III
	401990	5	2-2-2-2-2-2-2-2-2-2	2	Extra Large Curl	115	Class III
	401991	5	2-5-2-5-2-5- 2-5-2	2	Extra Large Curl	115	Class III
	402026	5	2-8-2-8- 2-8-2	2	Large Curl CSL™	115	Class III
	D402070	6	5-5-5-5-5- 5-5-175	2	Large Curl	115	Class III
Livewire™ EP Duo- Decapolar (20 electrodes)	401904	7	2-10-2-10- 2-10-2-10- 2-10-2-10- 2-10-2-10-	2	Super Large Curl	95	Class III

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit."

Page 6 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Model Number	Size (F)	Electrode Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
401905	7	5-5-5-5-5- 5-5-5-5-5-5- 5-5-5-5-5-5-5	2	Super Large Curl	95	Class III
401908	7	2-2-2-2-2-2- 2-2-2-2-2-2- 2-2-2-2-2-2-2	2	Medium Curl	115	Class III
401914	7	2-5-2-5-2-5- 2-5-2-5-2-5- 2-5-2-5-2-5- 2	2	Super Large Curl	95	Class III
401918	7	2-20-2-2-2- 2-2-2-2-2- 2-2-25-2- 25-2-25-2	2	Super Large Curl	95	Class III
	401905 401908 401914	Number (F) 401905 7 401908 7	Number (F) Spacing (mm) 401905 7 5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	Number (F) Spacing (mm) Electrode Length (mm) 401905 7 5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-	Number (F) Spacing (mm) Electrode Length (mm) 401905 7 5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5-5	Number (F) Spacing (mm) Electrode Length (mm)

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit."

Page 7 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Product	Model Number	Size (F)	Electrode Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
	401932	7	2-8-2-8-2-8- 2-8-2-60-2- 8-2-8-2-8-2- 8-2	2	Super Large Curl	95	Class III
	402032	6	2-4-2-4-2-4- 2-4-2-4-2-4- 2-4-2-4-2-4- 2	2	Large Curl	115	Class III
Livewire™ EP Spiral HP™ Duo- Decapolar (20 electrodes)	401782	7	2-1.5-1-1.5- 1-1.5-1-1.5- 1-1.5-1-1.5- 1-1.5-1-1.5- 1-1.5-1	2	Medium Sweep, Spiral HP ¹¹¹ 15 mm	120	Class III

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit."

Page 8 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Product	Model Number	Size (F)	Electrode Spacing (mm)	Tip Electrode Length (mm)	Distal Reach	Usable Length (cm)	Classification
	401783	7	2-2.5-1-2.5- 1-2.5-1-2.5- 1-2.5-1-2.5- 1-2.5-1-2.5- 1-2.5-1	2	Medium Sweep, Spiral HP™ 18 mm	120	Class III

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26

...making excellence a habit."

Page 9 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.





Supplementary Information to CE 548275

Issued To:

St. Jude Medical 14901 DeVeau Place Minnetonka Minnesota 55345-2126 USA

Certificate History

Date Reference Number		Action				
01 July 2009	10104504	First issue – Transfer from another Notified Body				
30 October 2009	10109161	Line extension to add Livewire Pigtail Steerable Electrophysiology Catheter D402051				
06 June 2014	10146392	Certificate renewal				
10 June 2015	10156225	Tip shaft buckle force product specification change.				
01 February 2016	10160623	Addition of Sterigenics Willowbrook, IL as a sterilizer.				
19 June 2016	10163123	Changes to product family catalogue numbers.				
05 December 2016	10165171	Addition of St. Jude Medical Plymouth as a physical manufacturing site.				
05 March 2019	7780627	Traceable to NB 0086.				
15 April 2019	9718016 Addition of Sterigenics US, LLC, Salt Lake City, Utah for ETO Sterilization.					
Current	9698762	Certificate Renewal and administrative update to product table format per MDP 4500 Appendix A.				

First Issued: 2009-07-01 Date: 2019-06-25 Expiry Date: 2024-05-26


...making excellence a habit"

Page 10 of 10

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Say Building, John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands Tel: + 31 20 346 0780 BSI Group The Netherlands B.V. registered in The Netherlands under 33264284. A member of BSI Group of Companies.



SJM Declaration of Conformity

St. Jude Medical (SJM) hereby declares that the following SJM facilities and products conform to the applicable provisions of Annex II of the Medical Device Directive (MDD) 93/42/EEC as amended by 2007/47/EC. All supporting documentation is retained under the premises of SJM. We declare no application has been lodged with any other notified body for the same products. This declaration is issued under the sole responsibility of the manufacturer. This declaration supersedes any declaration issued previously for the same product(s).

Manufacturer Address: St. Jude Medical

14901 DeVeau Place

Minnetonka, Minnesota 55345-2126 USA

European Representative: St. Jude Medical Coordination Center BVBA

The Corporate Village Da Vincilaan 11 Box F1 1935 Zaventem, Belgium

Product Type: Electrophysiology Catheter

Product Name(s): Livewire™ Electrophysiology Catheter

Model Number(s): 401572, 401575, 401576, 401577, 401578, 401580.

401581, 401582, 401586, 401587, 401588, 401600, 401603, 401606, 401647, 401648, 401649, 401652, 401653, 401654, 401655, 401780, 401781, 401782, 401783, 401786, 401904, 401905, 401908, 401914, 401915, 401917, 401918, 401923, 401926, 401932, 401933, 401934, 401935, 401938, 401939, 401940, 401941, 401942, 401949, 401990, 401991, 402019,

402022, 402026, 402032, D402070

Classification: Class III, Rule 7 according to Annex IX of the MDD

93/42/EEC

GMDN Code(s): 46355 Cardiac mapping catheter, percutaneous, single-

use

Original CE Mark Date: 01-Jul-2009

Certificate No and expiration date: Certificate No: CE 548275

Expiration Date: 26-May-2024

Applicable Quality System Standards: EN ISO 13485:2016

Signature:

Blair Schwartz

Regulatory Affairs Manager

OFMar 2020 Issue Date: March 9, 2020

Page 1 of 2



SJM Declaration of Conformity

Notified Body:

BSI Group The Netherlands B.V.

Say Building

John M. Kaynesplein 9 1066 EP Amsterdam The Netherlands

Notified Body Number:

2797 (Traceable NB number 0086, BSI Reference

7780627)

Signature:

Blair Schwartz

Regulatory Affairs Manager

09 Mar 2028 Issue Date: March 9, 2020

Page 2 of 2





Certificate of Registration

QUALITY MANAGEMENT SYSTEM - ISO 13485:2016

This is to certify that:

Abbott Medical Costa Rica Ltda.

Edificio #44 Calle 0, Ave. 2 Zona Franca Coyol El Coyol, Alajuela Costa Rica

Holds Certificate No: FM 728657

and operates a Quality Management System which complies with the requirements of ISO 13485:2016 for the following scope:

Manufacture and distribution of radio-frequency (RF) ablation catheters, electrophysiology (EP) catheters, intracardiac echocardiography catheters, cardiac mapping system accessories, transseptal access system, introducer catheters, vascular closure systems; and the design of cardiac mapping system accessories.

For and on behalf of BSI:

Graeme Tunbridge, Senior Vice President Medical Devices

Original Registration Date: 2020-05-06 Effective Date: 2021-12-14 Latest Revision Date: 2022-03-22 Expiry Date: 2024-12-13

Page: 1 of 1

__making excellence a habit*









CERTIFICATE



This is to certify that



SANTE INTERNATIONAL S.A.

Str. Mantuleasa nr. 33, Sector 2 023961 Bucuresti Romania

has implemented and maintains a Quality Management System.

Scope:

Import, trade and storage of medical and laboratory equipment, disinfectants, laboratory reagents, cardiovascular surgery devices, service for medical and laboratory equipment. Consulting for state and private medical units.

Through an audit, documented in a report, it was verified that the management system fulfills the requirements of the following standard:

ISO 9001: 2015

Certificate registration no. 497269 QM15

Valid from 2021-06-16

Valid until 2024-06-15

Date of certification 2021-06-16

IAF



DQS GmbH









Annex to certificate Registration No. 497269 QM15

SANTE INTERNATIONAL S.A.

Str. Mantuleasa nr. 33, Sector 2 023961 Bucuresti Romania

Location

075906 Sante International SA Sos. Mihai Bravu nr. 7, bl. P37-P37A, sector 2 021303 Bucuresti Romania

497270 Sante International SA Str. Pupitrului, nr. 81, sect. 3 033036 Bucuresti Romania

31050285 Sante International SA Calea Ghirodei, nr. 36 300327 Timisoara Romania

31050284 Sante International SA Calea Dorobantilor, nr. 111 400609 Cluj-Napoca Romania

31050283 Sante International SA Str. Lascar Catargi, nr. 37 700107 Iasi Romania

Scope

Import, trade and storage of medical and laboratory equipment, disinfectants, laboratory reagents, cardiovascular surgery devices. Consulting for state and private medical units.

Storage of medical and laboratory equipment, disinfectants, laboratory reagents, cardiovascular surgery devices, service for medical and laboratory equipment. Consulting for state and private medical units.

Trade of medical and laboratory equipment, disinfectants, laboratory reagents, cardiovascular surgery devices, service for medical and laboratory equipment. Consulting for state and private medical units.

Trade of medical and laboratory equipment, disinfectants, laboratory reagents, cardiovascular surgery devices, service for medical and laboratory equipment. Consulting for state and private medical units.

Trade of medical and laboratory equipment, disinfectants, laboratory reagents, cardiovascular surgery devices, service for medical and laboratory equipment. Consulting for state and private medical units.

