

Page 1 of 1 Report No.: **BS-3/134/B/1/19/M1**

	IEC60598_2_3L ATTACHM	ENT		
Clause	Requirement + Test	Result - Remark	Verdict	

ATTACHMENT No.1 TO TEST REPORT IEC 60598-2-3 Report Ref. No BS-3/134/B/19/M1 EUROPEAN GROUP DIFFERENCES AND NATIONAL DIFFERENCES

Luminaires

Part 2: Particular requirements

Section 3: Luminaires for road and street lighting

Differences according to..... EN 60598-2-3:2003, AMD1:2011 used in conjunction with

EN 60598-1:2015, AMD1:2018

Annex Form No...... EU_GD_IEC60598_2_3L

Annex Form Originator Intertek Semko AB

Master Annex Form..... 2018-12-07

Copyright © 2018 IEC System for Conformity Testing and Certification of Electrical Equipment (IECEE), Geneva, Switzerland. All rights reserved.

(IECEE), Geneva, Switzerland. All rights reserved.					
	CENELEC COMMON MODIFICATIONS (EN)	Р			
3.6 (4)	CONSTRUCTION				
3.6 (4.11.6)	Electro-mechanical contact systems	N/A			
3.10 (5)	EXTERNAL AND INTERNAL WIRING				
3.10 (5.2.2)	Cables equal to EN 50525	N/A			
	Replace table 5.1 – Supply cord	N/A			
3.12 (12)	ENDURANCE TESTS AND THERMAL TESTS	Р			
3.12 (12.4.2c)	Thermal test (normal operation) see footnote c to table 12.2 relating to unsleeved fixed wiring	Р			
ZB ANNEX ZB, SPECIAL NATIONAL CONDITIONS (EN)		N/A			
(3.3)	DK: power supply cords of class I luminaires with label	N/A			
(4.5.1)	DK: socket-outlets	N/A			
(5.2.1)	CY, DK, FI, GB: type of plug	N/A			
ZC	ANNEX ZC, NATIONAL DEVIATIONS (EN)				
(4 & 5)	FR: Shuttered socket-outlets 10/16A	N/A			
	FR: Safety requirements for high buildings (Decree of 30 December 2011 on safety regulations for the construction of high-rise buildings and their protection against fire and panic risks; Section VIII; Article GH 48, Lighting) Glow-wire test for outer parts of luminaires:	N/A			
	- 850°C for luminaires in stairways and horizontal travel paths	N/A			
	- 650°C for indoor luminaires	N/A			
	GB: Requirements according to United Kingdom Building Regulation	N/A			