




## EXTERNAL FIXATORS



**551**

### ILIZAROV EXTERNAL FIXATOR, FULL RING S.S.

CODE	SIZE (mm)
551.008	80
551.010	100
551.012	120
551.014	140
551.016	160
551.018	180
551.020	200
551.022	220
551.024	240
551.026	260




Code No: 551

**552**

### ILIZAROV EXTERNAL FIXATOR, 5/8 RING S.S.

CODE	SIZE (mm)
552.010	100
552.012	120
552.014	140
552.016	160
552.018	180
552.020	200
552.022	220
552.024	240
552.026	260



Code No: 552

**553**

### ILIZAROV EXTERNAL FIXATOR, 1/2 RING S.S.

CODE	SIZE (mm)
553.008	80
553.010	100
553.012	120
553.014	140
553.016	160
553.018	180
553.020	200
553.022	220
553.024	240
553.026	260



Code No: 553

**554**

### OMEGA RING S.S.

CODE	SIZE (mm)
554.012	120
554.014	140
554.016	160
554.018	180
554.020	200



Code No: 554

**557**

### ITALIAN FEMORAL ARCH

LENGTH (mm)	CODE	
	ARCH 90°	ARCH 120°
	STAINLESS STEEL	STAINLESS STEEL
100	557.090.10	557.120.10
120	557.090.12	557.120.12
140	557.090.14	557.120.14
160	557.090.16	557.120.16
180	557.090.18	557.120.18
200	557.090.20	557.120.20
220	557.090.22	557.120.22
240	557.090.24	557.120.24
260	557.090.26	557.120.26



Code No: 557

**558 TUBULAR ROD Ø 11MM**

CODE	CODE
	STAINLESS STEEL
100	558.100
150	558.150
200	558.200
250	558.250
300	558.300
350	558.350
400	558.400
450	558.450
500	558.500



Code No: 558

**559 CONNECTING ROD**

CODE	CODE	
	Ø4.0mm	Ø5.0mm
100	559.410	559.510
150	559.415	559.515
200	559.420	559.520
250	559.425	559.525
300	559.430	559.530



Code No: 559

**560 EXTERNAL FIXATOR FOR FOREARM & METACARPALS**

CODE	PRODUCT
560.001	Small Single Pin Clamp 4.0 x 2.0mm
560.002	Small Connecting Clamp 4.0 x 4.0mm
560.005	Radius Fixator with spanner & T-Wrench
560.008	Wrist Fixator, Small
560.009	Wrist Fixator, Large
560.011	Radius Fixator
560.012	Dynamic External Fixator
560.014	Rail External Fixator
560.017	T-type Fixator, Small
560.018	Limb Fixator
560.020	Elbow Fixator
560.022	Multiaxis I Clamp 3 pin for 8mm Double Rod Fixation

CODE	PRODUCT
560.025	Multiaxis I Clamp 5 pin for 8mm Double Rod Fixation
560.028	Multiaxis Mono Straight Clamp Fixation 5 pin
560.029S	Multiaxis L Clamp 5 pin for 8mm Fracture fixationS.S.
560.029A	Multiaxis L Clamp 5 pin for 8mm Fracture fixationAL.
560.033	Multiaxis Z Clamp Big for 8mm double Rod fixation
560.034S	External Fixator -Tube to Tube 8 x 8mm S.S.
560.034A	External Fixator -Tube to Tube 8 x 8mmAL.
560.035	Straight-Post-8.0mm
560.036	30° Angled Post-8.0mm
563.001	Compression Distraction Device, Small
658.008	T-Wrench 8mm
655.008	Spanner 8mm

**SMALL SINGLE PIN CLAMP  
4.0 X 2.0mm**


Code No: 560.001

**SMALL CONNECTING CLAMP  
4.0 X 4.0mm**


Code No: 560.002

**RADIUS FIXATOR WITH  
SPANNER & T-WRENCH**


Code No: 560.005

560

### EXTERNAL FIXATOR FOR FOREARM & METACARPALS (CONTD...)

WRIST FIXATOR, SMALL



Code No: 560.008

WRIST FIXATOR, LARGE



Code No: 560.009

RADIUS FIXATOR



Code No: 560.011

DYNAMIC EXTERNAL FIXATOR



Code No: 560.012

RAIL EXTERNAL FIXATOR



Code No: 560.014

T-TYPE FIXATOR, SMALL



Code No: 560.017

LIMB FIXATOR



Code No: 560.018

ELBOW FIXATOR



Code No: 560.020

MULTIAXIS I CLAMP 3 PIN FOR 8mm DOUBLE ROD FIXATION



Code No: 560.022

**NEW**

MULTIAXIS I CLAMP 5 PIN FOR 8MM DOUBLE ROD FIXATION



Code No: 560.025

**NEW**

MULTIAXIS MONO STRAIGHT CLAMP FIXATION 5 PIN



Code No: 560.028

**NEW**

MULTIAXIS L CLAMP 5 PIN FOR 8MM FRACTURE FIXATION S.S.



Code No: 560.029S

**NEW**

**560**
**EXTERNAL FIXATOR FOR FOREARM & METACARPALS (CONTD...)**
**MULTIAXIS L CLAMP 5 PIN FOR  
8MM FRACTURE FIXATION AL.**


Code No: 560.029A

**NEW**
**MULTIAXIS Z CLAMP BIG FOR  
8MM DOUBLE ROD FIXATION**


Code No: 560.033

**NEW**
**EXTERNAL FIXATOR -TUBE TO  
TUBE 8 X 8MM S.S.**


Code No: 560.034S

**NEW**
**EXTERNAL FIXATOR  
-TUBE TO TUBE 8 X 8mm AL**


Code No: 560.034A

**NEW**
**STRAIGHT-POST-8.0mm**


Code No: 560.035

**NEW**
**30° ANGLED POST-8.0mm**


Code No: 560.036

**NEW**
**COMPRESSION DISTRACTION  
DEVICE, SMALL**


Code No: 563.001

**T-WRENCH 8mm**


Code No: 658.008

**SPANNER 8mm**


Code No: 655.008

**561 CLAMP & OTHER EXTERNAL FIXATOR**

CODE	PRODUCT
561.002	Bushing 20mm
561.003	Bushing 30mm
561.004	Bushing 40mm
561.005	Bushing 50mm
561.006	Bushing 60mm
561.010	Connecting Clamp
561.014	Cannulated Angled Wrench 10mm
561.019	Double Adjustable Clamp, Straight
561.020	Double Adjustable Clamp, Curved
561.023	Open Single Pin Clamp
561.024	Single Pin Clamp
561.025	Double Pin Clamp
561.026	Self-Holding Clamp
561.027	Transvers Clamp

CODE	PRODUCT
561.028	Tube to Tube Clamp
561.030	Wire Tensioner Dynamometer
561.034	Hinge Joint
561.035	Hinge Male
561.036	Hinge Female
561.037	Hinge 90°
561.038	Multi Pin Fixator Clamp
561.040	Repofix device
561.041	Pin Post Coupling for 3.0mm, 4.0mm & 5.0mm Pins
561.042	Pin Rod Coupling for 3.0mm, 4.0mm, 5.0mm Pins & 8.0mm Rod
561.043	Rod Rod Coupling
561.044	Schanz Pin Introducer
561.050	Triple Trocar Set with Handle
561.051	Triple Trocar Set with Handle, Extra Long

**BUSHING**

CODE	SIZE
561.002	20mm
561.003	30mm
561.004	40mm
561.005	50mm
561.006	60mm



Code No: 561

**CONNECTING CLAMP**


Code No: 561.010

**CANNULATED ANGLED WRENCH 10mm**


Code No: 561.014

**DOUBLE ADJUSTABLE CLAMP, STRAIGHT**


Code No: 561.019

**DOUBLE ADJUSTABLE CLAMP, CURVED**


Code No: 561.020

**OPEN SINGLE PIN CLAMP**


Code No: 561.023



**561 CLAMP & OTHER EXTERNAL FIXATOR (CONTD...)**
**SINGLE PIN CLAMP**


Code No: 561.024

**DOUBLE PIN CLAMP**


Code No: 561.025

**SELF-HOLDING CLAMP**


Code No: 561.026

**TRANSVERS CLAMP**


Code No: 561.027

**TUBE TO TUBE CLAMP**


Code No: 561.028

**WIRE TENSIONER  
DYNAMOMETER**


Code No: 561.030

**HINGE JOINT**


Code No: 561.034

**HINGE MALE**


Code No: 561.035

**HINGE FEMALE**


Code No: 561.036

**561 CLAMP & OTHER EXTERNAL FIXATOR (CONTD...)**
**HINGE 90°**


Code No: 561.037

**MULTI PIN FIXATOR CLAMP**


Code No: 561.038

**REPOFIX DEVICE**


Code No: 561.040

**PIN POST COUPLING FOR 30MM, 4.0MM & 5.0MM PINS**


Code No: 561.041

**NEW**
**PIN ROD COUPLING FOR 3.0MM, 4.0MM, 5.0MM PINS & 8.0MM ROD**


Code No: 561.042

**NEW**
**ROD ROD COUPLING**


Code No: 561.043

**NEW**
**SCHANZ PIN INTRODUCER**


Code No: 561.044

**TRIPLE TROCAR SET WITH HANDLE**


Code No: 561.050

**TRIPLE TROCAR SET WITH HANDLE, EXTRA LONG**


Code No: 561.051



**562 BOLTS, NUTS & WASHERS**

CODE	PRODUCT
562.004	Connection Bolt
562.007	Single Pin Fixation Bolt
562.013	Wire Fixation Bolt, Slotted
562.018	Wire Fixation Bolt, Cannulated
562.021	Oblique Support without Thread
562.022	Oblique Support with Thread
562.026	Wire Buckle
562.029	Nut 10mm
562.034	Nylon Insert Nut
562.036	Spacing Washer
562.038	Flat Sided Washer
562.040	Slotted Washer
562.042	Conical Washer Couple
562.045	Washer Hanger

**CONNECTION BOLT**


Code No: 562.004

**SINGLE PIN FIXATION BOLT**


Code No: 562.007

**WIRE FIXATION BOLT, SLOTTED**


Code No: 562.013

**WIRE FIXATION BOLT, CANNULATED**


Code No: 562.018

**OBLIQUE SUPPORT WITHOUT THREAD**


Code No: 562.021

**OBLIQUE SUPPORT WITH THREAD**


Code No: 562.022

**WIRE BUCKLE**


Code No: 562.026

**NUT 10mm**


Code No: 562.029

**NYLON INSERT NUT**


Code No: 562.034

**SPACING WASHER**


Code No: 562.036

**307 BOLTS, NUTS & WASHERS (CONTD...)**
**FLAT SIDED WASHER**


Code No: 562.038

**SLOTTED WASHER**


Code No: 562.040

**CONICAL WASHER COUPLE**


Code No: 562.042

**WASHER HANGER**


Code No: 562.045

**563 COMPRESSION DISTRACTION DEVICE**

CODE	PRODUCT
563.001	Small
563.002	Standard



Code No: 563

**564 CARBON ITALIAN ARCH**

SIZE ID x OD (mm)	CODE	
	ARCH 90°	ARCH 120°
120 x 170	564.090.17	564.120.17
140 x 190	564.090.19	564.120.19
160 x 210	564.090.21	564.120.21
180 x 230	564.090.23	564.120.23
200 x 250	564.090.25	564.120.25



Code No: 564

**565 ILIZAROV WIRE**

SIZE Ø x L (mm)	CODE	
	Bayonet Point	Trocar Point
1.5 x 400	565.15B	565.15T
1.8 x 400	565.18B	565.18T



Code No: 565

**566 OLIVE WIRE**

SIZE Ø x L (mm)	CODE	
	Bayonet Point	Trocar Point
1.5 x 400	566.15B	566.15T
1.8 x 400	566.18B	566.18T



Code No: 566

**567 SHORT CONNECTION PLATE**

CODE	NO. OF HOLES
567.002	2
567.003	3
567.004	4
567.005	5
567.006	6
567.007	7
567.008	8
567.009	9
567.010	10



Code No: 567

**568 CORVED PLATE**

CODE	NO. OF HOLES
568.003	3
568.004	4
568.005	5
568.006	6



Code No: 568

**569 TWISTED PLATE**

CODE	NO. OF HOLES
569.002	2
569.003	3
569.004	4



Code No: 569

**570 POST MALE**

CODE	NO. OF HOLES
570.002	2
570.003	3
570.004	4



Code No: 570

**571 POST FEMALE**

CODE	NO. OF HOLES
571.002	2
571.003	3
571.004	4



Code No: 571

**572 THREADED SOCKET**

CODE	NO. OF HOLES
572.020	20
572.030	30
572.040	40
572.060	60



Code No: 572

**573**
**CONNECTION PLATE WITH  
THREADED END**

CODE	NO. OF HOLES
573.005	5
573.007	7
573.009	9
573.011	11



Code No: 573

**574**
**WRENCHOCUBES**

CODE	NO. OF HOLES
574.001	1
574.002	2
574.003	3
574.004	4



Code No: 574

**575**
**CARBON HALF RINGS, PAEDIATRIC**

CODE	I.D. x O.D. (mm)
575.080.112	80 x 112
575.090.122	90 x 122
575.100.132	100 x 132
575.120.152	120 x 152



Code No: 575

**NEW**
**576**
**CARBON 5/8 RINGS, PAEDIATRIC**

CODE	I.D. x O.D. (mm)
576.080.112	80 x 112
576.090.122	90 x 122
576.100.132	100 x 132
576.120.152	120 x 152



Code No: 576

**NEW**
**577**
**CARBON 3/4 RINGS, PAEDIATRIC**

CODE	I.D. x O.D. (mm)
577.080.112	80 x 112
577.090.122	90 x 122
577.100.132	100 x 132
577.120.152	120 x 152



Code No: 577

**NEW**
**579**
**THREADED ROD**

CODE	I.D. x O.D. (mm)
579.075	75
579.100	100
579.125	125
579.150	150
579.200	200

CODE	I.D. x O.D. (mm)
579.250	250
579.300	300
579.350	350
579.400	400
579.450	450



Code No: 579

**580 THREADED ROD, SLOTTED**

CODE	SIZE (mm)
580.075	75
580.100	100
580.125	125
580.150	150



Code No: 580

**584 CARTICOTOME**

CODE	SIZE (mm)
584.005	5
584.007	7
584.010	10
584.015	15



Code No: 584

**585 TELESCOPIC ROD S.S.**

CODE	SIZE (mm)
585.010	100
585.015	150
585.020	200
585.025	250
585.030	300



Code No: 585

**586 TELESCOPIC ROD, GRADUATED S.S.**

CODE	SIZE (mm)
586.010	100
586.015	150
586.020	200



Code No: 586

**098 FRONT THREADED PIN (SCHANZ SCREW) S.S.**


Code No: 098

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.15.08.14	1.5	75	14
098.20.08.14	2.0	75	14
098.25.10.14	2.5	100	14
098.35.13.14	3.5	125	14 (Shaft 4.0mm)
098.35.13.20	3.5	125	20 (Shaft 4.0mm)
098.35.13.18	3.5	125	18 (Shaft 4.5mm)
098.35.13.22	3.5	125	22 (Shaft 4.5mm)
098.40.13.18	4.0	125	18
098.40.18.25	4.0	175	25
098.45.15.18	4.5	150	18
098.45.15.25	4.5	150	25

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.45.18.18	4.5	175	18
098.45.18.25	4.5	175	25
098.45.18.32	4.5	175	32
098.45.18.40	4.5	175	40
098.45.20.25	4.5	200	25
098.45.20.32	4.5	200	32
098.45.20.40	4.5	200	40
098.45.23.25	4.5	225	25
098.45.23.32	4.5	225	32
098.45.23.40	4.5	225	40
098.45.15.18	4.5	150	18

**098 FRONT THREADED PIN (SCHANK SCREW) S.S. (CONTD...)**

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.50.15.25	5.0	150	25
098.50.18.18	5.0	175	18
098.50.18.25	5.0	175	25
098.50.18.32	5.0	175	32
098.50.18.40	5.0	175	40
098.50.20.25	5.0	200	25
098.50.20.32	5.0	200	32

CODE	Wire Ø mm	Total Length (mm)	Thread Length (mm)
098.50.20.40	5.0	200	40
098.50.23.25	5.0	225	25
098.50.23.32	5.0	225	32
098.50.23.40	5.0	225	40
098.60.23.32	6.0	225	32
098.60.23.40	6.0	225	40

**099 CANCELLOUS FRONT THREADED PIN Ø6.5mm**

CODE	Total Length (mm)	Thread Length (mm)
099.001	225	16
099.002	225	32
099.003	225	50



Code No: 099

**589 S.S. RODS**

CODE	SIZE (mm)
586.010	100
586.015	150
586.020	200



Code No: 589

**NEW****590 CARBON RODS**

Code No: 590

**NEW**

LENGTH (mm)	CODE								
	DIA. 4.0mm	DIA. 6.3mm	DIA. 8.0mm	DIA. 9.5mm	DIA. 11.0mm	DIA. 16mm	DIA. 1/8 in.	DIA. 3/16 in.	DIA. 5/16 in.
50		590.63.050		590.95.050					
75							590.18.075		
80	590.04.080								
100	590.04.100	590.63.100	590.080.100	590.95.100	590.11.100		590.18.100	590.31.100	590.51.100
125	590.04.125					590.16.125			
150	590.04.150	590.63.150	590.080.150	590.95.150	590.11.150	590.16.150	590.18.150	590.31.150	590.51.150
160	590.04.160								
175	590.04.175					590.16.175			



**590 CARBON RODS (CONTD...)**

LENGTH (mm)	CODE								
	DIA. 4.0mm	DIA. 6.3mm	DIA. 8.0mm	DIA. 9.5mm	DIA. 11.0mm	DIA. 16mm	DIA. 1/8 in.	DIA. 3/16 in.	DIA. 5/16 in.
200	590.04.200	590.63.200	590.080.200	590.95.200	590.11.200			590.31.200	590.51.200
225									
250	590.04.250	590.63.250	590.080.250	590.95.250	590.11.250			590.31.250	590.51.250
300	590.04.300		590.080.300	590.95.300	590.11.300				
350	590.04.350		590.080.350	590.95.350	590.11.350				
400			590.080.400	590.95.400	590.11.400				
450					590.11.450				
500					590.11.500				

**591 SCHANZ HOFFMAN PIN S.S**

Length (mm)	CODE		
	DIAMETER		
	3.0mm	4.0mm	5.0mm
90	591.309	591.409	591.509
100	591.310	591.410	591.510
110	591.311	591.411	591.511
120	591.312	591.412	591.512
130	591.313	591.413	591.513
140	591.314	591.414	591.514
150	591.315	591.415	591.515
160	591.316	591.416	591.516
180	591.318	591.418	591.518
200	591.320	591.420	591.520
220	591.322	591.422	591.522
250	591.325	591.425	591.525
300	591.330	591.430	591.530



Code No: 591

**592 CARBON FULL RINGS, ADULT**

CODE	I.D. x O.D. (mm)	CODE	I.D. x O.D. (mm)
592.080.120	80 x 120	592.150.190	150 x 190
592.100.140	100 x 140	592.160.200	160 x 200
592.110.150	110 x 150	592.180.220	180 x 220
592.120.160	120 x 160	592.200.240	200 x 240
592.130.170	130 x 170	592.220.260	220 x 260
592.140.180	140 x 180	592.240.280	240 x 280



Code No: 592

**NEW**

### 593 CARBON 3/4 RINGS, ADULT

CODE	I.D. x O.D. (mm)	CODE	I.D. x O.D. (mm)
593.080.120	80 x 120	593.150.190	150 x 190
593.100.140	100 x 140	593.160.200	160 x 200
593.110.150	110 x 150	593.180.220	180 x 220
593.120.160	120 x 160	593.200.240	200 x 240
593.130.170	130 x 170	593.220.260	220 x 260
593.140.180	140 x 180		



Code No: 593

**NEW**

### 594 CARBON 5/8 RINGS, ADULT

CODE	I.D. x O.D. (mm)	CODE	I.D. x O.D. (mm)
594.080.120	80 x 120	594.150.190	150 x 190
594.100.140	100 x 140	594.160.200	160 x 200
594.110.150	110 x 150	594.180.220	180 x 220
594.120.160	120 x 160	594.200.240	200 x 240
594.130.170	130 x 170	594.220.260	220 x 260
594.140.180	140 x 180	594.240.280	240 x 280



Code No: 594

**NEW**

### 595 CARBON HALF RING, ADULT

CODE	I.D. x O.D. (mm)	CODE	I.D. x O.D. (mm)
595.080.120	80 x 120	595.160.200	160 x 200
595.100.140	100 x 140	595.180.220	180 x 220
595.110.150	110 x 150	595.200.240	200 x 240
595.120.160	120 x 160	595.220.260	220 x 260
595.130.170	130 x 170	595.240.280	240 x 280
595.140.180	140 x 180	595.260.280	260 x 280
595.150.190	150 x 190		



Code No: 595

**NEW**

### 596 CARBON 3/8 RINGS, ADULT

CODE	I.D. x O.D. (mm)	CODE	I.D. x O.D. (mm)
596.080.120	80 x 120	596.150.190	150 x 190
596.100.140	100 x 140	596.160.200	160 x 200
596.110.150	110 x 150	596.180.220	180 x 220
596.120.160	120 x 160	596.200.240	200 x 240
596.130.170	130 x 170	596.220.260	220 x 260
596.140.180	140 x 180	596.240.280	240 x 280



Code No: 596

**NEW**

**597 CARBON 1/4 RINGS, ADULT**

CODE	I.D. x O.D. (mm)
597.080.120	80 x 120
597.100.140	100 x 140
597.110.150	110 x 150
597.120.160	120 x 160
597.130.170	130 x 170
597.140.180	140 x 180
597.150.190	150 x 190
597.160.200	160 x 200
597.180.220	180 x 220
597.200.240	200 x 240
597.220.260	220 x 260
597.240.280	240 x 280
597.260.280	260 x 280



Code No: 597

**NEW**
**598 CARBON CEONNECTING PLATE, LONG**


Code No: 598

**NEW**
**599 CARBON FOOT RINGS**

CODE	PRODUCT
599.001	Carbon Foot Ring, Short
599.002	Carbon Foot Ring, Long



Code No: 599.001

**NEW**


Code No: 599.002

**NEW**

**IS-12-01 ILIZAROV SET, SMALL S.S.**

Set consists of:

CODE	PRODUCTS	QUANTITY
553.008	Ilizarov ½ Rings, Ø80mm	6 Pc
565.15B	Ilizarov Wire, Bayonet Point Ø1.5 x 400mm Length	2 Pc
566.15B	Olive Wire, Bayonet Point Ø1.5 x 400mm Length	2 Pc
562.004	Connection Bolt	10 Pc
561.035	Hinge Male	3 Pc
561.036	Hinge Female	3 Pc
562.029	Nut 10mm	100 Pc
570.002	Post Male, 2 holes	2 Pc
571.002	Post Female, 2 holes	2 Pc
567.003	Short Connection Plate, 3 Holes	4 Pc

CODE	PRODUCTS	QUANTITY
567.004	Short Connection Plate, 4 Holes	4 Pc
562.036	Spacing Washer	10 Pc
585.010	Telescopic Rod Ø100mm	3 Pc
579.100	Threaded Rod Ø100mm	6 Pc
579.150	Threaded Rod Ø150mm	6 Pc
579.200	Threaded Rod Ø200mm	6 Pc
572.020	Threaded Socket	2 Pc
572.030	Threaded Socket	2 Pc
<i>Supplied in a Sterilize Box</i>		

*Note: This set is supplied with 6 x Ø80mm Ilizarov ½ Rings. Please specify if another diameter other than Ø80mm is required.*

**IS-12-02 ILIZAROV SET, MEDIUM S.S.**

Set consists of:

CODE	PRODUCTS	QUANTITY
553.014	Ilizarov ½ Rings 140mm	6 Pc
562.018	Wire Fixation Bolt, Cannulated	20 Pc
562.004	Connection Bolt	10 Pc
561.035	Hinge Male	3 Pc
561.036	Hinge Female	3 Pc
565.15B	Ilizarov Wire Ø1.5 x 400mm Length	10 Pc
566.15B	Olive Wire Ø1.5 x 400mm Length	2 Pc
562.029	Nut 10mm	100 Pc
570.003	Post Male, 3 holes	2 Pc
571.003	Post Female, 3 holes	2 Pc
567.003	Short Connection Plate, 3 Holes	4 Pc
567.004	Short Connection Plate, 4 Holes	4 Pc

CODE	PRODUCTS	QUANTITY
567.005	Short Connection Plate, 5 Holes	2 Pc
567.006	Short Connection Plate, 6 Holes	2 Pc
567.007	Short Connection Plate, 7 Holes	2 Pc
562.036	Spacing Washer	20 Pc
585.010	Telescopic Rod Ø100mm	3 Pc
585.015	Telescopic Rod Ø150mm	3 Pc
579.100	Threaded Rod Ø100mm	6 Pc
579.150	Threaded Rod Ø150mm	6 Pc
579.200	Threaded Rod Ø200mm	6 Pc
572.030	Threaded Socket 30mm	3 Pc
572.040	Threaded Socket 40mm	3 Pc
<i>Supplied in a Sterilize Box</i>		

*Note: This set is supplied with 6 x Ø140mm Ilizarov ½ Rings. Please specify if another diameter other than Ø140mm is required.*

**IS-12-03 ILIZAROV SET, LARGE S.S.**

Set consists of:

CODE	PRODUCTS	QUANTITY
553.016	Ilizarov ½ Ring 160mm	6 Pc
553.020	Ilizarov ½ Ring 200mm	2 Pc
552.022	Ilizarov 5/8 Ring 220mm	2 Pc
552.024	Ilizarov 5/8 Ring 240mm	2 Pc
557.120.22	Italian Femoral Arch 220mm	2 Pc
562.018	Wire Fixation Bolt, Cannulated	20 Pc
562.004	Connection Bolt	10 Pc
098.45.23.32	Front Threaded Pin (Schanz Screw) Ø4.5mm, 32mm Thread, 225mm Length	4 Pc
561.035	Hinge Male	3 Pc
561.036	Hinge Female	3 Pc
565.18B	Ilizarov Wire, Bayonet Point Ø1.8 x 400mm Length	10 Pc
566.18B	Olive Wires, Bayonet Point Ø1.8 x 400mm Length	5 Pc
562.029	Nut 10mm	100 Pc
562.022	Oblique Support with Thread	2 Pc
570.004	Post Male, 4 holes	2 Pc
571.004	Post Female, 4 holes	2 Pc
567.003	Short Connection Plate, 3 Holes	4 Pc
567.004	Short Connection Plate, 4 Holes	4 Pc
567.005	Short Connection Plate, 5 Holes	2 Pc
567.006	Short Connection Plate, 6 Holes	2 Pc
567.007	Short Connection Plate, 7 Holes	2 Pc
562.007	Single Pin Fixation Bolt with Washer	4 Pc
562.036	Spacing Washer	20 Pc
586.010	Telescopic Rod, Graduated Ø100mm	3 Pc
586.015	Telescopic Rod, Graduated Ø150mm	3 Pc
586.020	Telescopic Rod, Graduated Ø200mm	3 Pc
579.150	Threaded Rod Ø150mm	6 Pc
579.200	Threaded Rod Ø200mm	6 Pc
579.250	Threaded Rod Ø250mm	6 Pc
572.040	Threaded Socket 40mm	3 Pc
572.060	Threaded Socket 60mm	3 Pc
Supplied in a Sterilize Box		

*Note: This set is supplied with 220mm ½ & 5/8 Ilizarov Rings. Please specify if another diameter is required other than those mentioned above.*



Members

**558****TUBULAR ROD Ø 11mm**

LENGTH (mm)	CODE	
	STAINLESS STEEL	ALUMINIUM ALOY
100	558.100	558.100A
150	558.150	558.150A
200	558.200	558.200A
250	558.250	558.250A
300	558.300	558.300A
350	558.350	558.350A
400	558.400	558.400A
450	558.450	558.450A
500	558.500	558.500A

**Code No: 558****559****CONNECTING ROD**

LENGTH (mm)	CODE		
	Ø 4.0mm	Ø 5.0mm	Ø 8.0mm
100	559.410	559.510	559.810
150	559.415	559.515	559.815
200	559.420	559.520	559.820
250	559.425	559.525	559.825
300	559.430	559.530	559.830

**Code No: 559****HEMC House:**

D-313, Sector-63, Noida, U. P. 201 301 (INDIA)  
 Customer care : +91-120-4088 888, Fax : +91-120-4088 777  
 Email : [info@hemcmedical.com](mailto:info@hemcmedical.com)  
 Web Site : [www.hemcmedical.com](http://www.hemcmedical.com)



Exhibitor's at:



ISO 13485:2016, ISO 9001:2015 Certified Company

\*\*Shape/Color/Design may change at time of supply depending upon stock availability.