

<b>Manufacturer:</b> BAS STEEL PROFILE SRL F/C:10196030000893 c.TVA:10196030000893 or Taracila, str. Voccalnahia 28 rep. Moldova		<b>A01</b> MILLS TEST CERTIFICATE (ACC. TO EN10204 / 3.1) No. 3510 Date: 26.06.2025		<b>A02</b> Transport:		<b>A10</b> 	
<b>Customer:</b> Metalica - Zuev SRL SEC.CIOCANA Industriala nr.48		<b>A03</b> Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO		<b>B03-B06</b> Total weight, Kg 22 442		<b>B12</b> Total Length 12 396	
<b>Contract No.</b> A07		<b>Specification No</b> EN 10219-1/2 S235JRH		<b>B08</b> Pieces: 1 949		<b>Bundles:</b> 17	
<b>Order No.</b> Destination		Plain ends, straight cut from mill					
				2174			

Nr.crt.	B07			Product description				B08		B12		B13	
	Nr. Bundles	Heat	Product	Dimension(mm)	Length(mm)	Deviation	Bundles	Pieces	Netto Weight (Kg)	Brutto weight, kg	Meters		
1	67462	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm	12 000		1	20	2 068		240		
2	66882	1015299	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm	12 000		1	17	1 706		204		
3	67471	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm	12 000		1	20	2 060		240		
4	67469	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm	12 000		1	20	2 040		240		
5	67466	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm	12 000		1	20	2 062		240		
6	66785	1015299	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm	12 000		1	20	2 028		240		
7	67974	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm	6 000		1	80	1 102		480		
8	67962	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm	6 000		1	80	1 106		480		
9	67940	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm	6 000		1	80	1 091		480		
10	67978	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm	6 000		1	80	1 090		480		
11	67981	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm	6 000		1	80	1 092		480		
12	66611	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm	6 000		1	256	897		1 536		
13	66616	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm	6 000		1	256	895		1 536		
14	66614	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm	6 000		1	256	897		1 536		
15	59978	SA01151	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm	6 000		1	212	726		1 272		
16	66627	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm	6 000		1	196	688		1 176		
17	66528	R14381	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm	6 000		1	256	894		1 536		

«BAS STEEL PROFILE» S.R.L.

OTK

## Chemical Composition (химический состав)

C71-C92

Nr.ct.	Nr. Bundles	Heat	Product	Dimension(mm)	B01-B02												
					B07	B09	C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al
1	67462	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12			13	1,2	39	35	16	5	2	3		9	
2	66882	1015299	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12			13	1,2	39	35	16	5	2	3		9	
3	67471	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12			13	1,2	39	35	16	5	2	3		9	
4	67469	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12			13	1,2	39	35	16	5	2	3		9	
5	67466	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12			13	1,2	39	35	16	5	2	3		9	
6	66785	1015299	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12			13	1,2	39	35	16	5	2	3		9	
7	67974	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000m			12	1,6	40	35	23	7	1	3		9	
8	67952	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000m			12	1,6	40	35	23	7	1	3		9	
9	67940	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000m			12	1,6	40	35	23	7	1	3		9	
10	67978	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000m			12	1,6	40	35	23	7	1	3		9	
11	67981	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000m			12	1,6	40	35	23	7	1	3		9	
12	66611	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000			13	1,4	41	22	30	7	2	3		9	
13	66616	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000			13	1,4	41	22	30	7	2	3		9	
14	66614	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000			13	1,4	41	22	30	7	2	3		9	
15	59978	SA01151	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000			19	10	22	7	19	7	3	12		9	
16	66627	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000			13	1,4	41	22	30	7	2	3		9	
17	66528	R14381	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000			19	10	22	7	19	7	3	12		9	

«BAS STEEL PROFILE» S.R.L.  
**ОТК**

Nr.crt.	Nr. Bundles	Heat	Product	Dimension(mm)	Mechanical Test			ReH	Rm	A	D02 Ra, µm	D03 Hydraulic Pressure, bar, min.
					B01-B02	B09	C02					
1	67462	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm			299	422	43			
2	66882	1015299	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm			299	422	43			
3	67471	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm			299	422	43			
4	67469	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm			299	422	43			
5	67466	1225351-9	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm			299	422	43			
6	66785	1015299	EN 10219-2 / S235JRH	100 x 100 x 3.0 x 12000mm			299	422	43			
7	67974	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm			309	417	32			
8	67952	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm			309	417	32			
9	67940	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm			309	417	32			
10	67978	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm			309	417	32			
11	67981	515360-9	EN 10219-2 / S235JRH	40 x 40 x 2 x 6000mm			309	417	32			
12	66611	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm			324	431	31			
13	66616	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm			324	431	31			
14	66614	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm			324	431	31			
15	59978	SA01151	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm			330	480	28			
16	66627	0124120	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm			324	431	31			
17	66528	RI14381	EN 10219-2 / S235JRH	15 x 15 x 1.5 x 6000mm			330	480	28			

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.  
 Visual inspection: checked without any objection  
 Tolerances on dimensions and shape: pass

Drawn up,  
 Eng. Filipov Nicolai

Signature of the QCD representative,  
 Eng. Nekit Yuri



*(Handwritten signature)*

*(Handwritten signature)*