### thermo scientific




Nunc Lab-Tek chamber slides, chambered coverglasses, and flasks on slides

Seamless transition from culture to cellular imaging



#### Thermo Scientific™ Nunc™ Lab-Tek™ Chamber Slide System

Seed, incubate, fix, and stain on a single microscope slide using the chamber slide system with removable chamber.




Biocompatible adhesive acts as a barrier between chamber and slide while the chamber is still attached. After removal of the chamber, the slide has a hydrophobic border to isolate individual wells.


## Lab-Tek II chamber slides, CC<sup>2</sup> glass

Chemically modified glass provides a positively charged growth surface that mimics poly-D-lysine; aids in the attachment of fastidious cells.

## Lab-Tek II chamber slides, RS glass

Soda-lime glass, with special cell culture treatment wash, aids in the attachment of cells to slide.





The silicone gasket between the chamber and slide acts as a physical barrier after the chamber is removed.

#### Lab-Tek chamber slides, Permanox™ plastic


Cell culture-treated surface allows attachment of most adherent cells.



Offers optimal optical clarity with minimal fluorescent background; features glass that is more resistant than plastics to solvents, acids, bases, and heat.



# Thermo Scientific<sup>™</sup> Nunc<sup>™</sup> Lab-Tek<sup>™</sup> Chambered Coverglasses Nonremovable chambers are mounted onto coverglasses and provide optimal optical characteristics required for live-cell imaging, high-magnification microscopy, and confocal image analysis.



flask if desired.

## thermo scientific

#### **Ordering information**

| No. of wells      | Suggested working volume (mL)               | Culture area (cm²/well) | Units per pack/carton/case | Cat. No. |
|-------------------|---|-------------------------|----------------------------|----------|
| Nunc Lab-Tek C    | hamber Slide System, soda-lime gla          | ss                      |                            |          |
| 1                 | 2.5-4.5                                     | 9.4                     | 8/16/96                    | 177372   |
| 2                 | 1.2–2.0                                     | 4.2                     | 8/16/96                    | 177380   |
| 4                 | 0.5-0.9                                     | 1.8                     | 8/16/96                    | 177399   |
| 8                 | 0.2-0.4                                     | 0.8                     | 8/16/96                    | 177402   |
| 16                | 0.1-0.2                                     | 0.4                     | 8/16/96                    | 178599   |
| Nunc Lab-Tek C    | hamber Slide System, Permanox pla           | stic                    |                            |          |
| 1                 | 2.5-4.5                                     | 9.4                     | 8/16/96                    | 177410   |
| 2                 | 1.2–2.0                                     | 4.2                     | 8/16/96                    | 177429   |
| 1                 | 0.5-0.9                                     | 1.8                     | 8/16/96                    | 177437   |
| 3                 | 0.2-0.4                                     | 0.8                     | 8/16/96                    | 177445   |
| Nunc Lab-Tek II   | Chamber Slide System, RS glass              |                         |                            |          |
| 1                 | 2.0-4.5                                     | 8.6                     | 8/16/96                    | 154453   |
| 2                 | 1.0-2.0                                     | 4.0                     | 8/16/96                    | 154461   |
| 1                 | 0.5–1.0                                     | 1.7                     | 8/16/96                    | 154526   |
| 3                 | 0.2–0.5                                     | 0.7                     | 8/16/96                    | 154534   |
| Nunc Lab-Tek II   | Chamber Slide System, CC <sup>2</sup> glass |                         |                            |          |
| 1                 | 2.0-4.5                                     | 8.6                     | 8/16/96                    | 154739   |
| )                 | 1.0-2.0                                     | 4.0                     | 8/16/96                    | 154852   |
| 1                 | 0.5–1.0                                     | 1.7                     | 8/16/96                    | 154917   |
| 3                 | 0.2–0.5                                     | 0.7                     | 8/16/96                    | 154941   |
| Nunc Lab-Tek C    | chambered Coverglass, 1.0 borosilica        | ate glass               |                            |          |
|                   | 2.5-4.5                                     | 9.4                     | 8/16/96                    | 155361   |
| )                 | 1.2–2.0                                     | 4.2                     | 8/16/96                    | 155380   |
| 1                 | 0.5-0.9                                     | 1.8                     | 8/16/96                    | 155383   |
| 3                 | 0.2-0.4                                     | 0.8                     | 8/16/96                    | 155411   |
| Nunc Lab-Tek II   | Chambered Coverglass, 1.5 borosili          | cate glass              |                            |          |
| 1                 | 2.0-4.5                                     | 8.6                     | 8/16/96                    | 155360   |
| 2                 | 1.0-2.0                                     | 4.0                     | 8/16/96                    | 155379   |
| 1                 | 0.5–1.0                                     | 1.7                     | 8/16/96                    | 155382   |
| 3                 | 0.2-0.5                                     | 0.7                     | 8/16/96                    | 155409   |
| Nunc Lab-Tek F    | lask on Slide, Flaskette format, glass      | s slide                 |                            |          |
| 1                 | 2.5-5.0                                     | 10                      | 8/16/96                    | 177453   |
| Nunc Lab-Tek F    | lask on Slide, SlideFlask format, pol       | ystyrene slide**        |                            |          |
| 1                 | 2.5-5.0                                     | 9.0                     | 5/–/50                     | 170920   |
| ** Nunclon™ Delta | surface                                     |                         |                            |          |

<sup>\*\*</sup> Nunclon™ Delta surface.

Accessory products

| 7.000000. y producto          |                      |                 |                     |          |  |  |  |
|-------------------------------|----------------------|-----------------|---------------------|----------|--|--|--|
| Description                   | Material             | Dimensions (mm) | Units per pack/case | Cat. No. |  |  |  |
| Coverglass for 16             | 6-well chamber slide |                 |                     |          |  |  |  |
| Accessory for Cat. No. 178599 | Glass                | 22 x 47         | <b>-</b> /96        | 171080   |  |  |  |
| Coverglass for SI             | ideFlask             |                 |                     |          |  |  |  |
| Accessory for Cat. No. 170920 | Glass                | 18 x 50         | 100/1,000           | 171862   |  |  |  |

