

Test Report No.SDHL2302002682FT Date: Mar 07, 2023 Page 1 of 9

COMFORT OFFICE FURNITURE CO., LTD GUANGDONG ROOM 1901, NO. 6, XINGSHA ROAD, NANSHA DISTRICT, GUANGZHOU, GUANGDONG PROVINCE, CHINA 511458

Sample Description : ERGOHUMAN OFFICE CHAIR
Style No. : ERGOHUMAN PROJECT 2

Item No. : EHB2WB

Client Reference Information : Style No.: ERGOFIT 2

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Sample Receiving Date : Feb 27, 2023

Test Performing Date : Feb 28, 2023 to Mar 06, 2023

Test Performed : Selected test(s) as requested by applicant

Test Result Summary

No.	Test(s) Requested	Result(s)	Comments
1	EN 1335-1:2020+A1:2022 (Type B), excluding information for use	PASS	1
For fo	urther details, please refer to the following page(s)		

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

Mars Leurg

Marco Leung Authorized Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overlead, available on request or accessible at http://www.sos.com/en/terms.and-Conditions.asxy and, for electronic Documents at http://www.sos.com/en/terms.and-Conditions/ferms-e-Document as the theory of the description of the conditions of the electronic Documents at http://www.sos.com/en/terms-and-Conditions/ferms-e-Document.asxy attention is drawn to the limitation of illushity, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained the contained of the contained of

1行「Subs_Engrape Industries (No.N.) State Sub-Rau(Mata Sudar Datan Rev.) Surak_Rau(Mata Sudar Data



No.SDHL2302002682FT

Page 2 of 9

Test Conducted:

EN 1335-1:2020+A1:2022 Office furniture – office work chair – Part 1: Dimensions – Determination of dimensions, excluding information for use.

Test Ambient Conditions	Requirements	Actual
Temperature	15 °C to 25 °C	20.0 °C
Humidity	1	50 %

Date: Mar 07, 2023

Sample information:

No. of sample: 1 pc. (Sample 1)

Overall size: 710 mm D x (730~780) mm W x (1140~1330) mm H

Weight: 21.05 kg

Work Chair Type: Type B

Work Chair Functions:

Seat height:AdjustableSeat depthAdjustableSeat pad angle:AdjustableBack height:AdjustableBack angle:AdjustableLumbar support:AdjustableArmrest:AdjustableNeck/head rest:With

Decision Rule for Measurement Uncertainty:

The decision rule to judge if a result is compliant is when the measured value is within the requirement (i.e. less than or equal to an upper limit, greater than or equal to a lower limit), without taking into consideration the measurement uncertainty.

Dimension	Con		Req	uireme	nts	B	Barrille .	
Dimension	Sep.	Туре	Ax	Α	В	С	Record	Results
8 Dimension Require	ments		H-	L			Dimension	n in millimeters
	8	Allow (-)	yes	yes	yes	yes	Min. a= 420	
а	9	Min	400	400	420	430		
Sitting height		Max	540	520	510	480		
(See footnote "a", "b" & "c")	14	Allow (+)	yes	yes	yes	yes	Max. a= 530	PASS
	15	Min. range	160	130	100	80	Range= 110	

Footnote

- a. For tall office work chairs the seat height is determined as the vertical distance measured at the front of the seat, from the loaded seat to the floor or top of the foot support. The foot support shall have a minimum diameter of 20 mm or be flat.
- b. For type Ax only, the range can be achieved e.g. by using a telescopic gas cylinder or by providing more than one gas cylinder.
- c. Sitting height is only applicable for chairs with seat pad angles less than 0 (rearwards slope).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overled, available on request or accessible at http://www.sos.com/en/terms-and-Conditions.asxx and, for electronic Documents at http://www.sos.com/en/terms-and-Conditions/ferms-e-Document as the accession of the conditions from the company attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced second in full, without prior written approval of bigglions under the transaction documents. This document cannot be reproduced second in full, without prior written approval of the Company. Any unauthorized alteration, forgery in silieration of the content of results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

| 行「alder_impervinetali (Pa), vi Shini (Nash Rati, Nash Rati, Na



No.SDHL2302002682FT

)ate:	Mar 07.	2023	Page 3 of 9
Julu.	ITIGI OI .	LULU	1 440 5 01 5

Dimension	C		Req	uireme	nts	Danami	D14-	
Dimension	Sep.	Туре	Ax	Α	В	С	Record	Results
	10	Allow (-)	yes	yes	yes	yes	Min. b= 400	
b	10	Min	380	425	425	425	Will 1. D= 400	
*	16	Max	430	450	445	-		
Adjustable depth of the seat		Allow (+)	yes	yes	yes	yes	Max. b= 450	PASS
		Min. range	70	70	50		Range = 50	
b Fixed depth of the seat		Allow (-)			no	no		
		Min			425	425		NA
	10	Max	no	no	485	16 	b = /	
	10	Allow (+)	110	no	no	yes	D = /	
		Min. range			fixed	fixed		
f	2	Allow (-)	yes	yes	yes	yes	Min. f = 160~220	
		Min	170	170	170	170	September of Associate Residence	PASS
	1	Max	300	300	300	300		
Adjustable height of lumbar support		Allow (+)	yes	yes	yes	yes	Max. f = 210~300	
	3	Min. range	70	70	50		Range = 140	
		Allow (-)			no	no		
f		Min			170	170	-	
	1	Max	no	l no	300	300	f = /	NA
Fixed height of lumbar support		Allow (+)	no	no	no	no	1 - 1	INA
otto tried		Min. range			-	115		
q		Allow (-)	yes	yes	yes	yes		
May diatanas fram		Min	_	2	120	1120		
Max. distance from	12	Max	200	300	350	400	May a = 280	DV66
the backrest to the front the armrests	12	Allow (+)	no	no	no	no	- Max. q = 289	PASS
(See footnote "d")		Min. range	_	_	1=1	:2		

Footnote:

d. The distance q shall be measured when the minimum usable armrest area template, 150 mm x 50 mm (Type Ax and Type A) or 150 mm x 40 mm (Type B and Type C), are parallel to the median plane of the seat.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agsx and for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document.ags Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unsuthorized alteration, forget raisification of the content results shown in this lest report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



No.SDHL2302002682FT

Dimension	Com		Req	uireme	nts		Record	Results
Dimension	Sep.	Туре	Ax	Α	В	С		Results
r		Allow (-)	no	no	no	no		
Hip breadth		Min	480	480	460	460]	
clearance when	OF.	Max		-	(14)	8 = 1	Min. r = 500	PASS
armrests are in widest position	25	Allow (+)	yes	yes	yes	yes	Will. 1 = 500	PASS
(See footnote "e")		Min. range	-	-				
z		Allow (-)	yes	yes	yes	yes	Min. z = 340	
Adjustable clear		Min	410	410	460	460		PASS
distance between	26	Max	510	510	510	510	Max. z = 510	
armrest pads	20	Allow (+)	yes	yes	yes	yes		FASS
(See footnote "e" & <i>"f"</i>)		Min. range	-	-		-		
z		Allow (-)			no	no		
Fixed clear distance		Min	1		460	460		
between armrest	26	Max]	l no	510	510	Min. z = /	NA
pads	26	Allow (+)	no	no	no	yes	IVIIII. Z – /	INA
(See footnote "e" &		Min.						

Date: Mar 07, 2023

Page 4 of 9

Footnote:

e. The gap shall be retained across the height adjustment range of the armrests for functional fit.

Min. range

f. The clear distance 'z' shall be measured when the minimum usable armrest area templates, 150 mm x 50 mm (Type Ax and Type A) or 150 mm x 40 mm (Type B and Type C), are parallel to the median plane of the seat.

2000	13	Allow (-)	yes	yes	yes	yes	Min. p = 200	
p		Min	200	200	225	200		
	Max Allow 18 (+) Min. range	Max	290	290	250	250		PASS
Height of armrests adjustable			yes	yes	yes	yes	Max. p = 291	PASS
		100000000000	100	100	50	10 -0	Range = 91	
		Allow (-)			no	no	Min. p = /	
р		Min			225	200		
#	13	Max	no	no	275	250		NA
Height of armrests not adjustable	13	Allow (+)	110	no	no	no		INA
	N	Min. range			-	N <u>B</u>		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.asox and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asox Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized afferation, foregree fursification of the content of the conte



No.SDHL2302002682FT

Date: Mar 0	7. 2023	Page	5 c	of	ć

Dimension	Sep.		Req	uireme	nts		Record	Dooulto
Dimension	Sep.	Туре	Ax	Α	В	С		Results
		Allow (-)	no	no	no	no		
		Min	400	400	400	400	Min. d = 500	PASS
d	19	Max	-	7-0	(3=)	86 4 6		
Seat pad width	19	Allow (+)	yes	yes	yes	yes		
		Min. range	-	-	: : = :	(
<i>c</i> Seat pad depth		Allow (-)	no	no	no	no		
		Min	380	380	380	380		PASS
	20	Max	-	15%		11-5	Min. c = 480	
	20	Allow (+)	yes	yes	yes	yes	- Min. c = 480	
		Min. range	Ē	-		(6		
	11	Allow (-)	no	no	no	no	Min. h = 644	
h		Min	360	360	360	360		
п	17	Max	2	2	121	02	Max. h = 644	PASS
Backrest height		Allow (+)	yes	yes	yes	yes		1 400
		Min. range	-	-	-			
		Allow (-)	no	no	no	no		
		Min	360	360	360	360		
j	21	Max	-	-	(-)	0=	Min. j = 465	PASS
Backrest width	21	Allow (+)	yes	yes	yes	yes	Will 1.] = 403	FAGS
		Min. range	-	-	-	1057		
		Allow (-)	no	no	no	no		
k Radius of backrest		Min	400	400	400	400		
	22	Max	-	-		-	Min k = 670	PASS
	22	Allow (+)	yes	yes	yes	yes	Min. k = 670	PASS
		Min. range	-	-	13=11	82		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unsuthorized attention, forget parties of the content of the



No.SDHL2302002682FT

Date: Mar 07, 2023

Page 6 of 9

Dimension	e _c -		Req	uireme	nts		Booked	Dogult-
Dimension	Sep.	Туре	Ax	Α	В	С	Record	Results
		Allow (-)	no	no	no	no		
		Min	150	150	150	150	-	PASS
n	10128	Max	-	-	-	-		
2 00 00	23	Allow					Min. n = 265	
Armrest length		(+)	yes	yes	yes	yes	-	
		Min. range	-	-	3=3	(i=		
		Allow	no	no	no	no		
		(-) Min	50	50	40	40		PASS
O	Negrosia.	Max	- 50	- 50		-	0077445	
Armrest width	24	Allow	yes	yes	yes	yes	Min. o = 88	
		(+) Min.						
		range	-	-	-	-		
s		Allow (-)	yes	yes	yes	yes		
		Min	=	120	541	52		
	27	Max	415	415	415	415	Max. s = 375	PASS
Offset of the underframe	21	Allow (+)	no	no	no	no		1 400
		Min.	-	-	-			
Angle Requirements		range	L				Δης	le in degrees
		Allow (-)	no	no	no	no	Alig	ie in degrees
Y		Min	90	90	90	90	-	
Angle between seat		Max	-	-	-	-	-	U.S. SANSON FOR
and back	4	Allow (+)	yes	yes	yes	yes	γ = 101.90	PASS
(See footnote "a")	1	Min.					-	



Min. range

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions.asox and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asox Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized afferation, foregree fursification of the content of the conte



No.SDHL2302002682FT

Date: Mar 07, 2023

Page 7 of 9

Dimension			Req	uireme	nts		Booord	D
Dimension	Sep.	Туре	Ax	Α	В	С	Record	Results
	6	Allow (-)	yes	yes	yes	yes	Min. e = -19.20	
е		Min	0	0	-2	-2		
Seat pad angle adjustable		Max	_	-	3=3	55 — 3		
	7	Allow (+)	yes	yes	yes	yes	Max. e = -0.30	PASS
		Min. range	9	-				
e Min. adjustment range (See footnote "b")	7	Allow (-) Min Max Allow (+) Min. range	5	5	5	5	Range = 18.90	PASS
		Allow (-)		2	no	no		30
		Min			+2	+2		
e	6	Max	no	no	-5	-7	Θ=/	NA
Seat pad angle fixed	0	Allow (+)	110	110	no	no	- <i>e</i> = 7	INA.
		Min. range			0=8	82		

Footnote:

b. The adjustment range shall include the specified seat pad angle.

Annex C - Dimension	s of ne	ck rests a	nd head	drests (Informa	tive)	Dimension i	n millimetres
x Height of adjustable neck rest or head rest	28	Allow (-)	no	no	no	no	Min. x = 689	For reference only.
		Min	550	550	590	590		
		Max	740	740	-	020	Max. x = 765	
		Allow (+)	yes	yes	yes	yes		
		Min. range	-		0=0	(a - 1		
x Height of fixed neck rest or head rest	28	Allow (-)	no	no	no	no	- Min. x = /	NA
		Min			590	590		
		Max			-			
		Allow (+)			yes	yes		
		Min. range			H a i	150		



1443, or email: CM.Doccheckle_egs_com 作了越身后来的格式排除。1484年20月间,1484



Test Report No.SDHL2302002682FT Date: Mar 07, 2023 Page 8 of 9

Test Methods and Requirements	Test Results	
9 Information for use Information for use shall be available in the language of the country in which it will be delivered to the end user. It shall contain at least the following details: a) the Type of chair (Type Ax, Type A, Type B or Type C); b) information regarding the intended use; c) instructions for operating the adjusting mechanisms; d) assembly instructions, where applicable; e) instructions for the care and maintenance of the chair; f) if the chair is fitted with castors, Information on the choice of castors in relation to the floor surface.	NR	

Remark:

- NA Not applicable; NR Not requested.
- 2. According to client's statements, the tested Style No. ERGOHUMAN PROJECT 2 is identical to the Style No. as stated in "Client Reference Information" column on the first page.
- 3. For the sample information and pictures, please refer to the following page.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgx and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Citient's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized attention, forget risilification of the content results shown in this lest report refer only to the sample(s) tasked and such sample(s) are retained for 30 days only.



No.SDHL2302002682FT

Page 9 of 9

Photo Appendix





Date: Mar 07, 2023





Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sos.com/en/Terms-and-Conditions.aspx.and. for electronic Promat documents subject to Terms and Conditions from the Company and Conditions of Service produced the Conditions of Service produced the Company and Conditions on the Company and Conditions only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed parties to a condition of Conditions of Conditio