

## Features

- Built-in incubator
- Automatic stirring system
- Five points calibration
- Accurate measurement without influence from pathological sample during the test
- Open system for reagent, low reagent consumption (50µl-100µl)
- Automatic storage, printout calculation parameter curve
- Large memory and review system
- User friendly software

## Assay Report Specifications

- Prothrombin Time
- Activated Partial Thromboplastin Time
- Thrombin Time
- Fibrinogen Concentration
- Clotting factors are expressed in the of time (sec.), ratio or INR

## Technical Specifications

Item	CA-01	CA-02
Channel	Single	Double
Built-in Incubator	37°C±0.2°C, capacity for 16 sample positions and 2 reagent positions.	37°C±0.2°C, capacity for 2×16 sample positions and 2×2 reagent positions.
Measuring System	Photometric	
Beam Source	LED	
Magnetic Stirring Motor	For measuring cuvette	
Data Input	Membrane keypad	
Display	Back—illuminated LCD	
Printer	Built-in thermal printer	
Operation Language	English, other languages on request	
Power Supply	AC 110V 60Hz / 220V 50Hz	
Dimensions	30cmx35cmx15cm	30cmx35cmx15cm
Weight	4.0kgs	4.0kgs

# CLINDIAG...

## The Reference for Quality and Service

# CLINDIAG



## CA-01/02

## Coagulometer

CE



ISO9001:2008 & ISO13485:2003