



Total Video Laryngoscope Solution

Video Laryngoscope solution can be used to provoke patients' glottis and expose epiglottis, guide medical staff to accurately intubate airway for anesthesia or first aid, and also for oral inspection and treatment.

Why use our Video Laryngoscope ?

Make air-way intubation more rapid, accurate, reduce damage, and can cope with difficult airway effectively.

01

02

More thorough, convenient for operation. Easy to record the case for sharing and teaching purpose.

Safer, reliable and suitable air-way management for neonate, difficult airway patient etc.

03

04

Allow doctors to better respond to emergency intubation patients and adapt to all rescue environment.

New generation product, multi-functional, convenient, durable, and good quality with affordable price.

05

Products' Advantages

Safety

1. Medical Grade Alloy with high flexure strength.
2. Upper connector design for more stable use.
3. Optional disposable version to avoid cross infection
4. Passing waterproof grade IPX7 testing



Cost Effective

1. Rechargeable lithium battery
2. High-cost-performance blade
3. 3-in-1 system integration


Intelligent

1. Anti-fog lens with power on used
2. Omnidirectional rotation screen design for better sight
3. One button operation for image, recording and review
4. Automatic coverage of full record
5. Low battery alarm notice.

Reusable Video Laryngoscope CR-31

Product Parameter Table


Parts	Description	Technical Index	
		3 Inch Host	4.5 Inch Host
Machine	Display	3" screen	4.5" Touchable screen
	Resolution Ratio	960*720	1280*720
	Viewing Angle	≥60°	≥60°
	Power	<2W	<2W
	Display rotation angle (Vertical, horizontal)	0°~150°, 0°~270°	0°~150°, 0°~270°
	Weight	150g	220g
Camera	Illuminance	≥400 LUX	≥400 LUX
	Resolution Ratio	1280*720 px	1280*720 px
Image / Video Function	Image / Video function	Yes	Yes
	Output: Easy to storage and establish image/video/Review	USB output	Type C output
	Memory type	Micro SD card 16GB, automatic coverage of full record	
Battery	Battery type	Rechargeable lithium battery	
	Capacity	2500mAh	3300mAh
	Cycle life of battery	>1000 times	>1000 times
	Battery working time	>3.5 hrs	>5 hrs
	Charging Time	<3.5 hrs	<4 hrs
	Charging Port	Micro USB	Type C
Power Adapter	Input	100-240V, 50/60Hz.	100-240V, 50/60Hz.
	Output	5V2A	5V2A



Reusable Blade Parameter

Blade	MIL00	MILO	MAC1	MAC2	MAC3	MAC4	D blade
Application	Premature	Neonate	Pediatric	Small Adult	Adult	Large Adult	Difficult airway
Intubation Inner Diameter	1.5-2.5mm	2.5-4.0mm	4.0-6.0mm	5.0-6.0mm	6.0-9.0mm	7.5-10.0mm	7.5-10.0mm
Length (cm)	6.0	8.2	10.45	12.11	14.25	16.08	13.27
Sterilize Method	Sterilized by low temperature Hydrogen Peroxide Gas Plasma (HPGP) or Glutaraldehyde immersion						

Disposable Video Laryngoscope CR-31D



Disposable Blade Parameter


Blade	MIL00	MILO	MAC1	MAC2	MAC3	MAC4
Application	Premature	Neonate	Pediatric	Small Adult	Adult	Large Adult
Intubation Inner Diameter	2.0-3.0mm	2.5-4.0mm	4.0-6.0mm	5.0-6.0mm	6.0-9.0mm	7.5-10.0mm
Length (cm)	7.4	8.2	10.45	12.11	14.25	16.08
Sterilize Method (For Holder)	Sterilized by low temperature Hydrogen Peroxide Gas Plasma (HPGP) or Glutaraldehyde immersion					

Video Lighted Intubation Stylet CR-VLS



- Malleable Stylet
- Total 6*ring of LED lights
- Medical Grade Alloy
- Difficult Visualization

Easy & Affordable



The best choice for difficult and routine airways

Item Code	Type	O.D.Size	Tube Size
CR-VLS-P	Neo/Ped	2.8 mm	3.0 - 6.0 mm
CR-VLS-A	Adult	4.5 mm	> 5.5 mm
Sterilize Method	Sterilized by low temperature Hydrogen Peroxide Gas Plasma (HPGP) or Glutaraldehyde immersion		