



BACTICID AF

Alcohol based rapid disinfectant for medical devices

Bacticid AF is alcohol-based rapid disinfectant for non-invasive medical devices and alcohol resistant surfaces. Perfect product in higher hygiene requirements, where rapid and regular surface disinfection is required. The product comes as a ready solution which is very convenient to use. It does not contain aldehydes, fragrance and colorants and is suitable for all alcohol-resistant surfaces.

Bacticid AF has a broad spectrum of bactericidal (incl. MRSA, VRE), mycobactericidal (incl. Mycobacterium avium and Mycobacterium terrae), limited virucidal (incl. HBV, HIV, HCV, Adeno, Noro, Vaccinia), fungicidal and yeasticidal activity.

APPLICATION AREAS:

Alcohol-based rapid disinfection of medical devices and other surfaces, where short contact times are required, for example in the following areas:

- Hospitals and other medical institutions
- Operating theatres and procedure rooms
- Intensive care unit
- In accident and emergency departments
- Dialysis departments
- Family doctor offices, first-aid stations
- Ambulances
- Laboratories and diagnostics.
- Dentist's offices
- For home care of patient
- Food industry and food processing areas
- Pharmaceutical and cosmetics industry

USAGE:

BACTICID AF is ready for use solution and can be applied on the surfaces by wiping or spraying.

Surface disinfection by wiping: Apply a sufficient amount of BACTICID AF to a suitable single-use non-woven wipe and wipe the surfaces.

Surface disinfection by spraying: Spray BACTICID AF onto surfaces from a distance of at least 30 cm. Recommended use for difficult to reach surfaces.







Ensure complete coverage. The surfaces must remain visibly moistened for 30 seconds to take effect. Maximum application rate 50 ml/m².

Bacticid AF is an effective product for rapid disinfection of surfaces like operating tables, examination couches, stretchers, patient chairs, wheelchairs, medical equipment, trays, trolleys, hospital and maternity beds.

If the surface tolerance is unknown, try it out on an inconspicuous area first. This product is not suitable for acrylic or Plexiglas® nor alcohol soluble varnish.

MICROBIOLOGY:

| Efficacy | Concentration | Contact time |
|---|---------------|--------------|
| Escherichia coli | Ready to use | 30 sec |
| Pseudomonas aeruginosa | Ready to use | 30 sec |
| Staphylococcus aureus | Ready to use | 30 sec |
| Enterococcus hirae | Ready to use | 30 sec |
| Staphylococcus aureus MRSA | Ready to use | 30 sec |
| Vancomycin-Resistant Enterococci (VRE) | Ready to use | 30 sec |
| Candida albicans | Ready to use | 30 sec |
| Mycobacterium terrae | Ready to use | 30 sec |
| Mycobacterium avium | Ready to use | 30 sec |
| All enveloped viruses (incl. HIV, HBV, HCV, Vaccinia) | Ready to use | 15 sec |
| Noro virus | Ready to use | 15 sec |
| Adeno virus | Ready to use | 30 sec |

BACTICID AF is tested according to the following European standards: EN 13624, EN 13697, EN 13727, EN 14348, EN 14476, EN 14561, EN 14562, EN 14563.

INGREDIENTS:

100 g of product contains active ingredients: ethanol 57 g, isopropanol 6 g.

PRECAUTIONS:

Highly flammable liquid and vapour.

Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Wear protective gloves

Store in a well-ventilated place. Keep cool

Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively

PACKAGING:

| 0,5L | spray bottle |
|------|--------------|
| 1 L | spray bottle |
| 5 L | canister |

AS Chemi-Pharm, Pöllu 132, Tallinn, 109117, Estonia, www.chemi-pharm.com