

With LOGIQ® E9 E-Series transducers, you now have the power to acquire extraordinary images on every patient, with transducer technology that helps increase penetration without sacrificing resolution. And with a comprehensive selection of transducers, you now have the tools that enable you to do the things you've never imagined ultrasound could do.



## E-Series transducers

E-Series transducers help you acquire extraordinary images. The moment you put the transducer on the patient, these highly advanced, ergonomically designed transducers work with the Agile Acoustic Architecture of the LOGIQ E9 to help improve image quality.

**Acoustic Amplifier Technology** achieves higher sensitivity by recycling the unused acoustic energy that previously passed through the transducer crystal.

**Single Crystal Technology** uses new to advanced ceramic materials to increase bandwidth, offering better signal

to noise and improved axial resolution and penetration.

**Matrix Array Technology** uses multiple rows of crystals to help achieve uniform resolution throughout the field of view.

**Advanced Ergonomic Design** features lightweight polymers and light, flexible cables for ease of movement. Transducers are shaped for proper grip so they fit the hand comfortably, with ridges for improved handing.

| S1-5  |
|-------|
| S4-10 |
| M5S-D |
| 6S-D  |

| Description                                         | Applications                         | FOV  | Bandwidth   | Biopsy Guide                                          | Volume<br>Navigation |  |  |  |
|-----------------------------------------------------|--------------------------------------|------|-------------|-------------------------------------------------------|----------------------|--|--|--|
| Sector                                              |                                      |      |             |                                                       |                      |  |  |  |
| Broad-spectrum<br>sector transducer                 | Abdominal,<br>Obstetrics, Gynecology | 90°  | 2-6 MHz     | Multi-angle,<br>disposable with a<br>reusable bracket | Yes                  |  |  |  |
| Broad-spectrum<br>sector transducer                 | Neonatal, Pediatrics                 | 90°  | 4-10 MHz    | No                                                    | Yes                  |  |  |  |
| Broad-spectrum<br>sector matrix array<br>transducer | Cardiac, Transcranial                | 120° | 2.7-8.0 MHz | No                                                    | No                   |  |  |  |
| Broad-spectrum<br>sector transducer                 | Adult Cardiac,<br>Pediatric Cardiac  | 90°  | 2-8 MHz     | No                                                    | No                   |  |  |  |

| Description                                                   | Applications                                        | FOV   | Bandwidth | Biopsy Guide                                           | Volume<br>Navigation |
|---------------------------------------------------------------|-----------------------------------------------------|-------|-----------|--------------------------------------------------------|----------------------|
| Convex                                                        |                                                     |       |           |                                                        |                      |
| Broad-spectrum<br>convex transducer                           | Abdominal, Obstetrics,<br>Gynecology, Urology       | 70°   | 1-5 MHz   | Multi-angle,<br>disposable with a<br>reusable bracket  | Yes                  |
| Broad-spectrum<br>convex matrix array<br>transducer           | Abdominal, Obstetrics,<br>Gynecology,<br>Pediatrics | 55°   | 2-7 MHz   | Multi-angle,<br>disposable with a<br>reusable bracket  | No                   |
| Micro-convex                                                  |                                                     |       |           |                                                        |                      |
| Broad-spectrum<br>micro-convex intra-<br>cavitary transducer  | Obstetrics,<br>Gynecology, Urology                  | 145°  | 3-11 MHz  | Single-angle,<br>disposable with a<br>reusable bracket | Yes                  |
| Linear                                                        |                                                     |       |           |                                                        |                      |
| Broad-spectrum<br>linear transducer                           | Vascular, Small Parts,<br>Pediatric, Abdominal      | 44 mm | 2-8 MHz   | Multi-angle,<br>disposable with a<br>reusable bracket  | Yes                  |
| Broad-spectrum<br>linear transducer                           | Vascular, Small Parts,<br>Abdominal, Pediatrics     | 38 mm | 3-11 MHz  | Multi-angle,<br>disposable with a<br>reusable bracket  | No                   |
| Broad-spectrum<br>linear matrix array<br>transducer           | Vascular, Small Parts,<br>Neonatal, Pediatrics      | 50 mm | 4-13 MHz  | Multi-angle,<br>disposable with a<br>reusable bracket  | No                   |
| Broad-spectrum<br>linear transducer                           | Small Parts, Vascular,<br>Intraoperative            | 25 mm | 4-14 MHz  | No                                                     | Yes                  |
| Real-time 4D                                                  |                                                     |       |           |                                                        |                      |
| Multi-frequency<br>real-time 4D<br>micro-convex<br>transducer | Obstetrics,<br>Gynecology, Urology                  | 145°  | 4-9 MHz   | Single-angle,<br>reusable                              | No                   |









IC5-9-D



9L-D



11L-D






L8-18i-D



RIC5-9-D



GE Healthcare 9900 Innovation Drive Wauwatosa, WI 53226 U.S.A.

RAB2-5-D

RAB4-8-D

RSP6-16-D

P2D

P6D

6Tc

www.gehealthcare.com



©2010 General Electric Company – All rights reserved.

General Electric Company reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Representative for the most current information.

GE, GE Monogram and LOGIQ are trademarks of General Electric Company.

GE Medical Systems Ultrasound & Primary Care Diagnostics, LLC, a General Electric company, doing business as GE Healthcare.