



# GIF-H185

Gastrointestinal videoscope – outstanding HDTV imaging for routine endoscopy.











# **HDTV** image quality

With the new EVIS EXERA III system, HDTV image quality delivers high-definition observation capabilities, even with the slim scope design.

# **NBI (Narrow Band Imaging)**

NBI in EVIS EXERA III 185 series scopes provides twice the viewable distance of EVIS EXERA II 180 series scopes and offers much greater contrast between blood vessels and mucosa. The greatly improved performance of NBI opens up exciting new clinical applications and reinforces NBI's position as the standard of care for GI endoscopy.

### **Close focus**

Close focus enables you to obtain an enlarged, close-up image simply by moving the scope tip as close as 2 mm from the mucosa.

## Slim design

This scope offers an excellent balance between size and performance, with HDTV image quality in a slim 9.2 mm diameter size.

### **Waterproof One-touch Connector**

A new connector design minimises the effort required for set-up prior to and in between cases. In addition, it is fully submersible and eliminates the need for a water-resistant cap and the associated risk of an expensive repair due to accidental immersion.



### **Specifications**

Optical system	Field of view	140°	
	Direction of view	Forward viewing	
	Depth of field	2–100 mm	
Insertion section	Distal end outer diameter	9.2 mm	
	Distal end enlarged		
	Air/water nozzle	Light-guide len	
	Objective lens		
	Right	Left	
	(8)		
		Instrument channel outle	
	Down		
	Insertion tube outer diameter	9.2 mm	
	Insertion tube outer diameter Working length	9.2 mm 1030 mm	
Instrument channel			
Instrument channel	Working length	1030 mm 2.8 mm	
Instrument channel	Working length Channel inner diameter	1030 mm 2.8 mm 3.0 mm from the distal end	



Bending section	Angulation range	Up 210°
		Down 90°
		Right 100°
		Left 100°
Total length	1350 mm	
Compatible	Video system center OLYMPUS CV-190	
EVIS EXERA system	Xenon light source OLYMPUS CLV-190	

Specifications, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.

