



I.P. "AGENȚIA SERVICII PUBLICE"

Departamentul înregistrare și licențiere a unităților de drept

Extras

**din Registrul de stat al persoanelor juridice
nr. 166541 din 03.02.2025**



Denumirea completă: **SOCIETATEA PE ACȚIUNI "EXIMOTOR".**

Denumirea prescurtată: **"EXIMOTOR" S.A.**

Forma juridică de organizare: **Societate pe acțiuni.**

Numărul de identificare de stat și codul fiscal: **1002600034712**

Data înregistrării de stat: **12.06.1995**

Sediu: **MD-2024, strada Aerodromului 15, ap. 6, mun. Chișinău, Republica Moldova.**

Genurile de activitate:

1. Comerț cu autoturisme și autovehicule ușoare (sub 3,5 tone);
2. Comerț cu alte autovehicule;
3. Întreținerea și repararea autovehiculelor;
4. Comerț cu ridicata de piese și accesorii pentru autovehicule;
5. Comerț cu amănuntul de piese și accesorii pentru autovehicule;
6. Comerț cu motociclete, piese și accesorii aferente; întreținerea și repararea motocicletelor;
7. Comerț cu ridicata al aparatelor electrice de uz gospodăresc, al aparatelor de radio și televizoarelor;
8. Comerț cu ridicata al altor bunuri de uz gospodăresc;
9. Comerț cu ridicata al mașinilor agricole, echipamentelor și furniturilor;
10. Comerț cu ridicata al mașinilor-unelte;
11. Comerț cu ridicata al mașinilor pentru industria minieră și construcții;
12. Comerț cu ridicata al altor mașini și echipamente;
13. Comerț cu ridicata al deșeurilor și resturilor;
14. Comerț cu ridicata nespecializat;
15. Comerț cu amănuntul în magazine nespecializate, cu vânzare predominantă de produse nealimentare;
16. Repararea mașinilor;
17. Repararea echipamentelor electrice;
18. Repararea și întreținerea altor echipamente de transport;
19. Repararea altor echipamente;
20. Colectarea deșeurilor nepericuloase;
21. Colectarea deșeurilor periculoase;
22. Lucrări de construcții a clădirilor rezidențiale și nerezidențiale;
23. Comerț cu amănuntul al articolelor și aparatelor electrocasnice, în magazine specializate;
24. Comerț cu amănuntul al mobilei, al articolelor de iluminat și al articolelor de uz casnic n.c.a., în magazine specializate;
25. Comerț cu amănuntul al echipamentelor sportive, în magazine specializate;
26. Comerț cu amănuntul al jocurilor și jucăriilor, în magazine specializate;
27. Comerț cu amănuntul al altor bunuri noi, în magazine specializate;
28. Comerț cu amănuntul prin standuri, chioșcuri și piețe al altor produse;
29. Comerț cu amănuntul prin intermediul caselor de comenzi sau prin Internet;
30. Comerț cu amănuntul efectuat în afara magazinelor, standurilor, chioșcurilor și piețelor;
31. Transporturi rutiere de mărfuri;
32. Depozitări;
33. Activități de servicii anexe pentru transporturi terestre;
34. Alte activități poștale și de curier;
35. Alte intermediieri financiare n.c.a.;
36. Închirierea și exploatarea bunurilor imobiliare proprii sau închiriate;
37. Activități de consultanță pentru afaceri și management;
38. Activități ale agențiilor de publicitate;



39. Servicii de reprezentare media;

Capitalul social: **600000 Lei**

Administrator(i): **SOCOLOVA NATALIA.**

Beneficiari efectivi: **SOCOLOVA NATALIA.**

Prezentul extras este eliberat în temeiul art. 34 al Legii nr.220/2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de 03.02.2025

Specialist coordonator

Aurelia Racu

tel. 022-207839





GUVERNUL
REPUBLICII
MOLDOVA



SERVICIUL FISCAL DE STAT



CERTIFICAT

privind lipsa sau existența restanțelor față de bugetul public național

Nr.
№

1638712

Din
От

05.08.2025 16:38



DATE DESPRE CONTRIBUABIL / ИНФОРМАЦИЯ О НАЛОГОПЛАТЕЛЬЩИКЕ

Codul fiscal / Numărul de identificare

Фискальный код / Идентификационный номер

1002600034712

Denumirea

Наименование

SOCIETATEA PE ACȚIUNI "EXIMOTOR"



ATESTAREA LIPSEI SAU EXISTENȚEI RESTANȚELOR CONFORM DATELOR SISTEMULUI INFORMAȚIONAL AUTOMATIZAT / ПОДТВЕРЖДЕНИЕ ОТСУТСТВИЯ ИЛИ НАЛИЧИЯ ЗАДОЛЖНОСТЕЙ СОГЛАСНО ДАННЫМ ИНФОРМАЦИОННОЙ АВТОМАТИЗИРОВАННОЙ СИСТЕМЫ

La data emiterii prezentului certificat restanța față de bugetul public național constituie

На дату выдачи данной справки задолженность перед национальным публичным бюджетом составляет

0 MDL



VALABIL PÂNĂ LA / ДЕЙСТВИТЕЛЕН ДО

20.08.2025 16:38



Prezentul document este eliberat în temeiul Art. 29, alin. (3) din Legea cu privire la registre nr. 71/2007 și în baza datelor furnizate de Serviciul Fiscal de Stat în Portalul Guvernamental al Cetățeanului și al Unităților de Drept / Справка выдана в соответствие со ст. 29 п. (3) Закона о реестрах № 71/2007 на основании данных, предоставленных Государственной налоговой службой на Портале Правительства Гражданина и Юридических Лиц.

Generat și semnat de Portalul Guvernamental al Cetățeanului și al Unităților de Drept la 05.08.2025 16:38

Prezentul certificat este semnat electronic în conformitate cu Legea nr.124 din 19.05.2022

Сертификат подписан электронной подписью в соответствии с Законом № 124 от 19.05.2022



Certificatul este descărcat din Portalul Guvernamental al Cetățeanului și al Unităților de Drept (mcabinet.gov.md) și este semnat electronic de către posesorul acestui portal și are același valoare juridică ca și documentele eliberate pe suport de hârtie de către organele cu atribuții de administrare fiscală. Verificarea autenticității semnăturii electronice poate fi realizată cu ajutorul Serviciului Guvernamental de Semnătură Electronică (msign.gov.md)

Сертификат скачен с Правительственного Портала Гражданина и Юридических Лиц (mcabinet.gov.md) и подписан электронной подписью владельца портала и имеет такую же юридическую силу, как и документы выдаваемые на бумаге органами налоговой администрации. Проверку подлинности электронной подписи можно осуществить с помощью Государственной Службой Электронной Подписью (msign.gov.md)



BC „MOLDINDCONBANK” S.A.

Sucursala „Corporate”

Republica Moldova, MD 2001
mun. Chișinău, str. Tighina, 25
Tel. : (373 22) 62-45-44

Data 19. IUN. 2025

Nr. 41-09/263

Республика Молдова, MD 2001,
мун. Кишинэу, ул. Тигина, 25
Тел. : (373 22) 62-45-44

CERTIFICAT

B.C. „Moldindconbank” S.A. confirmă că "EXIMOTOR" S.A. IDNO 1002600034712 la data de 18.06.2025 deține următoarele conturi bancare:

Nr.	IBAN	Valuta
1	MD38ML000000022512092160	MDL
2	MD38ML000000022512092160	USD
3	MD38ML000000022512092160	EUR
4	MD38ML000000022512092160	RUB


Paulina Danoi

(semnătura reprezentantului Băncii)

(NP)

Director Sucursala

(functia)

Executor - Elena Dumbravanu (12930), Sucursala Corporate
Tel.- 080011111
Data/ora - 18.06.2025 / 17:30
CCF4

REPUBLICA



MOLDOVA

CERTIFICAT DE ÎNREGISTRARE

SOCIETATEA PE ACȚIUNI "EXIMOTOR"
ESTE ÎNREGISTRATĂ LA CAMERA ÎNREGISTRĂRII DE STAT

Numărul de indentificare de stat - codul fiscal
1002600034712

Data înregistrării

12.06.1995

Data eliberării

20.01.2005

Iovu Galina, registrator de stat

*Funcția, numele, prenumele persoanei
care a eliberat certificatul*

G. Iovu
semnătură

MD 0011311



Certificate of Registration

This is to certify that the Management System of:

MNG PLASTIK GOGIC d.o.o.

**Kralja Petra I 227
22320 Indija
Srbija**

has been approved by Alcumus ISOQAR and is compliant with the requirements of:

ISO 9001:2015

SRPS ISO 9001:2015



Certificate Number:

6513-Q15-001

Initial Registration Date:

26 September 2007

Previous Expiry Date:

26 September 2022

Recertification Date:

12 August 2022

Re-issue Date:

20 September 2022

Current Expiry Date:

26 September 2025

Scope of Registration:

Production of Plastic Materials and Plastic Containers, Plastic Tables and Chairs and Similar Objects

Signed:

Alyn Franklin, Chief Executive Officer
(on behalf of Alcumus ISOQAR)



A handwritten signature in blue ink, appearing to read 'Alyn Franklin'.

This certificate will remain current subject to the company maintaining its system to the required standard. This will be monitored regularly by Alcumus ISOQAR. Further clarification regarding the scope of this certificate and the applicability of the relevant standards' requirement may be obtained by consulting Alcumus ISOQAR.

Alcumus ISOQAR Limited, Alcumus Certification, Cobra Court, 1 Blackmore Road, Stretford, Manchester M32 0QY.

T: 0161 865 3699 **F:** 0161 865 3685 **E:** isoqarenquiries@alcumusgroup.com **W:** www.alcumusgroup.com/isoqar

This certificate is the property of Alcumus ISOQAR and must be returned on request.

Certificate of Registration

This is to certify that the Management System of:

MNG PLASTIK GOGIC d.o.o.

**Kralja Petra I 227
22320 Indija
Srbija**

has been approved by Alcumus ISOQAR and is compliant with the requirements of:

ISO 14001:2015

SRPS ISO 14001:2015



Certificate Number:

6513-E15-001

Initial Registration Date:

26 September 2007

Previous Expiry Date:

26 September 2022

Recertification Date:

12 August 2022

Re-issue Date:

20 September 2022

Current Expiry Date:

26 September 2025

Scope of Registration:

Production of Plastic Materials and Plastic Containers, Plastic Tables and Chairs and Similar Objects

Signed:

Alyn Franklin, Chief Executive Officer
(on behalf of Alcumus ISOQAR)



A handwritten signature in blue ink, reading 'Alyn Franklin'.

This certificate will remain current subject to the company maintaining its system to the required standard. This will be monitored regularly by Alcumus ISOQAR. Further clarification regarding the scope of this certificate and the applicability of the relevant standards' requirement may be obtained by consulting Alcumus ISOQAR.

Anexa №3

Date despre operatorul economic

1. Denumirea Firmei **EXIMOTOR SA**
2. Adresa Firmei **mun. Chișinău, str. Aerodromului 15, of 6**
3. Oficiul de înregistrare (dacă diferă de adresa Firmei) **mun. Chișinău, str. Albisoara 38A**
4. Codul fiscal / IDNO **1002600034712**
5. Telefon de contact **068607560**
6. E-mail **promo@coleso.md**
7. Tipul Firmei **privat**

privat, public, etc.

8. Fondatorul Firmei și ultimul Patron **Socolova Natalia**

9. Experiența în domeniu **28 ani**

10. Denumirea Băncii la care operatorul economic are deschis cont bancar și pe care cont vor fi achitate plățile:

- denumirea băncii completă (inclusiv dacă este cazul filiala/reprezentanța)
- **BC ProCreditBank SA**
- c/b **PRCBMD22**
- cod IBAN **MD08PR002251130060160201**

11. Persoana împuternicită de a semna contractul, inclusiv datele procurii valabile (dacă este cazul) cu anexarea copiei: **Socolova Anastasia**

12. Declarăm disponibilitatea de semnare a contractului cu semnătura electronică:

V DA

☐ NU, deoarece

(se va include justificarea de ce nu se poate de semnat contractul cu semnătură electronică)

Semnat: _____

Nume: **Socolova Natalia**

Funcția în cadrul firmei: **Director**

Denumirea firmei: **„Eximotor SA”**



Anlage / Appendix 1 zu / to



Zertifikat / Certificate

S 60177575

Blatt / Page

0001

Ihr Zeichen / Client Reference

Unser Zeichen / Our Reference

Ausstellungsdatum / Date of issue

HU24EQPV 001

26.08.2024

Bezeichnung /Designation:	Abmessungen /Overall dimensions (L x W x H) [mm]	Gewicht /Weight [kg]	Nennvolumen /Nominal volume [l]	Nominal Nutzmasse /Max. permissible mass [kg]	Werkzeug Nr. /Mold number (Behälter / Deckel) (Body / lid)
660 Liter Premium	1370 x 778 x 1228	36,9	660	310	WB.338.660.M1.K1 / WB.337.660.K2
770 Liter Premium	1370 x 778 x 1365	39,2	770	360	WB.338.770.M1.K1 / WB.337.660.K2
1100 Liter Premium	1370 x 1074 x 1344	44,6	1100	510	WB.345.1100.M6.K1 / WB.346.1100.M6.K2
1100 Liter Premium UL	1370 x 1074 x 1344	44,6	1100	510	WB.345.1100.M6.K1 / WB.637.1100.M15.K2
1100 Liter Urban	1370 x 1074 x 1355	43,1	1100	510	WB.631.1100.M15.K1 / WB.637.1100.M15.K2
1100 Liter Urban, LIL	1370 x 1074 x 1374	43,7	1100	510	WB.631.1100.M15.K1 / WB.637.1100.M15.K2 (2) / SP.638.M15.K2
1100 Liter Urban PL	1370 x 1074 x 1354	43,2	1100	510	WB.631.1100.M15.K1 / WB.346.1100.M6.K2

Material: HDPE Behälter /Container;
Gummiräder /Rubber wheels
Achse aus Stahl /Steel axle

Tibor Mózes

Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

S 60177575 0001

Berichtsnummer Report No.:

HU24EQPV 001

Genehmigungsinhaber License Holder:

MNG PLASTIK-GOGIC doo Indjija

Kralja Petra I 227

22320 Indjija

Serbia

Fertigungsstätte Manufacturing Site:

MNG PLASTIK-GOGIC doo Indjija

Kralja Petra I 227

22320 Indjija

Serbia

Prüfzeichen Test Mark:

Geprüft nach Tested according to:

EN 840-2:2020

EN 840-5:2020

EN 840-6:2020

RAL-GZ 951/1/08.23

AfPS GS 2019:01 PAK

Geräteidentifikation
Product Identification
Produkt:

Waste Bin

Product:

(Mobile waste container)

Modell:

Modelle sind auf nächste(r) Seite(n) gelistet

Type:

Type designation(s) are listed on the next page(s)

Technische Daten:

Anlage / Appendix 1

Technical Data:
Gültig bis:

2029-08-25

Date of expiry:
Gültig ab:

2024-08-26

Valid from:
Zertifizierungsstelle:

Certification body:

Ausstellungsdatum:

2024-08-26

Date of issue:

Mózes Tibor



Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
 Produkt und Fertigungsstätte erfüllen § 20 des
 Produktsicherheitsgesetzes.
 This certificate is based on our Testing and Certification Regulation.
 The provisions of §20 Product Safety Act are complied with.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg
<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

S 60177575 0001

Berichtsnummer *Report No.:*

HU24EQPV 001

Produkt *Product:*

Waste Bin
(Mobile waste container)

Modell *Type:*

Bezeichnung *Designation:*

Fahrbare Abfall- und Wertstoffbehälter mit 4 Rädern für Kammschüttungen
/Mobile waste and recycling container with 4 wheels for comb
lifting devices

660 Liter Premium
770 Liter Premium
1100 Liter Premium
1100 Liter Premium UL
1100 Liter Urban
1100 Liter Urban, LIL
1100 Liter Urban PL

Ersetzt Zertifikat /Replaces certificate S 60168352





"EXIMOTOR" SA

Rețea de magazine auto

Anexa nr. 22
la Documentația standard nr. _____
din "____" _____ 20____

I. Specificații tehnice

Numărul procedurii de achiziție <u>ocds-b3wdp1-MD-1753873434353</u> din <u>07.08.2025</u>						
Obiectul achiziției: <u>Procurarea tomberoanelor/containerelor pentru deseuri, cu capacitate 1100 litri</u>						
Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Bunuri/servicii						
Lot						
1	Procurarea tomberoanelor/containerelor pentru deseuri, cu capacitate 1100 litri	Tomberoane 1100 l pe 4 roți	Serbia	Plastic Gogic MNG	Plastic (HDPE) Nu se acceptă materie reciclată Greutatea – 51-55 Înălțime 1300-1400 mm Lățime 1030-1100 mm Înălțime fără roți - 1100 mm Lățime cu mânere 1200-1250 mm Lungime fără mânere - 1100-1200 mm Distanța dintre două roți - 800 mm Mânere armate Descărcarea mecanică - 8 buc – galben, 8 buc – verde, 8 buc – albastru etichetate pe fiecare fracție: Hârtie/carton; sticlă; deșeuri organice Termen de garanție minim 36 luni	Plastic (HDPE) Nu se acceptă materie reciclată Greutatea – 51-55 Înălțime 1300-1400 mm Lățime 1030-1100 mm Înălțime fără roți - 1100 mm Lățime cu mânere 1200-1250 mm Lungime fără mânere - 1100-1200 mm Distanța dintre două roți - 800 mm Mânere armate Descărcarea mecanică - 8 buc – galben, 8 buc – verde, 8 buc – albastru etichetate pe fiecare fracție: Hârtie/carton; sticlă; deșeuri organice Termen de garanție minim 36 luni
Total lot				24	24	
TOTAL						

Semnat: _____ Numele, Prenumele: Socolova Natalia În calitate de : Director Ofertantul ; Eximotor SA , Adresa : mun.Chisinau , str.Albisoara 38A, MD2005



Adresa juridică: RM, mun. Chișinău, MD-2024, str. Aerodromului 15/6
Adresa poștală: RM, mun. Chișinău, MD-2005, str. Albisoara 38A
tel. 0 22 407-747; fax. 0 22 407-956
e-mail: director@coleso.md
www.coleso.md



c/f 1002600034712
TVA 0603690
BC "ProCredit Bank" SA
c/d 2251130060160201
BIC: PRCBMD22



"EXIMOTOR" SA

Rețea de magazine auto

Anexa nr. 8

la Documentația standard nr. _____
din "____" _____ 20____

DECLARAȚIE privind valabilitatea ofertei

Către Primaria Floreni, MD-6521, MOLDOVA, Anenii Noi, s.Floreni (r-l Anenii Noi), str. Chisinaului 14

Stimați domni,

Ne angajăm să menținem oferta valabilă, Procurarea tomberoanelor/containerilor pentru deseuri, cu capacitate 1100 litri, prin procedura de achiziție Cererea ofertelor de prețuri (bunuri), pentru o durată de 40 (patruzeci zeci) zile, (durata în litere și cifre), respectiv până la data de 16.09.2025 (ziua/luna/anul), și ea va rămâne obligatorie pentru noi și poate fi acceptată oricând înainte de expirarea perioadei de valabilitate.

Data completării 06.08.2025 Cu stimă,

Ofertant/candidat



(semnătura autorizată)



Specificații de preț

[Acest tabel va fi completat de către ofertant în coloanele 5,6,7,8 și 11 la necesitate, iar de către autoritatea contractantă – în coloanele 1,2,3,4,9,10]

	Numărul procedurii de achiziție: <u>ocds-b3wdp1-MD-1753873434353</u> din <u>07.08.2025</u>
	Obiectul de achiziției: <u>Procurarea tomberoanelor/containerilor pentru deșeuri, cu capacitate 1100 litri</u>

Cod CPV	Denumirea bunurilor/serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)	Discount %
1	2	3	4	5	6	7	8	9	10	11
	Bunuri/servicii									
	Lotul 1									
34900000-6	Tomberoane 1100 l pe 4 roți	buc	24 8 buc - galben 8 buc - verde 8 buc - albastru	3 583,34	4 300,00	86 000,16	103 200,00	în termen de 30 de zile maxim de la semnarea contractului.		
	TOTAL					86 000,16	103 200,00			

Semnat:  Numele, Prenumele: Socolova Natalia În calitate de: Director

Ofertantul: Eximotor Sa Adresa: mun.Chisinau , str. Aerodromului 15/6



BANCA:

BC „MAIB” S.A.,
str. 31 august 1989, 127, mun. Chișinău, MD-2012, Republica Moldova
codul fiscal 1002600003778

SCRISOARE DE GARANȚIE BANCARĂ

pentru participare cu ofertă la procedura de atribuire a contractului de achiziție publică
nr. LD2521800326 din 6 august 2025

Către **Primaria Floreni**, cu sediul în MD-6521, Republica Moldova, Anenii Noi, s. Floreni (r-l Anenii Noi), str. Chisinaului nr. 14, codul fiscal 1007601011065 cu privire la procedura de atribuire a contractului privind Achiziționarea tomberoanelor/containerilor pentru deșeuri, cu capacitate 1100 litri, licitația publică nr. ocds-b3wdp1-MD-1753873434353 din 08 august 2025.

Subsemnata **BC „MAIB” S.A.**, cu sediul în mun. Chișinău, MD-2012, str. 31 august 1989, 127, codul fiscal 1002600003778 ne obligăm față de **Primaria Floreni**, să plătim suma de **2 233,00 MDL (două mii două sute treizeci și trei lei 00 bani)**, la prima sa cerere scrisă și fără ca acesta să aibă obligația de a-și motiva cererea respectivă, cu condiția, ca în cererea sa autoritatea contractantă să specifice că suma cerută de ea și datorată ei este din cauza existenței uneia sau mai multora dintre situațiile următoare:

1. Ofertantul **“Eximotor” S.A.** codul fiscal 1002600034712, își retrace sau modifică oferta în perioada de valabilitate a acesteia;
Prezenta ofertă rămâne valabilă pentru perioada de timp specificată în Anexa nr. 2 Anunțul de Participare, începând cu data-limită pentru depunerea ofertei, în conformitate cu Anexa nr. 2 Anunțul de Participare, și rămâne obligatorie și poate fi acceptată în orice moment până la expirarea acestei perioade;
2. Oferta sa fiind stabilită câștigătoare, ofertantul **“Eximotor” S.A.**, nu a constituit garanția de bună execuție;
3. Oferta sa fiind stabilită câștigătoare, ofertantul **“Eximotor” S.A.** a refuzat să semneze contractul de achiziție publică de bunuri/servicii;
4. nu se execută vreo condiție, specificată în documentația de atribuire înainte de semnarea contractului de achiziție publică de bunuri/servicii.

Orice litigiu apărut pe parcursul realizării prezentei garanții va fi soluționat pe calea negocierilor. În cazul când părțile nu vor soluționa litigiile apărute prin negocieri, acestea vor fi soluționate în conformitate cu legislația Republicii Moldova.

Prezenta garanție intră în vigoare la data de **07 august 2025** și este valabilă până la data de **30 septembrie 2025** inclusiv.

Ion Cociorva,
Director Relații Clienți Corporativi
BC “MAIB” S.A.

Digitally signed by Cociorva Ion
Date: 2025.08.06 16:41:32 EEST
Reason: MoldSign Signature
Location: Moldova

MOLDOVA EUROPEANĂ



Emiterea prezentei Garanții poate
fi verificată pe pagina web a băncii www.maib.md,
compartimentul Garanții bancare



GUVERNUL
REPUBLICII
MOLDOVA



SERVICIUL FISCAL DE STAT



CERTIFICAT

privind lipsa sau existența restanțelor față de bugetul public național

Nr.
№

1638712

Din
От

05.08.2025 16:38



DATE DESPRE CONTRIBUABIL / ИНФОРМАЦИЯ О НАЛОГОПЛАТЕЛЬЩИКЕ

Codul fiscal / Numărul de identificare

Фискальный код / Идентификационный номер

1002600034712

Denumirea

Наименование

SOCIETATEA PE ACȚIUNI "EXIMOTOR"



ATESTAREA LIPSEI SAU EXISTENȚEI RESTANȚELOR CONFORM DATELOR SISTEMULUI INFORMAȚIONAL AUTOMATIZAT / ПОДТВЕРЖДЕНИЕ ОТСУТСТВИЯ ИЛИ НАЛИЧИЯ ЗАДОЛЖНОСТЕЙ СОГЛАСНО ДАННЫМ ИНФОРМАЦИОННОЙ АВТОМАТИЗИРОВАННОЙ СИСТЕМЫ

La data emiterii prezentului certificat restanța față de bugetul public național constituie

На дату выдачи данной справки задолженность перед национальным публичным бюджетом составляет

0 MDL



VALABIL PÂNĂ LA / ДЕЙСТВИТЕЛЕН ДО

20.08.2025 16:38



Prezentul document este eliberat în temeiul Art. 29, alin. (3) din Legea cu privire la registre nr. 71/2007 și în baza datelor furnizate de Serviciul Fiscal de Stat în Portalul Guvernamental al Cetățeanului și al Unităților de Drept / Справка выдана в соответствие со ст. 29 п. (3) Закона о реестрах № 71/2007 на основании данных, предоставленных Государственной налоговой службой на Портале Правительства Гражданина и Юридических Лиц.

Generat și semnat de Portalul Guvernamental al Cetățeanului și al Unităților de Drept la 05.08.2025 16:38

Prezentul certificat este semnat electronic în conformitate cu Legea nr.124 din 19.05.2022

Сертификат подписан электронной подписью в соответствии с Законом № 124 от 19.05.2022



Certificatul este descărcat din Portalul Guvernamental al Cetățeanului și al Unităților de Drept (mcabinet.gov.md) și este semnat electronic de către posesorul acestui portal și are același valoare juridică ca și documentele eliberate pe suport de hârtie de către organele cu atribuții de administrare fiscală. Verificarea autenticității semnăturii electronice poate fi realizată cu ajutorul Serviciului Guvernamental de Semnătură Electronică (msign.gov.md)

Сертификат скачен с Правительственного Портала Гражданина и Юридических Лиц (mcabinet.gov.md) и подписан электронной подписью владельца портала и имеет такую же юридическую силу, как и документы выдаваемые на бумаге органами налоговой администрации. Проверку подлинности электронной подписи можно осуществить с помощью Государственной Службой Электронной Подписью (msign.gov.md)

English Version

**Mobile waste and recycling containers - Part 2: Containers with
4 wheels with a capacity up to 1 300 l with flat lid(s), for trunnion
and/or comb lifting devices - Dimensions and design**

Conteneurs roulants à ordures ménagères et recyclables -
Partie 3: Conteneurs à 4 roues de capacité inférieure ou
égale à 1300 l à couvercle(s) bombé(s), pour sève-
conteneurs par tourillon et/ou à peigne - Dimensions et
conception

Fahrbare Abfall- und Wertstoffbehälter - Teil 2: Behälter mit
4 Rädern und einem Nennvolumen bis 1300 l mit
Flachdeckel(n), für Schüttungen mit Zapfenaufnahme
und/oder für Kammschüttungen - Maße und Formgebung

This European Standard was approved by CEN on 22 September 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Volumes	5
5 Dimensions and design	5
6 Nominal mass	6
7 Safety and health requirements	6
8 Testing	6
9 Marking	6
10 Designation	7
Annex A (informative) Recommendations for manufacturers of lifting devices	15
Annex B (informative) A-Deviations	17
Bibliography	18

Foreword

This document (EN 840-2:2012) has been prepared by Technical Committee CEN/TC 183 "Waste management", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2013, and conflicting national standards shall be withdrawn at the latest by June 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 840-2:2004.

Technical changes since the latest edition:

- The content was adapted to the current state of the art and revised editorially.
- Figure 3 has been deleted.
- Frontal receivers Form B and C have been deleted. Figure 2 has been changed accordingly.

This European Standard is one part of the series of standards of EN 840 with the main title *Mobile waste and recycling containers* comprising the following parts:

- *Part 1: Containers with 2 wheels with a capacity up to 400 l for comb lifting devices — Dimensions and design;*
- *Part 2: Containers with 4 wheels with a capacity up to 1 300 l with flat lid(s), for trunnion and/or comb lifting devices — Dimensions and design (the present document);*
- *Part 3: Containers with 4 wheels with a capacity up to 1 300 l with dome lid(s), for trunnion and/or comb lifting devices — Dimensions and design;*
- *Part 4: Containers with 4 wheels with a capacity up to 1 700 l with flat lid(s), for wide trunnion or BG- and/or wide comb lifting devices — Dimensions and design;*
- *Part 5: Performance requirements and test methods;*
- *Part 6: Safety and health requirements.*

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies dimensions and design requirements of mobile waste containers with 4 wheels, with flat lid(s) and capacity up to 1 300 l to be used by trunnion and/or comb lifting device.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 840-5, *Mobile waste and recycling containers — Part 5: Performance requirements and test methods*

EN 840-6:2012, *Mobile waste and recycling containers — Part 6: Safety and health requirements*

EN 1501-1, *Refuse collection vehicles — General requirements and safety requirements — Part 1: Rear loaded refuse collection vehicles*

EN 1501-5:2011, *Refuse collection vehicles — General requirements and safety requirements — Part 5: Lifting devices for refuse collection vehicles*

EN ISO 11469, *Plastics — Generic identification and marking of plastics products (ISO 11469)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Terms for components of mobile waste containers and lifting devices in three languages are given in Annex A of EN 840-1:2012.

3.1

mobile waste and recycling container

appropriately designed container fitted with wheels intended to temporarily store waste

3.2

lifting device

structure which picks-up, tilts and empties containers

3.3

comb lifting device

lifting device in which the picking-up system consists of a row of teeth and a locking system to retain the container during emptying

3.4

trunnion lifting device

lifting device in which the picking-up system consists of a pair of arms with automatic locking mechanism to fit the trunnion to retain the container during emptying

3.5

volume

total space inside the container when the lid is closed

Note 1 to entry: See Table 1.

3.6**nominal volume**

capacity

volume stated by the manufacturer

Note 1 to entry: See Table 1 without tolerances.

Note 2 to entry: The English term "capacity" and the French term "capacité" are translated in the German version by the term "Nennvolumen".

3.7**nominal mass**

mass, which is calculated as given in Clause 6

3.8**total permissible mass**

mass of the container plus the nominal mass

3.9**functional and safety dimensions**

essential dimensions which ensure the functionality and interchangeability of the container with the compatible lifting device and which are necessary for the operator's safety and health

4 Volumes

This part of EN 840 identifies the two classes of containers:

- Class I - small size (nominal volume up to 1 000 l);
- Class II - large size (nominal volume between 1 000 l and 1 300 l).

Within the two above-mentioned classes of containers the following volumes are identified: 500 l, 660 l, 770 l, 1 000 l, 1 100 l and 1 200 l. Nominal volumes different from those referenced can be used by agreement between user and manufacturer. The tolerance of the volumes shall be $\pm 5\%$ maximum measured according to EN 840-5.

5 Dimensions and design

5.1 The design of the containers need not correspond to the drawings given in Figure 1. The functional dimensions given in Table 1 shall be respected. Recommendations for manufacturers of lifting devices are given in Annex A (see also EN 1501-1).

5.2 The container shall be constructed so that when it is unloaded or loaded with a nominal load (see Clause 6), it fits on an approved compatible lifting device. It shall be automatically locked safely into the lifting device during the lifting operation. If the container is equipped with a comb receiver, it shall correspond to Figure 2.

5.3 The lid(s) shall cover the opening of the container completely. It shall be opened easily by itself during the emptying cycle it/they shall be made with at least two fixing points and have at least one means of opening.

5.4 Handles fitted in front of the trunnion shall have a measurement over the handles of 10 mm less than the actual measurement in Table 1, dimension N° 33. The handles and their location also shall be designed so that they do not damage the operator.

5.5 If the container has ribs in the frontal receiver they shall meet the requirements of Figures 2 and 4.

5.6 The container shall have four swivel castors. Each swivel castor shall be capable of withstanding 1/3 of the total permissible mass. Each castor shall meet the requirements of EN 840-5. The container shall have facilities for mounting the castor plate according to at least one of the measurements as shown in Figure 5.

5.7 All the surfaces of the container including design features shall be smooth and free of any foreign bodies or flaws.

5.8 The container should have a drain plug.

5.9 When direction locks are fitted they shall be fixed on at least two castors.

5.10 The container should be fitted with two braked wheels to requirements of EN 840-5. In case of centralised braking and locking system the brake pedal and the lock shall be fixed on a lateral side of the container. The centralised locking shall be able to be unlocked with a standard triangular key as shown in Figure 6. The effectiveness of the centralised braking system shall conform to EN 840-5.

6 Nominal mass

The container shall be constructed strongly enough to carry a mass of $0,4 \text{ kg/dm}^3 \times \text{nominal volume}$. Containers with a nominal volume of more than 1 100 l shall be constructed strongly enough to carry a load of 440 kg.

7 Safety and health requirements

The container shall meet the safety and health requirements according to EN 840-6.

8 Testing

The container shall fulfil the performance requirements and the tests of EN 840-5.

9 Marking

9.1 Each container complying with the requirements of this part of EN 840 shall be durably and readably marked on the body in a visible part with:

- number of this European Standard (EN 840-2);
- nominal volume;
- manufacturer's name or trademark;
- total permissible mass, in kilograms;
- year and month of manufacturing.

9.2 Additional marking for quality, recycling, etc. is allowed. Starting five years after the publication of this standard, plastic parts of containers, lids and wheels shall be marked in accordance with EN ISO 11469. The use of recycled materials is allowed, presuming that all requirements of this standard are complied with.

10 Designation

The container complying with the requirements of this European Standard shall be designated as follows:

	Container	EN 840-2	660	A	O	264
Description						
Standard number						
Nominal volume, in litres						
Frontal receiver form:						
A = frontal receiver						
O = without frontal receiver						
Lateral receiver:						
A = trunnions						
O = without lateral receiver						
Nominal load, in kilograms						

Table 1 — Dimensions

Dimensions in millimetres


Dimension N°	Class I - Small sizes < 1 000 l			Class II - Large sizes ≥ 1 000 l			Remarks
	500 l	660 l	770 l	1 000 l	1 100 l	1 200 l	
1 ^a	1 370 ± 10	1 370 ± 10	1 370 ± 10	1 370 ± 10	1 370 ± 10	1 370 ± 10	In case of trunnions
2	680 max.	780 max.	800 max.	1 115 max.	1 115 max.	1 115 max.	Total width lid(s) closed
3	740 max.	850 max.	870 max.	1 190 max.	1 190 max.	1 190 max.	When lid open
4	1 370 max.	1 370 max.	1 370 max.	1 470 max.	1 470 max.	1 470 max.	
5 ^a	860 min.; 1 290 max.	860 min.; 1 290 max.	860 min.; 1 290 max.	860 min.; 1 290 max.	860 min.; 1 290 max.	860 min.; 1 290 max.	Tipping edge
6	480 ± 50	585 ± 50	585 ± 50	870 ± 50	885 ± 50	885 ± 50	
7 ^a	135 min.; 280 max.	135 min.; 280 max.	135 min.; 280 max.	135 min.; 280 max.	135 min.; 280 max.	135 min.; 280 max.	In case of trunnions and min 850 from ground
8 ^a	700 to 850	700 to 850	700 to 850	700 to 850	700 to 850	700 to 850	Handle position if present
9	600 to 850	600 to 850	600 to 850	600 to 850	600 to 850	600 to 850	Lock position if present
10 ^a	460 ⁰ ₋₄₅	460 ⁺⁶⁵ ₋₄₅	460 ⁺⁶⁵ ₋₄₅	500 ⁺¹⁵ ₋₄₀	500 ⁺¹⁵ ₋₄₀	500 ⁺¹⁵ ₋₄₀	In case of trunnions
11 ^a	Ø 200 ± 2 *)	Ø 200 ± 2 *)	Ø 200 ± 2 *)	Ø 200 ± 2 *)	Ø 200 ± 2 *)	Ø 200 ± 2 *)	*) Ø min 160 optional according to 5.3 of EN 840-0:2012
12 ^a	19 min.	19 min.	19 min.	19 min.	19 min.	19 min.	In case of frontal receiver
13 ^a	13 ⁺⁵ ₋₃	13 ⁺⁵ ₋₃	13 ⁺⁵ ₋₃	13 ⁺⁵ ₋₃	13 ⁺⁵ ₋₃	13 ⁺⁵ ₋₃	In case of frontal receiver
14 ^a	21 ⁺² ₋₂	21 ⁺² ₋₂	21 ⁺² ₋₂	21 ⁺² ₋₂	21 ⁺² ₋₂	21 ⁺² ₋₂	In case of frontal receiver
15	-	-	-	-	-	-	This dimension is used no longer.
16 ^a	26 ± 1	26 ± 1	26 ± 1	26 ± 1	26 ± 1	26 ± 1	In case of frontal receiver
17 ^a	58 max.	58 max.	58 max.	58 max.	58 max.	58 max.	In case of frontal receiver
18 ^a	20 min.	20 min.	20 min.	20 min.	20 min.	20 min.	In case of frontal receiver
19	130 max.	130 max.	130 max.	130 max.	130 max.	130 max.	When ribs are fitted
20	15 max.	15 max.	15 max.	15 max.	15 max.	15 max.	
21 ^a	33 ⁺⁸ ₋₁	33 ⁺⁸ ₋₁	33 ⁺⁸ ₋₁	33 ⁺⁸ ₋₁	33 ⁺⁸ ₋₁	33 ⁺⁸ ₋₁	In case of frontal receiver
23 ^a	Ø 40 ± 2	Ø 40 ± 2	Ø 40 ± 2	Ø 40 ± 2	Ø 40 ± 2	Ø 40 ± 2	In case of trunnions
24 ^a	670 ⁺³⁰ ₀	670 ⁺³⁰ ₀	670 ⁺³⁰ ₀	670 ⁺³⁰ ₀	670 ⁺³⁰ ₀	670 ⁺³⁰ ₀	The front of the container beneath the ribs of the lifting comb shall be smooth. No constructions shall protrude in this area.
25 ^a	350 ± 10	350 ± 10	350 ± 10	350 ± 10	350 ± 10	350 ± 10	Clearance for lifting device
26	380 ± 30	480 ± 30	480 ± 30	750 ⁺⁵⁰ ₋₄₀	750 ⁺⁵⁰ ₋₄₀	750 ⁺⁵⁰ ₋₄₀	
27	130 min.	130 min.	130 min.	130 min.	130 min.	130 min.	Ground clearance

Table 1 (continued)

Dimensions in millimetres

Dimension N°	Class I - Small sizes < 1 000 l			Class II - Large sizes ≥ 1 000 l			Remarks
	500 l	660 l	770 l	1 000 l	1 100 l	1 200 l	
28 ^a	1 275 max.	1 275 max.	1 275 max.	1 275 max.	1 275 max.	1 275 max.	Lid
29 ^a	1 185 min.	1 185 min.	1 185 min.	1 185 min.	1 185 min.	1 185 min.	Inside operating length of frontal receiver
30 ^a	1200 ⁺¹⁵ ₀	1200 ⁻¹⁵ ₀	1200 ⁺¹⁵ ₀	1200 ⁺¹⁵ ₀	1200 ⁻¹⁵ ₀	1200 ⁺¹⁵ ₀	Overall frontal receiver
31 ^a	1 265 max.	1 265 max.	1 265 max.	1 265 max.	1 265 max.	1 265 max.	Overall length of the top rim or handles
32	5 ⁻⁸ ₀	5 ⁺⁸ ₀	5 ⁺⁸ ₀	5 ⁻⁸ ₀	5 ⁻⁸ ₀	5 ⁻⁸ ₀	Optional
33 ^a	1260 ⁻²⁰ ₋₁₀	1260 ⁻²⁰ ₋₁₀	1260 ⁻²⁰ ₋₁₀	1260 ⁻²⁰ ₋₁₀	1260 ⁺²⁰ ₋₁₀	1260 ⁻²⁰ ₋₁₀	In case of trunnions around the centre lifting trunnion there shall be a radius of 150 mm. There shall not be any projection beyond the trunnion boss (see Figure 3).
34	880 ⁻⁷⁰ ₋₅₀	880 ⁻²⁰ ₋₅₀	880 ⁻²⁰ ₋₅₀	880 ⁻²⁰ ₋₅₀	880 ⁺²⁰ ₋₅₀	950 ± 120	
35	1090 ⁺⁸⁰ ₋₇₀	1 090 ± 70	1 090 ± 70	1 090 ± 70	1 090 ± 70	1 090 ± 70	The outer corner shall be designed according to dimension W2 of EN 1501-5:2011, Table Fig. A.3-1
36 ^a	150 ± 3	150 ± 3	150 ± 3	150 ± 3	150 ± 3	150 ± 3	When ribs are fitted stiffeners can be placed at intervals from each side of the center of the lifting bar, equally spaced at/or multiples of 150 mm.
37 ^a	7 max.	7 max.	7 max.	7 max.	7 max.	7 max.	When ribs are fitted
38 ^a	6 ⁺² _{-4,5}	6 ⁻² _{-4,5}	6 ⁺² _{-4,5}	6 ⁺² _{-4,5}	6 ⁺² _{-4,5}	6 ⁺² _{-4,5}	In case of frontal receiver
40 ^a	R 4 max.	R 4 max.	R 4 max.	R 4 max.	R 4 max.	R 4 max.	In case of frontal receiver
41	10 min.	10 min.	10 min.	10 min.	10 min.	10 min.	
42	Ø 16 max.	Ø 16 max.	Ø 16 max.	Ø 16 max.	Ø 16 max.	Ø 16 max.	
43	Ø 6,6 ^{+0,2} ₀	Ø 6,6 ^{+0,2} ₀	Ø 6,6 ^{+0,2} ₀	Ø 6,6 ^{+0,2} ₀	Ø 6,6 ^{+0,2} ₀	Ø 6,6 ^{+0,2} ₀	
44	8,3 ^{+0,1} ₀	8,3 ^{+0,1} ₀	8,3 ^{+0,1} ₀	8,3 ^{+0,1} ₀	8,3 ^{+0,1} ₀	8,3 ^{-0,1} ₀	
45	≈ 50	≈ 50	≈ 50	≈ 50	≈ 50	≈ 50	
46 ^a	360 max.	360 max.	360 max.	360 max.	360 max.	360 max.	If two or more part lids are fitted they shall enable the comb and trunnion lifting device to operate correctly.

^a Compulsory dimensions for functional and safety reasons. The other dimensions indicated are suggested recommended values.




Key

- a) handles to be fitted if the container is without frontal receiver
- b) requirements for handle if it is above trunnion (see EN 840-6:2012, Figure 3)
- c) requirements for handle if in front of trunnion (see 5.4)

NOTE For more details regarding the dimensions, see Table 1.

Figure 1 — System dimensions




Key

A form A

NOTE For more details regarding the dimensions, see Table 1.

Figure 2 — Frontal receivers

Dimensions in millimetres




Key

1 handle

NOTE For more details regarding the dimensions, see Table 1.

Figure 3 — Handle


Dimensions in millimetres



NOTE For more details regarding the dimensions, see Table 1.


Figure 4 — Frontal receiver with integrated handles

Dimensions in millimetres



NOTE For more details regarding the dimensions, see Table 1.

Figure 5 — Distance between centres of castor wheels




NOTE For more details regarding the dimensions, see Table 1.

Figure 6 — Standard triangular key

Annex A (informative)

Recommendations for manufacturers of lifting devices

Dimensions in millimetres




Key

a) nominal

NOTE For more details regarding the dimensions 29, 30 and 32, see Table 1.

Figure A.1 — Form D, general

For any single container not exceeding dimension N° 30 and any combination of containers (maintaining a minimum gap between them of 10 mm) which do not exceed a dimension of 1 200 mm.



NOTE For more details regarding the dimensions 29 and 30, see Table 1.

Figure A.2 — Form E

Annex B

(informative)

A-Deviations

A-Deviation: National deviation due to regulations, the alteration of which is for the time being outside the competence of the CEN-CENELEC-member.

This European Standard does not fall under any Directive of the EU. In the relevant CEN-CENELEC-countries these A-deviations are valid instead of the provisions of the European Standard until they have been removed.

DENMARK

EN 840-1 to EN 840-6 do not fulfil the national Danish legislation regarding requirements for health and safety. This legislation is based on *EEC-Directive 89/391/EC of 12 June 1989* and *EEC-Directive 90/269/EEC of 29 May 1990*.

The Danish legislation is written down in "Executive Order No. 867 of 13 October 1994 concerning Performance of Work" and in "Executive Order No. 1164 of 16 December 1994 concerning Manual Handling" both given by the Minister of Work. The Legal understanding of the Executive Orders are written in the Danish Working Environment Service (WES) guidelines. WES-guideline No. 4.1.0.1 of 1993 describes "Manual handling and transportation of domestic garbage" and No. 4.1.0.2 describes "Construction of technical systems and equipment for handling domestic garbage" (former WES circular-order No. 10/1990).

Therefore the manual handling and use of containers described in EN 840-1 to EN 840-6 can be met in Denmark with additional requirements.

Bibliography

- [1] EN 840-1:2012, *Mobile waste and recycling containers — Part 1: Containers with 2 wheels with a capacity up to 400 l for comb lifting devices — Dimensions and design*
- [2] EN 1501-2, *Refuse collection vehicles and associated lifting devices — General requirements and safety requirements — Part 2: Side loaded refuse collection vehicles*
- [3] EN 1501-3, *Refuse collection vehicles and their associated lifting devices — General requirements and safety requirements — Part 3: Front loaded refuse collection vehicles*
- [4] EN 14803, *Identification and/or determination of the quantity of waste*



StandCert



issues

Certificate

No. QS-0858

which confirms that
Quality Management System
of organization

GREEN CITY INTERNATIONAL DOO

Zrenjaninski put 103B, Beograd, Serbia

is in compliance with standard

ISO 9001:2015

for the following scope of certification

Production, sales and maintenance of metal containers; Production, sales and maintenance of equipment, plastic and metal parts and waste management systems; Production and sales of racks

Scope of certification also refers to the location Konjovićeva 86, Sombor, Serbia

Effective date of granting recertification: 11.07.2025.

Recertification expiry date: 10.07.2028./ exclusively in case of satisfactory execution of surveillance audits

Edition 02

Initial certification date: 11.07.2022.

Director

Mirjana Stanić, M.Sc.



StandCert, Bulevar vojvode Mišića 39a, Belgrade, Serbia



StandCert



issues

Certificate

No. OH-0391

which confirms that
Occupational Health and Safety Management System
of organization

GREEN CITY INTERNATIONAL DOO

Zrenjaninski put 103B, Beograd, Serbia

is in compliance with standard
ISO 45001:2018

for the following scope of certification

Production, sales and maintenance of metal containers; Production, sales and maintenance of equipment, plastic and metal parts and waste management systems; Production and sales of racks

Scope of certification also refers to the location Konjovićeva 86, Sombor, Serbia

Effective date of granting recertification: 11.07.2025.

Recertification expiry date: 10.07.2028./ exclusively in case of satisfactory execution of surveillance audits

Edition 02

Initial certification date: 11.07.2022.

Director

Mirjana Stanić, M.Sc.



StandCert, Bulevar vojvode Mišića 39a, Belgrade, Serbia



StandCert



issues

Certificate

No. ES-0486

which confirms that
Environmental Management System
of organization

GREEN CITY INTERNATIONAL DOO

Zrenjaninski put 103B, Beograd, Serbia

is in compliance with standard
ISO 14001:2015

for the following scope of certification

Production, sales and maintenance of metal containers; Production, sales and maintenance of equipment, plastic and metal parts and waste management systems; Production and sales of racks

Scope of certification also refers to the location Konjovićeva 86, Sombor, Serbia

Effective date of granting recertification: 11.07.2025.

Recertification expiry date: 10.07.2028./ exclusively in case of satisfactory execution of surveillance audits

Edition 02

Initial certification date: 11.07.2022.

Director

Mirjana Stanić, M.Sc.



StandCert, Bulevar vojvode Mišića 39a, Belgrade, Serbia



"EXIMOTOR" SA

Rețea de magazine auto



Adresa juridică: RM, mun. Chișinău, MD-2024, str. Aerodromului 15/6
Adresa poștală: RM, mun. Chișinău, MD-2005, str. Albisoara 38A
tel. 0 22 407-747; fax. 0 22 407-956
e-mail: director@coleso.md
www.coleso.md



c/f 1002600034712
TVA 0603690
BC "ProCredit Bank" SA
c/d 2251130060160201
BIC: PRCBMD22