

Manufacturer: BAS STEEL PROFILE SRL F/C:1019603000893 c.TVA:1019603000893 or Taracila, str. Voczalnaia 28 rep. Moldova		MILL'S TEST CERTIFICATE (ACC. TO EN10204 / 3.1) 3444 Date: 12.06.2025		Transport: EN 10219-1/2 S235JRH			
Customer: Metalica - Zuev SRL SEC.CIOCANIA Industriala nr.48		No. B03-B06		Total weight, Kg 22 302		Total Length 21 084	
Contract No. A07		Welded cold sized tubes STEEL Grade Direct welded Package wrapped with 6 straps through the side 100% NDT on the weld seam. NDT on the weld seam acc. EN ISO		Pieces: 3 514		Bundles: 18	
Specification No Order No. Destination		Plain ends, straight cut from mill					

Nr.crt.	B07		B01-B02		B09		B10	B11	Deviation	Bundles	Pieces	B08	B12	B13	Meters
	Nr. Bundles	Heat	Product	Dimension(mm)	Thickness	Length(mm)	Deviation	Netto Weight (Kg)				Brutto weight, kg			
1	65729	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 216	-	1 176				1 176
2	65721	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 229	-	1 176				1 176
3	65550	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 250	-	1 176				1 176
4	65522	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 249	-	1 176				1 176
5	65517	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 243	-	1 176				1 176
6	65515	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 245	-	1 176				1 176
7	65512	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 251	-	1 176				1 176
8	65508	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 249	-	1 176				1 176
9	65412	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 241	-	1 176				1 176
10	65443	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 245	-	1 176				1 176
11	65452	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 245	-	1 176				1 176
12	65471	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 247	-	1 176				1 176
13	65477	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 251	-	1 176				1 176
14	65487	515229-9	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 245	-	1 176				1 176
15	65497	515229-9	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 245	-	1 176				1 176
16	65504	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 245	-	1 176				1 176
17	65445	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		182	1 157	-	1 092				1 092
18	65547	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		6 000		196	1 249	-	1 176				1 176

«BAS STEEL PROFILE» S.R.L.
OTK

Nr.crt.	B07		B01-B02		B09										
	Nr. Bundles	Heat	Product	Dimension(mm)	C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al
1	65729	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
2	65721	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
3	65550	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
4	65522	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
5	65517	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
6	65515	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
7	65512	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
8	65508	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
9	65412	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
10	65443	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
11	65452	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
12	65471	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
13	65477	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
14	65487	515229-9	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
15	65497	515229-9	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
16	65504	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
17	65445	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	
18	65547	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000r	11	1,3	38	33	22	4	1	2		9	

«BAS STEEL PROFILE» S.R.L.

OTK

Mechanical Test

Nr.crt.	Nr. Bundles	Heat	Product	Dimension(mm)	Direction of the test pieces	Test temperature	ReH	Rm	A	Ra, µm	D02	D03
1	65729	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
2	65721	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
3	65550	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
4	65522	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
5	65517	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
6	65515	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
7	65512	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
8	65508	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
9	65412	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
10	65443	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
11	65452	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
12	65471	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
13	65487	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
14	65487	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
15	65497	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
16	65504	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
17	65445	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			
18	65547	SA02275	EN10219-2 / S235JRH	20 x 20 x 2 x 6000mm		ambient	284	402	33			

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.
 Visual inspection: checked without any objection
 Tolerances on dimensions and shape: pass

Draweted up,
 Eng. Filipov Nicolai



Signature of the OCD representative,
 Eng. Nekiť Yuri


