

FORMULARUL OFERTEI (F3.1)

Data depunerii ofertei : **23.06.2020**

Către: **Universitatea Agrară de Stat din Moldova**

Procedura de achiziție: „ **Echipament și accesorii pentru computer**”

CPV : **30200000-1**

„ Alternativa nr.: -

„**WEST BUY**” SRL se angajează să furnizeze/presteze, în conformitate cu documentele de achiziție și condițiile stipulate în specificațiile tehnice și preț, următoarele bunuri și/sau servicii „Echipament audiovizual și de televiziune”.

- a. Suma totală a ofertei fără TVA constituie: **70000,00 lei MDL (șaptezeci de mii 00 bani)**.
- b. Prezentă ofertă va rămâne valabilă 60 zile pentru perioada de timp specificată **FDA 4.8**, începînd cu data-îmînă pentru depunerea ofertei, în conformitate cu **FDA 5.2**, va rămîne obligatorie și va putea fi acceptată în orice moment pînă la expirarea acestei perioade;
- c. În cazul acceptării prezentei oferte, „**WEST BUY**” SRL se angajează să obțină o Garanție de bună execuție în conformitate cu **FDA 7.3**, pentru executarea corespunzătoare a contractului de achiziție publică.
- d. Nu sîntem în nici un conflict de interese, în conformitate cu punctul **IPO5.4**.
- e. Compania semnatară, afiliații sau sucursalele sale, inclusiv fiecare partener sau subcontractor ce fac parte din contract, nu au fost declarate neeligibile în baza prevederilor legislației în vigoare sau a regulamentelor cu incidență în domeniul achizițiilor publice, în conformitate cu punctul **IPO5.5**.

Semnat:



Nume: **Cîrlig Ion**

În calitate de: **Director**

Ofertantul: „**WEST BUY**” SRL

Adresa: **MD-2075, bld. Mircea cel Bătrîn 39 ap/143, or. Chișinău, RM.**

Data: 23.06.2020

Specificații tehnice (F4.1)

Numărul procedurii de achiziție : ocde-b3wdp1-MD-1592047869715 din 23.06.2020 Denumirea Beneficiar: Universitatea Agrară de Stat din Moldova	Data: „23” iunie 2020	Alternativa nr.: Nu
Denumirea Licităției Publice : „ Echipament și accesorii pentru computer” Cod CPV : 30200000-1	Valabilitatea ofertei: 60 zile	Pagina: 1din 3

Cod CPV	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standard de referință
1	2	3	4	5	6	7	8
	Bunuri:						
	Lot nr.1						
30200000-1	Full HD AVCHD / XAVC S camcorder	Sony PXW-Z190 Camera Video XDCAM 4K 3 senzori de 1/3" Zoom Optic 25x	China	Sony	Full HD AVCHD / XAVC S camcorder with 40x zoom (Clear Image Zoom and built-in wireless functionality, Three 1/2.8-inch CMOS sensors) General: Mass: Approx. 2500 g (with lens hood, eyecup, battery) Dimensions (W x H x D): 176.0 × 199.5 × 385.0 mm (With the accessories (lens hood, large eyecup), excluding the grip belt and including the projecting parts) Power Requirements: DC In: 8.4V, Battery: 7.2 V Power Consumption: Approx. 7.8 W (while recording with LCD and AVCHD 1080/50i or 60i FX) Operating Temperature: 0°C to 40°C Storage Temperature: -20°C to +60°C Battery Operating Time: Approx. 240 min. (while recording with LCD, AVCHD 1080/50i or 60i FX), Approx. 440 min. (while playing with LCD, AVCHD 1080/50i or 60i FX) Recording Format (Video): XAVC S HD: MPEG4-AVC/H.264 4:2:0 Long profile, AVCHD: MPEG-4 AVC/H.264 AVCHD 2.0 format compatible, DV Recording Format (Audio): XAVC S HD: Linear PCM 2ch, 16bit, 48kHz, AVCHD: Linear PCM 2ch, 16-bit, 48 kHz / Dolby Digital 2ch, 16-bit, 48 kHz, DV: Linear PCM 2ch, 16-bit, 48 kHz Recording Frame Rate: XAVC S (1920 x 1080)@50p, 25p, 50 Mbps or @59.94p, 29.97p, 23.98p, 50 Mbps, AVCHD (1920 x 1080)@50p or 59.94p, PS mode (28 Mbps), AVCHD (1920 x 1080)@50i/25p or @59.94i/29.97p/23.98p, FX	Image Sensor : 3-Chip 1/3" CMOS Sensor Sensor Resolution : 3840 x 2160 Prism Speed : f/1.6 Minimum Illumination : 0.02 Lux LENS Focal Length : 3.7 to 92.5mm 35mm Equivalent Focal Length 28.8 to 720mm Optical Zoom Ratio : 25x Maximum Aperture : f/1.6 Minimum Aperture : f/11 Filter Size : 82 mm Control Rings : Focus Zoom : Iris Focus Control Autofocus Manual Focus CAMERA Shutter Speed : 1/24 to 1/8000 sec Built-In ND Filter : Mechanical Filter Wheel with Clear, 2 Stop (1/4), 4 Stop (1/16), 6 Stop (1/64) ND Filters and a 2 to 7 Stop Electronic ND Filter Built-In Microphone Type :Stereo Recording Media : 2 x SD (Unspecified Type) Card Slots RECORDING	Certificat de calitate

				mode (24 Mbps)FH mode(17 Mbps), AVCHD (1440 x 1080)@50i or 59.94i,HQ mode (9 Mbps) LP mode (5 Mbps), AVCHD (1280 x 720)@50p or 59.94p,FX mode (24 Mbps)FH mode (17 Mbps) HQ mode (9 Mbps), DV (720 x 576) @50i or 59.94i,25 Mbps Recording/Playback Time: XAVC S HD@LPCM 2ch 50 Mbps: Approx. 155 min with 64 GB memory card, AVCHD@LPCM 2ch PS Mode: Approx. 290 min with 64 GB memory card, Approx. 145 min with 32 GB memory card, AVCHD@LPCM 2ch FX Mode: Approx. 340 min with 64 GB memory card, Approx. 170 min with 32 GB memory card, AVCHD@LPCM 2ch FH Mode: Approx. 450 min with 64 GB memory card, Approx. 225 min with 32 GB memory card, DV: Approx. 280 min with 64 GB memory card, Approx. 140 min with 32 GB memory cardLens: Lens Mount: Fixed Zoom Ratio: 20x (optical), 40x(Clear Image Zoom), servo/manual Focal Length: f=4.1 - 82.0mm, equivalent to f=28.8 - 576mm on 35 mm lens(16:9), equivalent to f=35.2 - 705mm on 35 mm lens(4:3) Iris: F1.6(Wide) - F3.4(Tele) auto/manual selectable Focus: AF/MF selectable, 10 mm to ∞ (Wide), 800 mm to ∞ (Tele) Image Stabilizer: ON/OFF selectable, shift lens Filter Diameter: M72 mm Camera Section: Imaging Device (Type): 3-chips 1/2.8 type "Exmor" CMOS Sensor Effective Picture Elements: Approx. 2.07M Built-in Optical Filters: OFF: Clear, 1: 1/4ND, 2: 1/16ND, 3: 1/64ND Minimum Illumination: 50i: 1.0lux(1/25 Shutter Speed, iris/gain Auto) or 60i: 1.2lux(1/30 Shutter Speed, iris/gain Auto), Shutter Speed: 1/3 -1/10,000, Slow & Quick Motion Function: 1080p: Frame rate selectable 1.2.3.6.12.25,50 fps, White Balance: Preset (Indoor: 3200K, Outdoor: 5600K±7 steps, Color temperature set range: 2300-15000K), Onepush A, B, Auto selectable, Gain: -6, -3, 0, 3, 6, 9, 12, 15, 18, 21, 24, 27, 30 dB, AGC, Gamma Curve: Selectable Input/Output: Audio Input: XLR-type 3-pin (female) (x2), line/mic/mic +48 V selectable Video Output: BNC (x1), Composite 1.0Vp-p, 75 Ω Audio Output: Stereo mini jack (x1) SDI Output: BNC type (x1), SD/HD/3G(Level-B) selectable SMTPE 259M/292M/424M/425M standards USB: Multi/Micro USB jack (x1) Headphone Output: Stereo mini jack (x1) Speaker Output: Monaural DC Input: DC jack	Broadcast System Compatibility :NTSC, PAL Format-inregistrare XAVC-L: 3840 x 2160p @ 23.98/25/29.97/50/59.94 fps (150 Mb/s) 1920 x 1080p @ 23.98/25/29.97/50/59.94 fps (50 Mb/s) 1920 x 1080i @b50/59.94 fps (50 Mb/s) 1280 x 720p @b50/59.94 fps (50 Mb/s) 1920 x 1080p @ at 23.98/25/29.97/50/59.94 fps (35 Mb/s) 1920 x 1080i @ 50/59.94 fps (35 Mb/s) 1920 x 1080i @ 50/59.94 fps (25 Mb/s) DV: 720 x 480i @ 59.94 fps 720 x 480PsF @ 29.97 fps 720 x 576i @ 50 fps 720 x 576PsF @ 25 fps Audio Recording : XAVC: 4-Channel 24-Bit 48 kHz LPCM Audio Microfon incorporat :Da INTERFACES Video Connectors : 1 x BNC (3G-SDI) Output 1 x HDMI Output Audio Connectors : 2 x 3-Pin XLR Mic/Line Level (+48 V Phantom Power) Input 1 x 1/8" / 3.5 mm Stereo Headphone Output Other I/O 1 x BNC Timecode Input/Output 1 x USB Micro-B 2 x USB Type-A 1 x RJ45 LAN 1 x 2.5 mm LANC Control Wireless Interfaces : 2.4 GHz, 5 GHz Wi-Fi, NFC DISPLAY Display Type : LCD Screen Size : 3.5" Screen Resolution : 1,560,000 Dots EVF Screen Size : .39" EVF Resolution : 2,360,000 Dots POWER Battery Type : Sony BP-U Series GENERAL Accessory Mount : 1 x Multi-Interface Shoe Dimensions : 7.48 x 7.95 x 16.52" / 190 x 202 x 419.7 mm
--	--	--	--	---	---

				Remote: Stereo mini mini jack (x1) HDMI Output: Type A (x1) Monitoring: Viewfinder: 1.0 cm (0.39 type) OLED Approx. 1.44 M dots LCD: 8.8 cm (3.5 type) Approx. 1.56 M dots. Built-in Microphone: Omni-directional stereo electret condenser microphone. Media: Type: Memory Stick Pro Duo(TM) and SD/SDHC/SDXC compatible (x1) SD/SDHC/SDXC (x1) Built-in LED Light: Luminous intensity: MAX: 1.0m/Approx. 200 lx, 0.5m/Approx. 800 lx, MIN: 1.0m/Approx. 20 lx, 0.5m/Approx. 80 lx Lighting angle: Approx. 30° Color temperature: Approx. 5,500K Wi-Fi/NFC: Supported Format: IEEE 802.11 b/g/n Frequency Band: 2.4 GHz bandwidth Security: WEP/WPA-PSK/WPA2-PSK NFC: NFC Forum Type 3 Tag compliant Streaming: MPEG-2 TS/UDP, RTMP(USTREAM) FTP: FTP, FTPS Supplied Accessories: Battery Charger (1), Lens cover with hood (1), Large eyecup (1), Shoe cap (1), USB cable (1), Video light diffuser (1), Rechargeable battery pack (1), AC Adaptor (1) Power cord (mains lead) (1), Wireless Remote Commander (1), Lithium battery (for the Wireless Remote Commander) (1), Pre-installed to the Wireless Remote Commander, Accessory shoe kit (1), Operating Guide (2), CD-ROM (1), Warranty (1) Warranty: 36 months	(With Protrusions) Weight : 5.07 lb / 2.3 kg GARANTIE : 3 ani	
--	--	--	--	---	---	--



[Handwritten signature]

Numele, Prenumele: Cîrlig Ion **În calitate de:** Director

Ofertantul: WEST BUY SRL ,, . Adresa: MD-2075, bld. Mircea cel Bătrîn 39 ap/143, or.Chisinau, RM.

Specificații de preț (F4.2)

Numărul procedurii de achiziție : ocds-b3wdp1-MD-1592047869715 din 23.06.2020	Data: „23” iunie 2020	Alternativa nr.: Nu
Denumirea Beneficiar: Universitatea Agrară de Stat din Moldova		
Denumirea Licităției Publice : „ Echipament și accesorii pentru computer”	Valabilitatea ofertei: 60 zile	Pagina: 1din 3
Cod CPV : 30200000-1		

Cod CPV	Denumirea bunurilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)
1	2	3	4	5	6	7	8	9	
	Bunuri								
	Lot nr.1								
	Full HD AVCHD / XAVC S camcorder								
30200000-1	Sony PXW-Z190 Camera Video XDCAM 4K 3 senzori de 1/3" Zoom Optic 25x	buc	1	70000,00	-	70000,0	-	Livrarea se efectuează în decurs de 2 luni după semnarea contractului și înregistrarea acestuia la Agenția Achiziții Publice	20019458
	TOTAL					70000,00			

Semnăt: _____ Numele, Prenumele : Cîrlig Ion În calitate de: Director

Ofertant: WESTBUY SRL „. Adresa: MD-2075, bld. Mircea cel Bătrîn 39 ap/143, or. Chișinău, RM

