



## HEXOL STANDARD T75, T90, T140

GEAR OIL

### PRODUCT DESCRIPTION

HEXOL Standard T75, T90, T140 are regular quality, monograde gear oils recommended to be used for differentials, manual transmissions and gear boxes for passenger cars, truck, farm machines, industrial and construction equipment. They are formulated from highly refined base oils with a well balanced additives package (anti-wear, anti-oxidant, anti-corrosive and anti-foam).

### PERFORMANCE FEATURES

- meets API Service GL-2 requirements as well as ST-OG 19/2005, JICASE MS, MASSEY FERGUSON M1110, Volvo 7325;
- lubricant for high load gears;
- good wear protection;
- minimizes rust and corrosion even in the presence of moisture;
- reduced foaming.

### APPLICATION

- can be used as an lubricant for transmissions, differentials, oil lubricated bearings, in passenger cars, trucks, buses, construction machines and industrial equipment;

### PROPERTIES

Viscosity Grade SAE	T75	T90	T140
API Service	GL-2	GL-2	GL-2
Density at 15°C [kg/m <sup>3</sup> ]	850-880	870-900	880-910
Kinematic Viscosity at 100°C [mm <sup>2</sup> /s]	4.1-7	13.5-24	24-41
Flash Point [°C ]min	210	210	220
Pour Point [°C ]max	-33	-25	-12

### PACKAGING

- |                                |  |   |   |   |  |   |
|--------------------------------|--|---|---|---|--|---|
| <input type="checkbox"/> 0.4Kg | <input type="checkbox"/> 1Kg           | <input type="checkbox"/> 4Kg            | <input type="checkbox"/> 15Kg           | <input type="checkbox"/> 180Kg          |  |   |
| <input type="checkbox"/> 0.23L | <input type="checkbox"/> 0.45L         | <input type="checkbox"/> 0.5L           | <input type="checkbox"/> 0.6L           | <input type="checkbox"/> 0.9L           | <input checked="" type="checkbox"/> 1L   | <input type="checkbox"/> 3L               |
| <input type="checkbox"/> 4L    | <input checked="" type="checkbox"/> 5L | <input checked="" type="checkbox"/> 10L | <input checked="" type="checkbox"/> 20L | <input checked="" type="checkbox"/> 60L | <input checked="" type="checkbox"/> 208L | <input checked="" type="checkbox"/> 1000L |