

Data depunerii ofertei: 26.11.2020

Procedura de achiziție Nr.: ocds-b3wdp1-MD-1599727545454

Anunț/Invitația de participare Nr.:

Către: Academia de Studii Economice din Moldova

„BTS Pro” S.R.L. declară că: declară că:

Au fost examinate și nu există rezervări față de documentele de atribuire, inclusiv modificările nr. _____.

- a) „BTS Pro” S.R.L. se angajează să presteze, în conformitate cu documentele de atribuire și condițiile stipulate în specificațiile tehnice și preț, următoarele bunuri/servicii: **Echipament și accesorii pentru computer.**
- b) Suma totală a ofertei fără TVA constituie:
3 745 142,50 MDL fără TVA.
- c) Suma totală a ofertei cu TVA constituie:
4 494 171,00 MDL cu TVA.
- d) Prezenta ofertă va rămâne valabilă pentru perioada de timp specificată în **FDA3.8.**, începînd cu data-limită pentru depunerea ofertei, în conformitate cu **FDA4.2.**, va rămîne obligatorie și va putea fi acceptată în orice moment pînă la expirarea acestei perioade;
- e) În cazul acceptării prezentei oferte, „BTS Pro” S.R.L. se angajează să obțină o Garanție de bună execuție în conformitate cu **FDA6**, pentru executarea corespunzătoare a contractului de achiziție publică.
- f) Nu sîntem în nici un conflict de interese, în conformitate cu art. 74 din Legea nr. 131 din 03.07.2015 privind achizițiile publice.
- g) Compania semnatară, afiliații sau sucursalele sale, inclusiv fiecare partener sau subcontractor ce fac parte din contract, nu au fost declarate neeligibile în baza prevederilor legislației în vigoare sau a regulamentelor cu incidență în domeniul achizițiilor publice.

Semnat:

Nume: Gnidaș Bogdan

În calitate de: Manager în comerț

Ofertantul: „BTS Pro” S.R.L.

Adresa: Republica Moldova, mun. Chișinău, str. Ion Creangă, 6V



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipment și accesorii pentru computer	Lot: 1-11

SPECIFICAȚII TEHNICE (F4.1)

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Garantie	Standarde
1	2	3	4	5	6	7	8	9
LOT 1 Servere (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Server Xeon Gold	Fujitsu Primergy RX2530 M5 4x 3.5'	Jpn	Fujitsu	Server Processor Unit: 2 x Intel Xeon Gold 5220 Form factor: Rack (1U) RAM: 12 x 32 GB DDR4, registered, ECC, 2,933 MT/s, PC4-2933 Storage: Dual microSD 64GB Enterprise (for Hypervisor), 4 x HDD SAS 4 TB HOT PL LAN: - Production LAN Card 4 x 1 Gbps Base-T ports - Storage Traffic Card 2 x 10 Gbps Base-T ports Fans: 8 redundant and hot-plug fans PSU: 450W hot-plug (platinum efficiency) Slots: 1 x PCI-Express 3.0 x8 3 x PCI-Express 3.0 x16 Interfaces: 5 x USB 3.0 (2x front, 2x rear, 1x internal) 1 x VGA, 1 x Management LAN (Base-T) OS Support: - Windows Server 2016/2019 (Datacenter, Standard, Essentials) - VMware vSphere 6.5/6.7 - Red Hat® Enterprise Linux 7/8 System Management: Integrated Remote Management Controller IPMI 2.0 compatible Warranty: 3 Years	"Rack server 19"" (1U), Base unit with systemboard D3383-B for up to 2x Xeon DP processors and 24x DDR4 DIMM slots; iRMC S5 onboard server management incl. graphics controller; 10/100/1000MBit Service LAN port, LAN on Motherboard with 2x1Gbit/s (RJ45) plus the high performance Chip Intel LBG4 with flexible; RAID 0/1 6Gbit/s Controller onboard; 4 bays for hot plug 3,5"" SAS/SATA drives; 4/8 single hot plug fans; Standard warranty:3 years On-Site Service FTS wide Intel Xeon Gold 5220 18C 2.20 GHz – 2 buc. Cooler Kit 2nd CPU Independent Mode Installation – 2 buc. 32GB (1x32GB) 2Rx4 DDR4-2933 R ECC– 12 buc. HD SAS 12G 4TB 7.2K HOT PL 3.5' BC– 4 buc. Dual microSD 64GB Enterprise PRAID CP400i PLAN EM 4x 1Gb T OCP interface PLAN EP QL41112 2X 10GBASE-T, LP Rack Mount Kit F1-CMA Slim Line Mounting of RMK in symmetrical racks region kit APAC/EMEA/India iRMC advanced pack ServerView Suite DVDs Modular PSU 800W platinum hp– 2 buc. Cable powercord rack, 1.8m, black– 2 buc.	36 luni	ISO
2	Server Xeon Silver	Fujitsu Primergy	Jpn	Fujitsu	Server Processor Unit: 2 x Intel Xeon Silver 4214 (2,2GHz/12-core/85W) Processor Kit	"Rack server 19"" (1U), Base unit with systemboard D3383-B for up to 2x Xeon	36 luni	ISO

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md




Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produce 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
		RX2530 M5 4x 3.5'			Form factor: Rack (1U) RAM: 12 x 32 GB DDR4, registered, ECC, 2,933 MT/s, PC4-2933 Storage: Dual microSD 64GB Enterprise (for Hypervisor), 4 x HDD SAS 4 TB HOT PL LAN: - Production LAN Card 4 x 1 Gbps Base-T ports - Storage Traffic Card 2 x 10 Gbps Base-T ports Fans: 8 redundant and hot-plug fans PSU: 450W hot-plug (platinum efficiency) Slots: 1 x PCI-Express 3.0 x8 3 x PCI-Express 3.0 x16 Interfaces: 5 x USB 3.0 (2x front, 2x rear, 1x internal) 1 x VGA 1 x Management LAN (Base-T) OS Support: - Windows Server 2016/2019 (Datacenter, Standard, Essentials) - VMware vSphere 6.5/6.7 - Red Hat® Enterprise Linux 7/8 System Management: Integrated Remote Management Controller IPMI 2.0 compatible Warranty: 3 Years	DP processors and 24x DDR4 DIMM slots; iRMC S5 onboard server management incl. graphics controller; 10/100/1000MBit Service LAN port, LAN on Motherboard with 2x1Gbit/s (RJ45) plus the high performance Chip Intel LBG4 with flexible LAN connections; RAID 0/1 6Gbit/s Controller onboard; 4 bays for hot plug 3,5" SAS/SATA drives; 4/8 single hot plug fans; Standard warranty: 3 years On-Site Service FTS wide Intel Xeon Silver 4214R 12C 2.40 GHz – 2 buc. Cooler Kit 2nd CPU Independent Mode Installation – 2 buc. 32GB (1x32GB) 2Rx4 DDR4-2933 R ECC – 12 buc. HD SAS 12G 4TB 7.2K HOT PL 3.5' BC – 4 buc. Dual microSD 64GB Enterprise PRAID CP400i PLAN EM 4x 1Gb T OCP interface PLAN EP QL41112 2X 10GBASE-T, LP Rack Mount Kit FI-CMA Slim Line Mounting of RMK in symmetrical racks iRMC advanced pack ServerView Suite DVDs Modular PSU 800W platinum hp – 2 buc. Cable powercord rack, 1.8m, black		
3	NAS	SYNOLOGY "DS1621+"	PRC	Synology	NAS CPU Architecture 64-bit CPU Frequency 4-core 2.1 GHz System Memory 4 GB DDR4 non-ECC SO-DIMM Total Memory Slots 2 Memory Expandable up to 32 GB (16 GBx2) Storage Drive Bays 6 Maximum Drive Bays with 6 x 1TB 3,5" HDD SATA - 256 MB NAS installed	CPU Model - AMD Ryzen V1500B CPU Frequency - 4-core 2.2 GHz Hardware Encryption Engine (AES-NI) System Memory - 4 GB DDR4 ECC SODIMM Memory Module Pre-installed - 4 GB (4 GB x 1) Total Memory Slots - 2 Maximum Memory Capacity - 32 GB (16	36 luni	ISO

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md






Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Garantie	Standarde
1	2	3	4	5	6	7	8	9
					External Ports RJ - 45 1GbE LAN Port 4 (with Link Aggregation / Failover support) USB 3.0 Port 3 e SATA Port 2 PCIe PCIe Expansion 1 x Gen3 x8 slot (black, x4 link) Warranty: 3 Years	GB x 2) Storage Drive Bays - 6 Maximum Drive Bays with Expansion Unit - 16 (DX517 x 2) M.2 Drive Slots - 2 (NVMe) Compatible Drive Type - 3.5" SATA HDD, 2.5" SATA HDD, 2.5" SATA SSD, M.2 2280 NVMe SSD Maximum Single Volume Size - 108 TB External Ports RJ-45 1GbE LAN Port - 4 (with Link Aggregation / Failover support) USB 3.0 Port - 3 eSATA Port - 2 PCIe, PCIe Expansion - 1 x Gen3 x8 slot (x4 link) File System Internal Drives : Btrfs, EXT4 External Drives :Btrfs,EXT4,EXT3,FAT,NTFS,HFS+,exFAT*		
LOT 2 All-in-One computers (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Touch All-in-One Desktop	Lenovo V50a 24IMB	PRC	Lenovo	Touch All-in-One Desktop 23,8" (min 10th Generation Intel® Core™ i7 processor, NVIDIA® GeForce® MX230 (2 GB GDDR5 dedicated) 16 GB memory; 1 TB HDD storage; 256 GB SSD storage; min 720P Camera native, USB Keyboard and Mouse, 2 native Speakers	Touch All-in-One Desktop 23,8" (Intel Core i7-10700T Processor, AMD Radeon™ 625, DirectX 12, 2GB, GDDR) Ram - 16 GB memory; 1TB Hard Drive, 7200RPM, 2.5 , 7mm; 256GB SSD M.2 2280 NVMe TLC ; 720P Camera native, USB Keyboard and Mouse, 2 native Speakers Wireless - Intel 3165+BT 1x1ac WW 3 in 1 Card Reader	24 luni	ISO
LOT 3 Lotul 3. PC for language class (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	AiO PC	Lenovo AIO IdeaCentre	PRC	Lenovo	PC "AiO for Classes Screen 21.5" FHD (1920x1080) WVA, Non Touch CPU min. 4C/4T, 2.0/3.2GHz, min cache 4MB	21.5" FHD (1920x1080) WVA, Non Touch CPU Intel Pentium Silver J5040 4C/4T, 2.0/3.2GHz, cache 4MB	24 luni	ISO

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md



Let us do IT for you.



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produce 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
LOT 4 Lotul 4. Notebook (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Notebook	NB ASUS 15.6" FX505DT	PRC	Asus	Notebook Display: 15" - 16", min. FHD (1920x1080) Anti-glare IPS or WVA min. 250 nits; CPU: min. i7 or analogic (release date min. June 2019), min. 4 Cores and min. 8 Threads, base frequency min. 1.3 GHz, turbo frequency min. 3.9 GHz, cache min. 8MB, max 10 nm, TDP max. 15W RAM: min. 16GB, min. 3200MHz Storage: M.2 min. 512GB SSD PCIe NVMe, PCIe 3.0 x 4 Video: integrated + discreet min. 2GB, min DDR 5 Communication: 802.11ac Wi-Fi + Bluetooth 5.0, Card Reader, min. 1 x USB 2.0, min. 2 x USB 3.1 Gen 1 (min 1 x Always On), min 1 x USB-C 3.1 Gen 1, min 1 x USB-C 3.1 Gen 2 (with the function DP and power delivery), native HDMI 1.4b or DP, Native RJ45-port Keyboard spill-resistant LED backlight Others: TPM 2.0, Battery life (Mobile Mark 2014): min. 9 hrs., Rapid Charge 1 hr. min. 75% OS: Windows 10 Pro 64 bit	15.6" FHD (1920x1080) 144Hz Non-glare, AMD Ryzen 7 3750H (4x Core, 2.3GHz - 4.0GHz, 4Mb), 16Gb (1x 16Gb) PC4-19200, 512Gb PCIe, GeForce GTX 1650 4Gb, HDMI, Gbit Ethernet, 802.11ac, Bluetooth, 2x USB 3.1, 1x USB 2.0, HD Webcam, Win10 Pro, 3-cell 48Wh Battery, Illuminated RGB Keyboard, 2.2kg, Stealth Black, Wireless Mouse Asus	24 luni	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Let us do IT for you.




Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipment și accesorii pentru computer	Lot: 1-11

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Garanti e	Stand-arde
1	2	3	4	5	6	7	8	9
					Mouse: wireless, optical or laser mouse from laptop manufacturer.			
2	Laptop	NB Lenovo 15.6" ThinkBook 15-IIL Grey	PRC	Lenovo	Laptop 15.6" Full HD (1920x1080) Non-glare, Intel Core i3-8130U (2x Core, 2.2GHz - 3.4GHz, 4Mb), RAM 8Gb (Onboard) PC4-17000, 256Gb SSD , Intel UHD Graphics, HDMI , No ODD, Gbit Ethernet, 802.11ac, Bluetooth , 1x USB 3.1 Type C, 2x USB 3.1, Card Reader , HD Webcam , DOS , 2-cell 35Wh Li-Ion Battery , 2.2kg	15.6" FHD (1920x1080) Non-glare, Intel Core i3-1005G1 (2x Core, 1.2GHz - 3.4GHz, 4Mb), 8Gb (1x 8Gb) PC4-21300, 256Gb PCIE, Intel UHD Graphics, HDMI, Gbit Ethernet, 802.11ac, Bluetooth, 2x USB-C DP, 2x USB 3.1, 1x USB 2.0, Card Reader, HD Webcam, Fingerprint, No OS, 3-cell 45Wh Battery, Illuminated Keyboard, 1.8kg, Mineral Grey	24 luni	ISO
LOT 5 Proiectoare multimedia (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Ultra Short throw proiector	V1H742040 - WXGA LCD Projector Epson EB-680Wi, 3200 Lum, 14000:1, WXGA (1280x800), LCD: 3 x 0.59" P-Si TFT	Filippines	Epson	Ultra Short throw proiector + tabla Tip încăpere/utilizare Sistem interactiv de proiectie în spațiu de colaborare sau sală de curs Poziționare Montare pe perete. Toate accesoriile necesare trebuie să fie incluse. Suprafața de lucru suprafață din ceramico-metalică mată sau semi-mată Dimensiuni proiectie min. 87 inci Distanță proiectie 0,4 - 0,6 m Luminozitate culor și albă nu mai puțin decât 3100 Lum în conformitate cu IDMS15.4 / ISO 21118:2012 Rezoluție imaginii nu mai puțin decât WXGA (1280 x 800) Viață utilă sursei de lumină nu mai puțin decât 5000 h în normal mode Conexiuni USB 2.0 tip A, USB 2.0 tip B, RS-232C, Interfață Ethernet, LAN wireless IEEE 802.11 b/g/n (opțional), Intrare / ieșire VGA, Intrare HDMI (min. 2x), Intrare semnal compus, Intrare / ieșire audio, intrare pentru microfon. Funcție Display USB fotografie /mouse/sunet Interactivitate min. 2 creioane împreună cu interactivitate tactilă Caracteristici Avansate Protecție Kensington,	Ultra Short Throw Finger-touch interactive projector + Magnetic Whiteboard with Ceramicsteel™ Surface Room Type / Application: Meeting room / Classroom Positioning: Wall Mounted (Wall hanging bracket in set) Projection System: 3LCD Technology Color Light Output: 3200 Lumen In accordance with ISO 21118:2013 White Light Output: 3200 Lumen In accordance with ISO 21118:2013 Native Resolution: WXGA, 1280 x 800. Aspect Ratio: 16:10. Contrast Ratio: 14,000 : 1 Lamp Life: 5000 h durability, 10000 h durability (economy mode) Keystone Correction: Manual vertical: ± 3 °, Manual horizontal ± 3 ° Colour Reproduction: Upto 1.07 billion colours Throw Ratio: 0.28 - 0.37:1. Zoom: Digital Factor: 1 - 1.35 Screen Size: 60 inches - 100 inches Projection Distance Wide / Tele: 0,4 m /	24 luni /1000 h for lamp	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Producatorul 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
					<p>Blocaj panou de comandă, Protecție parolă, Lacăt, Orificiu pentru cablul de securitate, Blocare unitate LAN wireless, Securitate LAN wireless, Protecție prin parolă.</p> <p>Reglare automată luminozitate, Selecție automată a intrării, Difuzor integrat min. 15 W, Pornire/oprire directă, Compatibil cu camera documente, Interactivitate pe ecrane multiple, PC Interactive, Funcție ecran partajat</p> <p>Software incluse proiectare pe mai multe computere, permite să partajezi conținut simultan</p> <p>Additional inclusiv un set de cabluri pentru conectare, instalare și calibrare, inclusiv materiale de fixare, Garanție minimum 2 ani</p>	<p>60 inch screen) / 0.6 m (100 inch screen)</p> <p>Interfaces: USB 2.0 Type A, USB 2.0 Type B, RS-232C, Wired Network, Wireless LAN IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Stereo mini jack audio out, Stereo mini jack audio in (3x), Microphone input, Sync. in, Sync. out</p> <p>USB Display Function: 3 in 1: Image / Mouse / Sound. Loudspeaker: 16 Watt</p> <p>Security: Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection</p> <p>Other features: AV Mute Slide, Auto brightness adjustment, Automatic input selection, Built-in speaker, CEC compatible, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Dynamic lamp control, Easy OSD pre-setting, Home Screen, Interactive, Long lamp life, MHL audio/video interface, Microphone input, Multi-screen interactivity (Combine two projectors to create one large interactive display), PC interactivity, Split-Screen-Function. Interactivity: Yes - pen and finger-touch (Finger touch unit, 2 x Interactive pens in set)</p> <p>Included Software: Easy Interactive Tools, iProjection</p> <p>Multi-PC projection software allows teachers and students to share content simultaneously. The moderator function allows teachers to remain in control, choosing what content to display. Combine two projectors to</p>		

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md




Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipment și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Producatorul 5	Specificatia din FDA 6	Specificatia propusa 7	Garantie 8	Standarde 9
						<p>create one large interactive display. Split-screen capability allows teachers to display two separate types of content simultaneously, such as a lesson plan from a PC and a still image or video clip from a document camera. Options (not included): Document camera, External Speaker, Pen tip(Felt), Pen tip(Teflon), USB extension cable, Wireless LAN unit Magnetic Whiteboard with Ceramicsteel™ Surface: Dimensions: 88" 190 cm x118 cm Aspect Ratio: 16:10 Surface Type: Magnetic Vanerum e3 Ceramicsteel™ semimatte Surface with Alluminium bezel Inclusiv set de cabluri pentru conectare (USB, HDMI,Etc), materiale de fixare. Instalare și calibrare. Warranty: 24 months</p>		
2	Portable projector	60004598 - Projector NEC ME382U	PRC	NEC	<p>Proiector Portabil Tip încăpere/utilizare Spații portabile, Spațiu de colaborare, sală de curs Poziționare Montare pe tavan, Desktop Dimensiuni proiecție 30 inci - 300 inci Zoom Optic Manual, min. 1,5 x, Focus Manual Corecție Keystone vertical - automat, min. ± 30 orizontal -manual, min. ± 30 ° Luminozitate culor și albă nu mai puțin decât 3800 Lum în conformitate cu ISO 21118:2012 Rezoluție imaginii nu mai puțin decât WUXGA (1920 x 1200) Viață utilă sursei de lumină nu mai puțin decât 5000 h în normal mode Conexiuni USB 2.0 tip A, USB 2.0 tip B, Intrare / leșire VGA, Intrare HDMI, Intrare semnal compus, leșire / Intrare audio mini-jack stereo, Interfață Ethernet, intrare pentru microfon. Funcțiune Display USB fotografie / mouse /</p>	<p>Professional Portable Business Projector Projection Technology: 3LCD Technology Native Resolution: 1920 x 1200 (WUXGA) Aspect Ratio: 16:10. Contrast Ratio: 16000:1 Brightness: 3800 Normal (Compliance with ISO21118-2012) Light Source Life [hrs]: 10000 (15000 Eco Mode) Lens: F= 1.5–2.08, f= 17.2–27.7 mm Keystone correction: +/- 30° manual horizontal / +/- 30° automatic / manual vertical Projection Distance [m]: 0.75 – 12.88. Screen Size (diagonal) [cm] / [inch]: Maximum: 762 / 300"; Minimum: 76 / 30"</p>	36 luni / 1000 h for lamp	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md




Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipment și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Producers 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
					<p>sunet</p> <p>Caracteristici Avansate Protecție Kensington, Protecție prin parolă, AV mute, Corecție trapez automată, Difuzor integrat min. 15 W, Pornire/oprire directă, Compatibil cu cameră documente, Corecție trapez pe orizontală și pe verticală, Proiectare în rețea, Proiectare fără PC, corecție trapezoidală (Cornerstone correction) și (Pincushion Correction), proiectare de pe o unitate flash (USB Viewer), proiectare de pe un computer (USB Display), min. 1A USB de alimentare, Funcție ecran partajat, Posibilitate de conectare în rețea LAN wireless, Configurare softare în funcție de codul QR</p> <p>Software incluse Projector control prin rețea, proiectare pe mai multe computere, smartphone</p> <p>Accesori Geantă de transport, Cablu HDMI cu lungimea min. 3m</p> <p>Garanție minimum 2 ani</p>	<p>Zoom Manual: x1.6. Focus Adjustment: Manual</p> <p>Connectivity: Input: 1 x Mini D-sub 15-pin, compatible to component (YPbPr), Output: 1 x Mini D-sub 15 pin, 2 x HDMI™ (Deep Color, Lip sync), Video Input: 1 x RCA</p> <p>Audio Input: 1 x 3.5 mm Stereo Mini Jack; 1 x RCA Stereo, Output: 1 x 3.5 mm Stereo Mini Jack (variable)</p> <p>Control Input: 1 x D-Sub 9 pin (RS-232) (male), Speakers [W]: 1 x 16 (mono)</p> <p>LAN: 1 x RJ45; Optional WLAN (not included); USB: 1 x Type B; 1x Type A (USB 2.0 high speed) with 1.0 Power Supply</p> <p>Features: Auto Eco Mode; Auto Power ON/OFF; Carbon Savings Meter; Colour Management; Content Transmission via Network; Crestron RoomView; DICOM Simulation; Direct Power-Off Function; High Altitude Mode; Kensington security slot; Keypad Lock; Lens Cover; Magnify; NaViSet Administrator 2; Off-Timer; Optional User Logo; Optional WLAN; OSD with 29 languages; Password Security System; Quick On/Off; RS-232 Control; Security Bar; USB Display; USB Viewer for JPEG; Virtual Remote for direct PC control; Wall Colour Correction</p> <p>Colour Versions: White</p> <p>In set: Projector bag NEC NP05SC Soft Case for ME-Series, Cable HDMI to HDMI 3.0m Cablexpert male-male, V1.4, Black, CC-HDMI4L-10</p> <p>Warranty: Projectors - 3 years, Light Source - 6 months, max. 1000 hrs</p>		
3	Set videoproiector	Sistem interactiv	PRC	Optoma / Smart	Set: VIDEOPROIECTOR SHORT THROW Tehnologie afișare: DLP	TABLA INTERACTIVA 7705 T20: Suprafata activa 77" diagonala	24 luni	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produce 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
					Rezoluție: 1024x768, Luminozitate: min. 3500 lumeni, Contrast: min. 22000:1 Format ecran: 4:3 Raportul de aspect-consistent: 16:9, Durata viață lampa: min. 6000 ore, Durata viață lampa în mod econom: min. 15000 ore, Putere lampa: min. 230 W, Distanța de proiectie: 0.4 ... 3.1 m + SUPPORT PROIECTOR + TABLA Interactiva 85" wait (language-RO)	Rezolutia suprafetei active 32767 x 32767 Specificatii Permite scrierea si controlul aplicatiilor de pe tabla cu degetul, markerul sau orice alt obiect opac Utilizatorii pot folosi gesturi simple cu mana si cu degetul pentru a arunca, roti si apropia obiectele de pe suprafata de lucru. Marker inclus ce functioneaza fara baterii Suprafata tablei rezistenta la zgarieturi, optimizata pentru proiectie si compatibila cu magneti si markere cu stergere uscata Conectare la computer minim USB 2.0 Tehnologie de recunoastere a atingerii V-Sense care: Greutate 21 kg Garantie standard de 3 ani, care poate fi extinsa până la 5 ani (gratuit pentru institutiile din domeniul educational) Accesorii Cablu USB 5m, suport instalare pe perete, marker PROIECTOR Optoma X308STe : REZOLUTIE Nativa XGA [1024x768], up to UXGA [1600x1200] LUMINOZITATE 3500 ANSI Lumens CONTRAST 22.000:1 INTRARI 1 x HDMI in, 1 x 15 Pin D-sub (RGB/YPbPr), 1 x Composite in, 1 x Audio In CONTROL RS232 9pin IESIRI 1x VGA out; 1 x Audio Out, 1 x USB-A power 1A AUDIO 10W NIVEL TIPIC DE ZGOMOT 27dB LAMPA 15000/10000/12000/6000 hours (Eco+ / ECO / Dynamic / Bright Mode) CULORI EXPUSE 1073.4 Million RAPORTUL DE PROIECTARE ~ 0.617:1,		

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produ- catorul 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
						<p>short throw DIMENSIUNEA IMAGINII PROIECTATE 0.40 – 3.10m (39.34” – 196.71”) Diagonal 4:3 CORECTIA TRAPEZOIDALA ± 40° Vertical CONSUM DE ENERGIE 225W BRIGHT mode < 0.5W Standby mode, 187W Eco+ mode < 0.5W Standby mode ACCESORII Suport de montare a proiecteurului pe perete OWM3000ST: - compatibil cu videoproiectorul - include capace decorative pentru ascunderea placii de conexiune cu peretele - extensibil de la 595mm pana la 1350 mm - posibil de ajustat suportul pe perete pe verticala cu minim 100mm - posibil de ajustat videoproiectorul pe suport: pe verticala +/- 40mm si pe orizontala +/- 30mm - preasamblat - confectionat din material durabil - posibilitatea inclinarii videoproiectorului cu +/- 5° - canal pentru cabluri cablu HDMI 10m (male-male connectors) cablu alimentare 10m pentru videoproiector INSTALARE SI SETARE Instalarea, setarea si punerea in functiune a sistemului de tabla interactiva se va efectua de operatorul economic Livrarea, instalarea și configurarea la fiecare instituție în parte din contul operatorului economic. Propriu service centru. Fiecare unitate de utilaj tehnologic va fi</p>		

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11


Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produ- catorul 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
						conectat la toate rețelele necesare p/u funcționarea utilajului inclusiv rețelele electrice cu utilizarea cablului electric din contul operatorului economic de la unitatea de utilaj până la cutia de distribuire, inclusiv până la panoul central de distribuire cu includerea tuturor accesoriilor necesare (întrerupător diferențiat, demaror magnetic etc.)		
4	Visual Presenter document camera	Document Camera ELMO MX-P2	PRC	ELMO	Document camera 13M, 4K, Zoom 8 x, HDMI/RGB/USB 3.0.	Image Sensor 1/3.1"CMOS Effective Pixels 13M (4160x3120) Zoom Digital x16 Frame Rate Max.60fps Focus Control Auto (One push) Shooting area 374x281mm @ 4:3 Resolution 4K (3840x2160)via USB User Interface: Zoom Key, Auto-focus Key, Lighting White LED Foldable, Adjustable Arm /Head, Image Rotation 0°/180°, Freeze, Annotation by PC software, Comparison by PC software, Mask by PC software, Recording onto PC by PC software. Technical Interface: USB x1 (Type Micro-B, Version 3.0), HDMI OUT x1 (Type A, Version 1.4), RGB OUT x1, Built-in Mic, Security Lock Slot.	24 luni	ISO
5	Document Camera	VI2H758040 - Education Document Camera Epson ELP DC-21	Filippin es	Epson	Document Camera Image pick-up device 1/ 2.7 " CMOS sensor Effective Pixels 1920 Horizontal x 1080 Vertical Frame Rate max. 30 fps Zoom Optical 12, Digital 10, Focus Auto Shooting Area A3 sized: 297 x 420 mm Resolution Output SXGA(1280*1024)/XGA(1024*768)/WXGA 16:10 (1280*800)/WXGA 16:9 (1360*768)/1080p (1920*1080), 480p/ 720p/ 1080p Image Adjustments Auto Exposure, Black and White, Brightness Adjustment, Contrast	Cameră pentru documente destinată mediului educațional Dispozitiv de captare a imaginii: 1/ 2,7 " Senzor CMOS Numărul efectiv de pixeli: 1920 Orizontală x 1080 Verticală Frecvența cadrelor: max. 30 cadre pe secundă Zoom: Optic 12, Digital 10 Centru de atenție: Automat Suprafața de captare: Dimensiune A3: 297 x 420 mm	24 luni	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Let us do IT for you.




Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Garanti e	Stand-arde
1	2	3	4	5	6	7	8	9
					Adjustement, Image Rotation, Microscope mode Interfaces USB 1.1 Type B, VGA in, VGA out, HDMI out, built-in microphone, SD memory card, blank PC-Free ImageViewer View images from internal or supported external memory Image Storage SD/SDHC compatibility (128MB-32GB) Features Auto focus, Freeze, Parallel video output, SD card viewer, Split screen, Zoom	Rezoluție de ieșire: SXGA (1280*1024)/XGA (1024*768)/WXGA 16:10 (1280*800)/WXGA 16:9 (1360*768)/1080p (1920*1080), 480p/720p/1080p Reglaje imagine: Expunere automată, Alb-negru, Reglare luminozitate, Reglare contrast, Rotirea imaginii, Mod microscop Conexiuni: USB 1.1 tip B, Intrare VGA, Ieșire VGA, Ieșire HDMI, microfon integrat, Card de memorie SD Vizualizare de imagini fără să fie nevoie de computer: Vizualizați imagini de pe memorii interne sau externe compatibile Stocare imagini: Compatibilitate SD/SDHC (128 MB-32 GB) Caracteristici: Focalizare automată, Blocarea imaginii, Parallel video output, SD card viewer, Ecran împărțit, Zoom Securitate: Protecție Kensington, Bară de siguranță, Orificiu pentru cablul de securitate Iluminare: Lumini de tip LED Software încorporat: Easy Interactive Tools, Driver TWAIN pentru camera pentru documente Epson (pentru Windows)		
LOT 6 Imprimante (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	MFD A4, ADF 50 sheet Print, Copy, Scan and Fax	MFD Canon i-Sensys MF445dw	Korea	Canon	MFD A4, ADF 35 sheet Print, Copy, Scan and Fax Printing Speed: Single sided: Up to 28 ppm (A4) Double sided: Up to 17.8 ipm (A4) Print quality: Up to 1200 x 1200 dpi Print Resolution: 600 x 600 dpi Copy Speed: Single sided: Up to 28 ppm (A4) Double sided: Up to 17.8 ipm (A4) Copy resolution: Up to 600 x 600 dpi	MFD, A4, 38ppm, DADF, Ethernet, WiFi Print, Copy, Scan and Fax Print speed: Single sided : Up to 38 ppm (A4), Up to 63.1 ppm(A5-Landscape) Double sided : Up to 31.9 ipm (A4) Print Resolution: 600 x 600 dpi Print Quality with Image Refinement Technology: Up to 1200 x 1200 dpi	24 luni	ISO

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md





Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipment și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produ- catorul 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
					Double sided copying: 1-sided to 2-sided (Automatic) Multiple Copies: Up to 999 copies Reduction/Enlargement: 25-400% in 1% incr. Scanner Type: Flatbed and Automatic Document Feeder (ADF) Scan Resolution: Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi to 9600 x 9600 dpi Scan speed: Single sided mono: 20ipm (300x600dpi) Single sided colour: 15ipm (300x600dpi) Colour scanning depth: 24 bit/24 bit Greyscales: 256 levels Scan to E-mail: TIFF/JPEG/PDF/Compact PDF Paper input (Standard): 250-sheet cassette, 1-sheet multi-purpose tray, 35-sheet ADF Paper output: 50-sheet Recommended Monthly Print Volume: 250 - 2,500 pages per month Duty cycle: Max. 30,000 pages per month Processor Speed: 400MHz Memory: 256MB	Warm-up Time: Approx. 14 seconds or less from power on First Print Out Time: Approx: 5.5 seconds or less Printer Languages: UFRII, PCL 5c, PCL6, Adobe® PostScript Advanced printing features: Secure Print, Print from USB memory key (JPEG/TIFF/PDF) Copy Speed: Single sided (A4): Up to 38 ppm Double sided (A4): Up to 30.3 ipm First Copy Output Time (FCOT): ADF (A4): Approx. 6.6 seconds or less Platen (A4): Approx. 6.4 seconds or less Copy resolution: Up to 600 x 600 dpi Double sided copying: 2-sided to 2-sided (Automatic) Multiple Copy: Up to 999 copies Reduction/Enlargement: 25-400% in 1% increments Scan Resolution: Optical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpi Scan speed: Single sided mono: 38ipm (300x600dpi) Single sided colour: 13ipm (300x600dpi) Colour scanning depth: 24 bit/24 bit (input/output) Greyscales: 256 levels Scan to E-mail: TIFF/JPEG/PDF/Compact PDF/Searchable PDF Scan to Cloud: TIFF/JPEG/PDF/PNG iFAX: ITU-T.37 Fax: Modem Speed: 33.6 Kbps (Up to 3 seconds/page) Scanner Type: Platen, 2-sided ADF (single pass)		

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md



Let us do IT for you.



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipment și accesorii pentru computer	Lot: 1-11

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Garantie	Standarde
1	2	3	4	5	6	7	8	9
						Paper input (Standard): 250-sheet cassette, 100-sheet multi-purpose tray, 50-sheet ADF Paper output: 150-sheet Interface type: USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection Recommended Monthly Print Volume: 750 - 4,000 pages per month Duty cycle: Max. 80,000 pages per month Processor Speed: 800MHz x 2 Memory: 1GB Control Panel: 12.7 cm LCD Colour Touch Screen		
2	MFU A3 Printer	MFP Canon iR C3125i	Korea	Canon	MFU A3 Print speeds of up to 25 ppm (A4) in BW/Colour, up to 15ppm (A3) BW/Colour, 20 ppm (A4R), 25 ppm (A5R) Core functions: Print, Copy, Scan, Send and Optional Fax Standard: Reader and DADF Control Panel: 12.7 cm (5 inch) TFT LCD WVGA Colour Touch panel Memory Standard: 2.0GB RAM Interface Standard: USB 2.0 (Host) x2, USB 2.0 (Device) x1, 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE 802.11 b/g/n); Paper input Standard: 2 x 550-sheet cassettes (80gsm), 100-sheet multi-purpose tray (80gsm) Paper input Option: 2 x 550-sheet cassettes (CASSETTE FEEDING UNIT-API) Print Resolution: 600dpi×600dpi, 1200dpi×1200dpi Double Sided Printing: Automatic (Standard) Direct Print: Direct printing available from USB memory key Supported file types: TIFF, JPEG, PDF and XPS	A3 Colour Laser Multifunctional: Print, Copy, Scan, Send and Optional Fax Print Speed (BW/CL): Up to 25/25 ppm (A4, A5, A5R, A6R), Up to 15/15 ppm (A3) Scanner Type: 100 Sheets (80 gsm) Duplexing Automatic Document Feeder [2-sided to 2-sided (Automatic with DADF)], Platten. Print Resolution (dpi): 600 x 600, 1,200 x 1,200 Page description languages: Standard: UFR II, PCL6 Direct Print: Supported file types: PDF, EPS, TIFF/JPEG, XPS Control Panel: 12.7 cm (5 inch) TFT LCD WVGA Colour Touch panel Memory: 2 GB RAM Interface Connection: 1000BaseT/100Base-TX/10Base-T, Wireless LAN (IEEE802.11b/g/n), USB 2.0 (Host) x 2, USB 2.0 (Device) x 1 Paper Supply Capacity (A4, 80gsm): 1,200 Sheets: 100-sheets Multi-purpose tray x 1, and 550-sheets Paper cassette	24 luni	ISO

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md

Let us do IT for you.





Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11


Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Garanti e	Stand-arde
1	2	3	4	5	6	7	8	9
					Send Specifications: Standard Destination: E-mail/Internet FAX (SMTP), SMB, FTP, Super G3 FAX(Optional)	x 2 Maximum: 2,300 Sheets (with optional Cassette Feeding Unit-AP1 - additional 2 x 550-sheets, not included) Paper Output Capacity (A4, 80gsm): 250 Sheets Supported media weights: 52 to 300 gsm, in Automatic Duplex: 52 to 220 gsm Send Sestination: E-mail/Internet FAX (SMTP), SMB, FTP, Optional: Super G3 FAX (not included) Consumables: C-EXV54 Black , 15500 pages; C-EXV54 Cyan , 8500 pages; C-EXV54 Magenta, 8500 pages; C-EXV54 Yellow, 8500 pages		
LOT 7 Sisteme videoconferințe (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Video conferencing system	Logitech Medium ROOM SOLUTION	PRC	Logitech	Video conferencing system (conference camera, PC, Tap touch controller, strong USB 10 m, PC mount, Zoom aproved mini PC, Windows 10 Entreprise, Rally Mounting Kit, optional accessories (example: www. https://www.logitech.com/en-us/product/zoom-rooms?crd=1691)	Video conferencing system (conference camera, PC, Tap touch controller, strong USB 10 m, PC mount, Zoom aproved mini PC, Windows 10 Entreprise, Rally Mounting Kit, optional accessories (example: www. https://www.logitech.com/en-us/product/zoom-rooms?crd=1691)	24 luni	ISO
2	ZOOM Video Conferencing Software	Zoom Pro 2 Years Prepay, 6 hosts	USA	Zoom	ZOOM Video Conferencing Software (Software-Defined Video Conferencing system for any sized Conference Room/ 2-year subscription)	Zoom Pro 2 Years Prepay, 6 hosts	24 luni	ISO
LOT 8 Foto-Video camere (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Camera video	AG-UX90EJ8 - Camcorder Panasonic AG-UX90EJ8	PRC	Panasonic	Camera video Camera Unit Pickup Devices 1.0-type MOS solid state image sensor Effective Pixels 17.78 megapixel: FHD	Professional Camera Recorder Camera Unit Pickup Devices 1.0-type MOS solid state image sensor Effective Pixels 17.78 megapixel: FHD	12 luni	ISO

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md

Let us do IT for you.





Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Producatorul 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
					<p>59.94p/29.97p/23.98p 8.59 megapixel: UHD 29.97p/23.98p LENS Optical image stabilizer lens, optical 15x motorized zoom F2.8 to F4.5 (f=8.8 mm to 132 mm) 35 mm equivalent: f=24.5 mm to 367.5 mm: FHD 59.94p/29.97p/23.98p f=35.4 mm to 531.0 mm: UHD 29.97p/23.98p Filter Diameter: 67 mm ND Filter: 4 Positions (OFF, 1/4, 1/16, 1/64) Shortest Shooting Distance (M.O.D.): Approx. 1.0 m from the front lens Gain setting L/M/H selector switch (toggle switch) Standard mode: 0 dB to 30 dB (Adjustable in 1 dB steps) (Automatic setting can be assigned to L/M/H) Extended ON: -3 dB to 30 dB (Adjustable in 1 dB steps) (Automatic setting can be assigned to L/M/H) 33 dB and 36 dB switched (when assigning [S.GAIN] to the USER button) Color Temperature Setting ATW, ATW LOCK, Ach, Bch, preset 3200 K/preset 5600 K/VAR (2000 K to 15000 K) Shutter Speed 60i/60p mode: 1/60 sec., 1/100 sec., 1/120 sec., Minimum Subject Illumination 1.3 lx (F2.8, Super Gain 36dB, Manual slow shutter 1/30s) DIGITAL ZOOM 2x/5x/10x, i.Zoom: max. 25x (optical zoom + digital zoom) Lens Hood Hood with lens cover Memory Card Recorder - Recording Media*1 SDHC memory card (4 GB to 32 GB), SDXC memory card (48 GB to 128 GB) UHS-I supported Recording slot Slot x 2</p>	<p>/ 8.59 megapixel: UHD LENS: Optical image stabilizer lens, optical 15x motorized zoom F2.8 to F4.5 (f=8.8 mm to 132 mm) 35 mm equivalent: f=24.5 mm to 367.5 mm: FHD / f=35.4 mm to 531.0 mm: UHD Filter Diameter: 67 mm ND Filter: 4 Positions (OFF, 1/4, 1/16, 1/64) Shortest Shooting Distance (M.O.D.): Approx. 1.0 m from the front lens Gain setting: L/M/H selector switch (toggle switch) Standard mode: 0 dB to 30 dB (Adjustable in 1 dB steps) (Automatic setting can be assigned to L/M/H) Extended ON: -3 dB to 30 dB (Adjustable in 1 dB steps) (Automatic setting can be assigned to L/M/H) 33 dB and 36 dB switched (when assigning [S.GAIN] to the USER button) Color Temperature Setting: ATW, ATW LOCK, Ach, Bch, preset 3200 K/preset 5600 K/VAR (2000 K to 15000 K) Shutter Speed: 1/50 sec., 1/60 sec., 1/100 sec., 1/125 sec., 1/180 sec., 1/250 sec., 1/350 sec., 1/500 sec., 1/750 sec., 1/1000 sec., 1/1500 sec., 1/2000 sec., 1/3000 sec., 1/4000 sec., 1/8000 sec., Minimum Subject Illumination: 1.1 lx (F2.8, Super Gain 36dB, Manual slow shutter 1/25s) DIGITAL ZOOM: 2x/5x/10x, i.Zoom: max. 25x (optical zoom + digital zoom) Lens Hood: Hood with lens cover Memory Card Recorder: Recording</p>		

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md



Let us do IT for you.

Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Producatorul 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
					<p>System format 59.94 Hz Recording Format MOV, MP4, AVCHD Recording Mode Please see page 1 for the Recording Format table. Video Signal for External Output 8 bit 4:2:2 Recording video signal 8 bit 4:2:0 Video Compression Format MPEG-4 AVC/H.264 High Profile (MOV/MP4/AVCHD) Digital Audio - Sampling Frequency 48 kHz/16 bit 2 ch Audio Signal Format LPCM (MOV/MP4), Dolby Digital (AVCHD) Headroom 12 dB Video input/output - VIDEO OUTPUT VIDEO OUT connector x 1 HDMI Type A connector x 1, VIERA Link not supported Built-in microphone Stereo microphone XLR Input XLR (3-pin) x 2 (INPUT1, INPUT2) high impedance, LINE/MIC/MIC+48V (switchable SW) LINE: +4 dBu/0 dBu (switchable menu) MIC: -40 dBu/-50 dBu/-60 dBu (switchable menu) AUDIO OUTPUT - HDMI (Audio Output) 2 ch (LPCM) Camera Remote 2.5 mm diameter super mini jack x1 (ZOOM, S/S) 3.5 mm diameter mini jack x1 (FOCUS, IRIS) USB 3.0 (Host) Standard-A connector, 9-pin, external media device connection*2, bus power supported USB 3.0 (Device) Micro-B connector, 10-pin, LCD monitor 3.5-type LCD monitor, Approx. 1,150,000 dots View Finder 0.24-type EVF, Approx. 1,560,000 dots equivalent Included accessories Battery, Battery charger, AC adaptor, Microphone holder, Screw for microphone holder (12 mm), AC cable x 2, Eye cup, Lens hood, INPUT terminal cap, Operating instructions</p>	<p>Media: SDHC memory card (4 GB to 32 GB), SDXC memory card (48 GB to 128 GB), UHS-I supported Recording slot: Slot x 2 Recording Format MOV, MP4, AVCHD Video Signal for External Output 8 bit 4:2:2 Recording video signal 8 bit 4:2:0 Video Compression Format MPEG-4 AVC/H.264 High Profile (MOV/MP4/AVCHD) Digital Audio: Sampling Frequency 48 kHz/16 bit 2 ch Audio Signal Format LPCM (MOV/MP4), Dolby Digital (AVCHD) Headroom 12 dB Video input/output - VIDEO OUTPUT VIDEO OUT connector x 1 HDMI Type A connector x 1, VIERA Link not supported Built-in microphone: Stereo microphone XLR Input: XLR (3-pin) x 2 (INPUT1, INPUT2) high impedance, LINE/MIC/MIC+48V (switchable SW) LINE: +4 dBu/0 dBu (switchable menu) MIC: -40 dBu/-50 dBu/-60 dBu (switchable menu) AUDIO OUTPUT: AUDIO OUT x 2 HDMI AUDIO OUTPUT: - HDMI (Audio Output) 2 ch (LPCM) Camera Remote 2.5 mm diameter super mini jack x1 (ZOOM, S/S) 3.5 mm diameter mini jack x1 (FOCUS, IRIS) USB 3.0 (Host) Standard-A connector, 9-pin, external media device connection*2, bus power supported USB 3.0 (Device) Micro-B connector, 10-</p>		

str. Ion Creangă 6V
 MD-2069, Chișinău, Republica Moldova
 Tel.: +373 22 870 140
 Fax.: +373 22 595 858

Cod TVA: 0505766
 Cod BIC: MOLDDMD2X336
 Cod fiscal: 1008600061565
 Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
 office@bts.md
 www.bts.md




Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produce 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
2	Camera foto DSLR 6D	1897C031AA - DC Canon EOS 6D Mark II BODY	Korea	Canon	Camera foto DSLR 6D mark II Camera Body with Accessory Kit with 24-70mm f/2.8L II USM Lens for 6D mark II, 128 GB Extreme PRO UHS-I SDXC Memory Card	pin, LCD monitor 3.5-type LCD monitor, Approx. 1,150,000 dots View Finder 0.24-type EVF, Approx. 1,560,000 dots equivalent Included accessories Battery, Battery charger, AC adaptor, Microphone holder, Screw for microphone holder (12 mm), AC cable x 2, Eye cup, Lens hood, INPUT terminal cap, Operating instructions Camera foto DSLR 6D mark II Camera Body with Accessory Kit with 24-70mm f/2.8L II USM Lens for 6D mark II, 128 GB UHS-I U3 SDXC Memory Card Image Sensor Type: Approx. 35.9 x 24.0 mm CMOS Effective Pixels: Approx. 26.2 megapixels Aspect Ratio: 3:2 Low-Pass Filter: Built in/Fixed Sensor Cleaning: EOS integrated cleaning system Colour Filter Type: Primary Colour Lens Mount EF (excludes EF-S, EF-M lenses) Focal Length: Equivalent to 1.0x the focal length of the lens Image Stabilisation: Optical Image Stabilizer on compatible lens Movie: In-camera 5-axis Digital IS available. Focusing Type: Via optical viewfinder: TTL secondary image-forming phase detection system with AF dedicated sensor Via liveview on LCD screen: Dual Pixel CMOS AF System. Phase detection pixels built onto imaging sensor AF System/ Points	24 luni	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md





Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produce 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
						<p>Via optical viewfinder: 45 cross-type AF points (45 f/5.6 cross-type AF points, up to 27 f/8 (9 cross-type) points, centre point is f/2.8 and f/5.6 dual cross-type and sensitive to -3 EV) The number of available cross-type AF points will differ depending on the lens. Via liveview on LCD screen: Maximum 63 AF points (Fixed location on 9x7 grid) via camera automatic selection Manual Focus: Selected on lens Exposure Control: Metering modes Via optical viewfinder: 7560-pixel RGB+IR metering sensor. Metering with the area divided into 63 segments (9 × 7) ISO Sensitivity: Stills: Auto (100 - 40000), 100 - 40000 (in 1/3-stop or whole stop increments), Manual ISO can be expanded to L: 50, H1: 51200, H2: 102400 Movie: Auto (100 - 25600), 100 - 25600 (in 1/3-stop or whole stop increments), Auto ISO/ Manual ISO settings can be expanded to H1: 51200. H2: 102400 Shutter Type: Electronically-controlled focal-plane shutter Speed: 30-1/4000 sec (1/2 or 1/3 stop increments), Bulb (Total shutter speed range. Available range varies by shooting mode) Viewfinder Type: Pentaprism LCD Monitor Type: Touch screen Vari angle 7.7cm (3.0") 3:2 Clear View II TFT, approx. 1040K dots wifi: Wi-Fi (2.4GHz) Channels: IEEE802.11b, IEEE802.11g, IEEE802.11n Bluetooth: Bluetooth Specification Version 4.1 compliant NFC, HDMI output (Type-C), External microphone (3.5 mm Stereo mini jack) Storage Type: SD, SDHC or SDXC (UHS-</p>		

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md



Let us do IT for you.



Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV	Denumirea bunurilor	Modelul	Tara de orig	Producatorul	Specificatia din FDA	Specificatia propusa	Garantie	Standarde
1	2	3	4	5	6	7	8	9
3	Camera foto With 28-70 mm Lens-Black	Sony ILCE-7M2KB kit	Tailand	Sony	Camera foto Sony – Appha 7 a 7 II Full-Frame Mirrorless Camera With 28-70 mm Lens-Black	l) card Batteries: Rechargeable Li-ion Battery LP-E6N (supplied) Zoom Lens Canon EF 24-70mm f/2.8 L II USM + 128 GB UHS-I U3 SDXC Memory Card Camera foto Sony – Appha 7 a 7 II Full-Frame Mirrorless Camera With 28-70 mm Lens-Black	12 luni	ISO
LOT 9 Accesorii (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	4 TB SAS HDD	S26361-F5626-E400 - HD SAS 12G 4TB 7.2K HOT PL 3.5' BC	PRC		4 TB SAS HDD, compatibil cu modelul Fujitsu	HD SAS 12G 4TB 7.2K HOT PL 3.5' BC	24 luni	ISO
2	USB hard drive	1.0TB (USB3.1) 2.5" ADATA HV320	PRC	Adata	USB hard drive (external USB) 1TB	1.0TB (USB3.1) 2.5" ADATA HV320 External Hard Drive, Very Slim, Black (AHV320-1TU31-CBK)	36 luni	ISO
3	L2 Smart Switch 24UTP	D-link DGS-1210-28MP/F1A	PRC	D-Link	L2 Smart Switch with 24 10/100/1000Base-T ports and 4 1000Base-X SFP ports (4 PoE ports 802.3af/802.3at (30 W), 20 PoE ports 802.3af (15,4 W), PoE Budget 193 W). 16K Mac addr (DGS-1210-28P-F1A)	24*100BASE-TX POE SMART SWITCH, D-link DGS-1210-28MP/F1A	24 luni	ISO
4	Wi-Fi Router	Wi-Fi N Netis Router, "WF2415", 300Mbps, Gbit Ports, 2x5dBi Fixed Antennas	PRC		Wi-Fi Router with 4-port Gigabit Ethernet Switch	Wi-Fi Standart IEEE 802.11b, IEEE 802.11g, IE Wi-Fi Speed up to 300Mbps Wi-Fi Frequency 2.4GHz Antennas 2x Fixed Omni Directional Ante Ethernet (LAN) 4x Gigabit Ethernet WAN 1*10/100/1000Mbps Guest Network Yes Buttons Default, WPS PSU 12V/1A Colour Black	24 luni	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Let us do IT for you.





Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV 1	Denumirea bunurilor 2	Modelul 3	Tara de orig 4	Produce 5	Specificatia din FDA 6	Specificatia propusa 7	Garanti e 8	Stand- arde 9
5	Network switch 16-port Gigabit	Switch TP-LINK "TL-SG1016D"	PRC	TP-Link	Network switch 16-port Gigabit Desktop/Rackmount Switch, 16 10/100/1000M RJ45 ports, 13-inch steel case	16-port Gigabit Desktop/Rackmount Switch TP-LINK "TL-SG1016D", metal case	24 luni	ISO
LOT 10 Software (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Software to create interactive courses and content	Software iSpring Max, 2 years	USA	iSpring Solutions	Software to create interactive courses and content (ex. iSpring Suite Full Service, 2-year subscription/ 2- 5 users)	Software iSpring Max, 2 years	24 luni	ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Let us do IT for you.





Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipment și accesorii pentru computer	Lot: 1-11

SPECIFICAȚII DE PREȚ (F4.2)

Nr. CPV	Denumirea bunurilor	U.M.	Cant.	Pret unitar f/TVA	Pret unitar cu TVA	Suma f/TVA	Suma cu TVA	Termen de livrare
				MDL	MDL	MDL	MDL	
1	2	3	4	5	6	7	8	9
LOT 1 Servere (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Server Xeon Gold	Buc.	3	153875,00	184650,00	461625,00	553950,00	30 de zile după aprobarea contractului
2	Server Xeon Silver	Buc.	2	117280,00	140736,00	234560,00	281472,00	30 de zile după aprobarea contractului
3	NAS	Buc.	1	14850,00	17820,00	14850,00	17820,00	30 de zile după aprobarea contractului
TOTAL LOT 1:						711035,00	853242,00	
LOT 2 All-in-One computers (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Touch All-in-One Desktop	Buc.	42	17860,00	21432,00	750120,00	900144,00	30 de zile după aprobarea contractului
TOTAL LOT 2:						750120,00	900144,00	
LOT 3 Lotul 3. PC for language class (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	AiO PC	Buc.	50	6085,00	7302,00	304250,00	365100,00	30 de zile după aprobarea contractului
TOTAL LOT 3:						304250,00	365100,00	
LOT 4 Lotul 4. Notebook (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Notebook	Buc.	27	15930,00	19116,00	430110,00	516132,00	30 de zile după aprobarea contractului
2	Laptop	Buc.	10	8650,00	10380,00	86500,00	103800,00	30 de zile după aprobarea contractului
TOTAL LOT 4:						516610,00	619932,00	
LOT 5 Proiectoare multimedia (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Ultra Short throw proiector	Buc.	10	34887,50	41865,00	348875,00	418650,00	30 zile
2	Portable projector	Buc.	9	14402,50	17283,00	129622,50	155547,00	on stock
3	Set videoproietor	Buc.	1	29237,50	35085,00	29237,50	35085,00	30 de zile după aprobarea contractului
4	Visual Presenter document camera	Buc.	1	12037,50	14445,00	12037,50	14445,00	30 de zile după aprobarea contractului
5	Document Camera	Buc.	2	9947,50	11937,00	19895,00	23874,00	30 zile
TOTAL LOT 5:						539667,50	647601,00	
LOT 6 Imprimante (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	MFD A4, ADF 50 sheet Print, Copy, Scan and Fax	Buc.	5	6272,50	7527,00	31362,50	37635,00	30 de zile după aprobarea contractului

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Let us do IT for you.





Numărul licitației: nr. ocds-b3wdp1-MD-1599727545454	Academia de Studii Economice din Moldova	Data: 26.11.2020
Denumirea licitației: Cod CPV: 30200000-1	Echipament și accesorii pentru computer	Lot: 1-11

Nr. CPV	Denumirea bunurilor	U.M.	Cant.	Pret unitar f/TVA MDL	Pret unitar cu TVA MDL	Suma f/TVA MDL	Suma cu TVA MDL	Termen de livrare
1	2	3	4	5	6	7	8	9
2	MFU A3 Printer	Buc.	1	30305,00	36366,00	30305,00	36366,00	30 de zile după aprobarea contractului
TOTAL LOT 6:						61667,50	74001,00	
LOT 7 Sisteme videoconferințe (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Video conferencing system	Buc.	6	84337,50	101205,00	506025,00	607230,00	30 de zile după aprobarea contractului
2	ZOOM Video Conferencing Software	Buc.	6	5637,50	6765,00	33825,00	40590,00	30 de zile după aprobarea contractului
TOTAL LOT 7:						539850,00	647820,00	
LOT 8 Foto-Video camere (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Camera video	Buc.	2	37590,00	45108,00	75180,00	90216,00	30 de zile după aprobarea contractului
2	Camera foto DSLR 6D	Buc.	1	46882,50	56259,00	46882,50	56259,00	30 de zile după aprobarea contractului
3	Camera foto With 28-70 mm Lens-Black	Buc.	2	23067,50	27681,00	46135,00	55362,00	30 de zile după aprobarea contractului
TOTAL LOT 8:						168197,50	201837,00	
LOT 9 Accesorii (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	4 TB SAS HDD	Buc.	1	10380,00	12456,00	10380,00	12456,00	30 de zile după aprobarea contractului
2	USB hard drive	Buc.	17	750,00	900,00	12750,00	15300,00	30 de zile după aprobarea contractului
3	L2 Smart Switch 24UTP	Buc.	4	7035,00	8442,00	28140,00	33768,00	30 de zile după aprobarea contractului
4	Wi-Fi Router	Buc.	2	432,50	519,00	865,00	1038,00	30 de zile după aprobarea contractului
5	Network switch 16-port Gigabit	Buc.	4	822,50	987,00	3290,00	3948,00	30 de zile după aprobarea contractului
TOTAL LOT 9:						55425,00	66510,00	
LOT 10 Software (Se aplică cota 0 TVA, conform Hotărârii de Guvern)								
1	Software to create interactive courses and content	Buc.	4	24580,00	29496,00	98320,00	117984,00	30 de zile după aprobarea contractului
TOTAL LOT 10:						98320,00	117984,00	
TOTAL:						3745142,50	4494171,00	

Valabilitatea ofertei: 60 zile

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Let us do IT for you.

Cod TVA: 0505766
Cod BIC: MOLDMD2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

