

Anexa 7

CERERE DE PARTICIPARE

Către: CADASTRUL BUNURILOR IMOBILE

Stimați domni,

Ca urmare a anunțului/invitației de participare/de preselecție apărut în Buletinul achizițiilor publice și/sau Jurnalul Oficial al Uniunii Europene, # **MD-1754475223432** din **05/09/2025**, privind aplicarea procedurii pentru atribuirea contractului «Imprimante și multifuncționale», noi FORS-Computer SRL, am luat cunoștință de condițiile și de cerințele expuse în documentația de atribuire și exprimăm prin prezenta interesul de a participa, în calitate de ofertant/candidat, neavând obiecții la documentația de atribuire.

Igori IASIKO



În calitate de: Director General

10/09/2025

Annex 8

DECLARAȚIE PRIVIND VALABILITATEA OFERTEI

Către: CADASTRUL BUNURILOR IMOBILE

Stimați domni,

Ne angajăm să menținem oferta valabilă, privind achiziționarea «Imprimante și multifuncționale » prin procedura de achiziție # **MD-1754475223432** din **05/09/2025** pentru o durată de **60 zile (pina la 14/11/2025)**, și ea va rămâne obligatorie pentru noi și poate fi acceptată oricând înainte de expirarea perioadei de valabilitate.

Igori IASIKO

În calitate de: Director General

10/09/2025

DECLARAȚIE

Annex 12

privind lista principalelor livrări de bunuri similare efectuate în ultimii 3 ani de activitate
Data: 10/09/2025

MTender ID: MD-1754475223432

Către: CADASTRUL BUNURILOR IMOBILE

No	Denumirea contractului	Numele / numele beneficiarului / Adresa	Calitatea furnizorului / prestatorului	Prețul contractului / valoarea bunurilor / serviciilor livrate / prestate	Perioada de livrare (luni)
1	Contract nr. 0138MD210/24 Supply of Workstations	GSSR-Foundation GmbH	contractant unic	219.300,00 EUR	29/10/2024 - 19/12/2024
2	Contract nr. 0123MD106/24 Supply of IT Equipment and video walls	GSSR-Foundation GmbH	contractant unic	393,639.00 EUR	19/08/2024 - 15/10/2024
3	Agreement # 10562-FC-012	Nathan Associates Inc	contractant unic	96.884,00 USD	17/10/2022 – 15/12/2022
4	PO #8003-02-OPS-2022-04	Dexis Consulting Group	contractant unic	76.137,00 USD	18/07/2022 – 25/01/2023
5	PO #MoldRCRA_PO_004	Chemonics International	contractant unic	101.790,73 USD	30/11/2022 – 26/01/2023
6	Contract 07 on 07/03/2023	USM	contractant unic	164.548,00 USD	07/03/2023 – 03/05/2023
7	Contract 05/1-07 on 06/07/2023	Prestigiu-AZ	contractant unic	163.234,00 EUR 105.936,00 USD	06/07/2023-28/09/2023
8	Contract # 17/0910	Centrul Național Anticorupție	contractant unic	1.101.484,8 MDL	09/10/2024 – 31/12/2024
9	Agreement 0106-MD2-1023	GSSR-Foundation GmbH	contractant unic	513,280.00 EUR	06/11/2023-31/12/2023
11	Contract # 22/0211	Centrul Național Anticorupție	contractant unic	924.335,00 MDL	02/11/2024 – 31/12/2023
12	Contract # 16/0210	Centrul Național Anticorupție	contractant unic	3.161.968,00 MDL	02/11/2024 – 31/12/2023
13	Agreement 0123-MD1-06/24	GSSR-Foundation GmbH	contractant unic	404,358.00 EUR	19/08/2024-01/11/2024
14	Contract # TAMP/3/SH-5	Serviciul Fiscal de Stat	contractant unic	1.677.600,00 MDL	15/11/2023 – 30/11/2023
15	Contract MD-STATEUNI-354213-GO-RFB/2 on 18/03/2024	USM	contractant unic	122.106,00 USD	18/03/2024 – 08/05/2024
16	PO #19MD7024P0282	US Embassy in Moldova	contractant unic	107,490.00 USD	17/06/2024 – 02/09/2024
17	PO # 2004-PO-0058	Dexis Interactive Incorporated // USAID	contractant unic	1,872,780.00 MDL	04/09/2024 – 26/11/2024
18	Contract # 102/2024/AP	Serviciul Fiscal de Stat	contractant unic	4.079.760,00 MDL	04/11/2024 – 29/11/2024
19	Contract # 14	CANCELARIA DE STAT	contractant unic	1.762.152,00 MDL	16/10/2024 – 01/12/2024
20	Contract # 25/226/2024-LD	BNM	contractant unic	1.156.219,60 MDL	21/08/2024 – 10/10/2024
21	Contract CEPOL/DC/2024/258	CEPOL	contractant unic	1.119.576.00 EUR	11/11/2024 – 15/01/2025
22	Agreement 0130-MD2-09/24	GSSR-Foundation GmbH	contractant unic	367,800.00 EUR	04/11/2024-27/12/2024

Numele persoanei autorizate în mod corespunzător să semneze Oferta în numele Ofertantului: Igori IASIKO

Funcția persoanei care semnează Oferta: Director

Semnătura persoanei menționate mai sus:


SPECIFICAȚII TEHNICE

Numărul licitației: MTender ID ocds-b3wdp1-MD-1754475223432							05.09.2025
Denumirea licitației: Imprimante și multifuncționale							
Codul CPV	Denumirea bunurilor și/sau a serviciilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată	Specificar a tehnică deplină propusă de către ofertant	Standarde de referință

LOTUL #1

1 IMPRIMANTĂ, FORMAT A4 (DUPLEX, LAN), ALB/NEGRU							
30232100-5	Imprimantă, format A4 (duplex, lan), alb/negru	2Z609A	PH	HP	Cerințe tehnice conform anunțului de participare	HP LASERJET PRO 4003DN PRINTER Tip: Imprimantă laser, monocromă Imprimare duplex: Automată Rezoluție de imprimare: 1200x1200 dpi Viteză de imprimare: până la 40 ppm (A4, normal); până la 34 ipm (A4, duplex) Ciclu de lucru lunar: până la 80.000 de pagini A4 Prima pagină imprimată: în doar 6,3 secunde (A4) Tipuri de suporturi: hârtie (simplă, EcoEFFICIENT, ușoară, grea, bond, colorată, cu antet, pretipărită, perforată, reciclată, aspră); plicuri; etichete Dimensiuni suporturi: A4; A5; A6; plicuri Alimentare hârtie: Tava multifuncțională 1 de 100 de coli, tava de alimentare 2 de 250 de coli; Tava de ieșire standard de 150 de coli; Tava opțională de alimentare a treia de 550 de coli Greutate suporturi: 60 până la 200 g/m² Sisteme de operare compatibile: Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS; Chrome OS Interfețe: USB 2.0; USB gazdă; Gigabit Ethernet 10/100/1000BASE-T Alimentare: Alimentare internă (incorporată), 220 până la 240 VAC (± 10%), 50/60 Hz (±2 Hz); Tehnologie HP Auto-On/Auto-Off; Tehnologie Instant-on acceptată Accesorii: Cablu USB tip B -> USB tip A; Cablu de alimentare Consumabile: 1x cartuș de toner (~3.050 pagini) standard; 3x cartuș de toner suplimentar (~3.050 pagini) Garanție: 3 ani NBD garanție oficială a producătorului la fața locului Notă: Toate echipamentele oferite sunt noi și vor fi fabricate după plasarea comenzii. Centru de service autorizat HP - FORS Computer (certificate atașate)	CE Marking; ENERGY STAR; IT ECO Declaration

LOTUL #2

1 MFP FORMAT A4 (DADF+DUPLEX+LAN), ALB/NEGRU							
30232100-5	MFP format A4 (DADF+Duplex+LAN), alb/negru	2Z627A	CH	HP	Cerințe tehnice conform anunțului de participare	HP LASERJET PRO MFP 4103DW PRINTER Tip: Imprimantă multifuncțională laser, monocromă Funcții: Imprimare, copiere, scanare Imprimare duplex: Automată (implicită) Rezoluție de imprimare: 1200x1200 dpi Viteză de imprimare: până la 40 ppm (A4, normal); până la 34 ipm (A4, duplex) Volum de lucru (lunar): Până la 80.000 pagini A4 Prima pagină alb-negru imprimată: În numai 6,3 s (A4) Viteză de copiere: până la 40 cpm Rezoluție copiere: 600x600 dpi Tip scanner: plat, ADF; scanare față-verso acceptată Rezoluție scanare optică: până la 600 dpi monocrom și color Tipuri de suporturi: hârtie (simplă, EcoEFFICIENT, ușoară, grea, bond, colorată, cu antet, pretipărită, perforată, reciclată, aspră); plicuri; etichete Dimensiuni suporturi: A4; A5; A6; plicuri Greutate suporturi: 60 până la 200 g/m² Sisteme de operare compatibile: Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS; Chrome OS Interfețe: USB 2.0; USB gazdă; port USB frontal; Gigabit Ethernet 10/100/1000BASE-T Alimentare: Alimentare internă (incorporată), 220 până la 240 VAC (± 10%), 50/60 Hz (±2 Hz); Tehnologie HP Auto-On/Auto-Off; Tehnologie Instant-on acceptată Accesorii: Cablu USB tip B -> USB tip A; Cablu de alimentare Consumabile: 1x cartuș de toner (~3.050 pagini) standard; 3x cartuș de toner suplimentar (~3.050 pagini) Garanție: 3 ani NBD garanție oficială a producătorului la fața locului Notă: Toate echipamentele oferite sunt noi și vor fi fabricate după plasarea comenzii. Centru de service autorizat HP - FORS Computer (certificate atașate)	CE Marking; ENERGY STAR; IT ECO Declaration

Semnat:



Igor Iasko, Director General

SPECIFICAȚII DE PREȚ

Numărul licitației: MTender ID ocds-b3wdp1-MD-1754475223432

05.09.2025

Denumirea licitației: Imprimante și multifuncționale

#	Codul CPV	Denumirea bunurilor și/sau a serviciilor	Unitatea de măsură	Cantitatea	Preț unitar, MDL (fără TVA)	Preț unitar, MDL (cu TVA)	Suma, MDL (fără TVA)	Suma, MDL (cu TVA)	Termenul de livrare/prestare, zilei	Clasificație bugetară (IBAN)	Discount, %
---	-----------	--	--------------------	------------	-----------------------------	---------------------------	----------------------	--------------------	-------------------------------------	------------------------------	-------------

LOTUL #1

1 IMPRIMANTĂ, FORMAT A4 (DUPLEX, LAN), ALB/NEGRU

	30232100-5	HP LASERJET PRO 4003DN PRINTER	set	31	5 297,00	6 356,40	164 207,00	197 048,40	pina la 90 zl.		-
TOTAL PE LOTUL #1:							164 207,00	197 048,40			

LOTUL #2

1 MFP FORMAT A4 (DADF+DUPLEX+LAN), ALB/NEGRU

	30232100-5	HP LASERJET PRO MFP 4103DW PRINTER	set	21	7 846,00	9 415,20	164 766,00	197 719,20	pina la 90 zl.		-
TOTAL PE LOTUL #2:							164 766,00	197 719,20			

TOTAL PE OFERTA:

328 973,00

394 767,60

Semnat:



Igor Iasko, Director General

Ofertantul: Fors-Computer SRL

Adresa: mun. Chisinau, str. Calea Mosilor, 28



Nr. CIF9-27502.2023

Data: 09/11/2023


**CERTIFICAT
PRIVIND EXISTENȚA CONTURILOR CURENTE**

Prin prezentul, **OTP Bank S.A.**, confirmă că **FORS-COMPUTER SRL** cod fiscal (IDNO) **1002600008315**, deține următoarele conturi la OTP Bank S.A., Sucursala 9 Centru:

1. Cont curent MDL - MD52MO2224ASV75803267100;
2. Cont curent USD - MD44MO2224ASV75803427100;
3. Cont curent EUR - MD48MO2224ASV75803347100.

Certificatul este emis în baza solicitării verbale f/n a clientului din 09.11.2023.

Cu respect,



Stratenco Nadejda

Director Sucursala nr. 9 „Centru”



Ex: Discultu Valentina
Tel: 022-812-343

Către: Cadastrul Bunurilor Imobile
Adresa: mun. Chișinău, str. A. Puskin 47
Data: 11.09.2025

GARANȚIE BANCARĂ nr. GB/0014910

pentru participare cu ofertă la procedura de atribuire a contractului de achiziție publică

Cu privire la procedura de atribuire a contractului pentru achiziționarea Imprimante și multifuncționale, conform invitației la licitația nr. ocds-b3wdp1-MD-1754475223432 din 05.09.2025. OTP Bank S.A., adresa juridică bd. Ștefan cel Mare 81A, mun. Chișinău, MD - 2012, Republica Moldova, ne obligăm față de Cadastrul Bunurilor Imobile să plătim suma de **7000.00 MDL (Șapte mii lei 00 bani)** la prima sa cerere scrisă și fără ca acesta să aibă obligația de a-și motiva cererea respectivă, cu condiția, ca în cererea sa, autoritatea contractantă să specifice că suma cerută și datorată, este din cauza existenței uneia sau mai multora dintre situațiile următoare:

1. Ofertantul FORS-COMPUTER S.R.L. și-a retras sau și-a modificat oferta în perioada de valabilitate a acesteia;
Prezenta ofertă rămâne valabilă pentru perioada de timp specificată în Anexa nr.2 Anunțul de Participare, începînd cu data-limită pentru depunerea ofertei, în conformitate cu Anexa nr.2 Anunțul de Participare, și rămâne obligatorie și poate fi acceptată în orice moment până la expirarea acestei perioade;
2. Oferta sa fiind stabilită câștigătoare, Ofertantul FORS-COMPUTER S.R.L. nu a constituit garanția de bună execuție;
3. Oferta sa fiind stabilită câștigătoare, Ofertantul FORS-COMPUTER S.R.L. a refuzat să semneze contractul de achiziție publică de bunuri/servicii sau Nu a executat vreo condiție, specificată în documentația de atribuire înainte de semnarea contractului de achiziție publică de bunuri/servicii.

Prezenta garanție este valabilă pînă la data de **14.11.2025**.

Cu respect,

Olga Tarasiuc
Șef Secție Angajamente Retail Micro și Corporate
OTP Bank S.A.

Această garanție a fost emisă în format electronic și constituie un document electronic original. Autenticitatea și integritatea semnăturii electronice, urmează să fie verificată prin intermediul platformei electronice <https://msign.gov.md>. În cazul când validarea semnăturii electronice nu poate fi efectuată, vă rugăm să ne contactați prin email către trade@otpbank.md. La imprimarea pe hârtie, se va obține o copie a acestui document.

OTP Bank S.A. • Capital Social: 100 000 000 MDL • Număr de înregistrare de stat – 1002600006089
bd. Ștefan cel Mare și Sfînt 81A • MD-2012 Chișinău, Moldova • telefon: +373 22 256 456 • e-mail: info@otpbank.md • www.otpbank.md

I.P. "AGENȚIA SERVICII PUBLICE"
Departamentul înregistrare a unităților de drept

Extras
din Registrul de stat al persoanelor juridice
nr. 184096 din 05.08.2025



Denumirea completă: **FIRMA "FORS-COMPUTER" S.R.L.**

Denumirea prescurtată: **"FORS-COMPUTER" S.R.L.**

Forma juridică de organizare: **Societate cu răspundere limitată**

Numărul de identificare de stat și codul fiscal: **1002600008315**

Data înregistrării de stat: **04.02.1998**

Sediu: **MD-2024, strada Calea Moșilor 28, mun. Chișinău, Republica Moldova**

Genurile de activitate:

- 1. Consultații în domeniul sistemelor de calcul;**
- 2. Edituri;**
- 3. Tipărire și activități anexe;**
- 4. Comerțul cu ridicata pe bază de tarife sau contracte;**
- 5. Alte activități de servicii prestate întreprinderilor, neincluse în alte categorii;**

Capitalul social: **12000 Lei**

Administrator(i): **IASIKO IGORI**

Asociați:

- 1. IASIKO IGORI, partea socială 12000 Lei, ce constituie 100%**

Beneficiari efectivi: **IASIKO IGORI**

Prezentul extras este eliberat în temeiul art. 34 al Legii nr.220/2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de 05.08.2025

Specialist coordonator

Ana Pîntea

tel. 022-207826



MD-2005 mun.Chișinău, str. Albișoara, 38
Tel. (022) 820-770, Email: am@am.gov.md

CONFIRMARE

privind înregistrarea în „Lista producătorilor” de produse
supuse reglementărilor de responsabilitate extinsă a producătorului
(echipamente electrice și electronice)

În scopul plasării pe piață a produselor de echipamente electrice și electronice, în conformitate cu prevederile art. 12 alin. (5) și alin. (14) lit. b) din Legea nr. 209 din 29.07.2016 privind deșeurile, și punctele 46 – 50 din Regulamentul privind deșeurile de echipamente electrice și electronice, aprobat prin Hotărârea Guvernului nr. 212 din 07.03.2018, se emite numărul de înregistrare

MD2024-2-EEE-008

pentru FORS -COMPUTER SRL, IDNO: 1002600008315, cu adresa juridică:
mun.Chișinău, str. Sfatul Țării, 18.

Numărul de înregistrare este valabil începînd cu data de 08.02.2024 pînă la data de 08.02.2027.

Director adjunct
Dorin POVERJUC

HP Amplify Membership Certificate

Effective November 1, 2024 to October 31, 2025.

Company Legal Name: FIRMA FORS-COMPUTER, SRL (1-10LQI-9157)
Company DBA Name: Fors-Computer SRL

is a member of the HP Amplify Partner Program with the following designation(s):

HP Amplify Power Partner

Managed Print Services

Print Lifecycle Services Specialist

Workstations Specialist

PS Lifecycle Services Specialist

Service Delivery Authorized Partner

Kobi Elbaz

Kobi Elbaz
SVP & General Manager, Global Channel, Sales
Innovation & Operations



Bernhard Fauser
Managing Director
Central & Eastern Europe



CERTIFICATE

of achievement



Victor Rusu

has successfully completed

A4 Mono LaserJet 300-400 Service Qualification

26-OCT-2023

CERTIFICATE

of achievement



Roman Gutu

has successfully completed

A4 Mono LaserJet 300-400 Service Qualification

09-JUN-2023

DECLARAȚIE PRIVIND ACORDAREA SERVICIILOR OFICIALE DE ASISTENȚĂ

Către: CADASTRUL BUNURILOR IMOBILE

Stimați domni,

Prin prezenta confirmăm că condițiile de service în garanție specificate în Anexa 22 constituie garanția oficială a companiei HP. Toate dispozitivele pot fi reparate în perioada de garanție la un centru de service autorizat HP (FORS-Computer SRL, <https://support.hp.com/us-en/help/service-center>) în conformitate cu regulile stabilite în cadrul obligațiilor oferite (condițiile de garanție pot fi obținute după introducerea numărului de serie al dispozitivului la următoarea adresă: <https://support.hp.com/us-en/check-warranty>).

Igori IASIKO



În calitate de: Director General

10/09/2025



REGISTRATION CERTIFICATE

This certificate confirms that the management systems of

„FORS-COMPUTER” S.R.L.

MD-2024, Calea Moşilor Street 28, Chisinau municipality,
Republic of Moldova

have been audited and approved by
Quay Audit UK Ltd to the following management standard:

ISO 9001:2015

The approved management systems apply to the following scope:

Providing IT equipment and software solutions, IT consultations and services.



This certificate is restricted to those scopes of business activity described
in the internationally recognised NACE Codes listed below:

9511, 9512, 6201, 6202, 6203, 6209, 4651, 4652

Original Approval	22 February 2021
Current Certificate	24 July 2024
Certificate Expiry	22 February 2027
Registration Number	4158229



On behalf of **Quay Audit UK Limited**



www.ascb.com



www.global-accreditation.org



www.irqao.com

This is an accredited certificate authorised for issue by Accreditation Service for Certifying Bodies LLC who have assessed Quay Audit UK Limited against defined criteria and in cognisance the latest version of ISO 17021 'Conformity Assessment - Requirements for bodies providing audit and certification of management systems'.

This certificate is only valid when confirmed by the register listed in the International Register of Quality Assessed Organisations: www.irqao.com

Grove House 8 St. Julian's Friars Shrewsbury Shropshire SY1 1XL | (44)1743 351677 | post@quayaudit.co.uk | www.quayaudit.co.uk



REGISTRATION CERTIFICATE

This certificate confirms that the management systems of

„FORS-COMPUTER” S.R.L.

MD-2024, Calea Moşilor Street 28, Chisinau municipality,
Republic of Moldova

have been audited and approved by
Quay Audit UK Ltd to the following management standard:

ISO 27001:2022

The approved management systems apply to the following scope:

Providing IT equipment and software solutions, IT consultations and services.



This certificate is restricted to those scopes of business activity described
in the internationally recognised NACE Codes listed below:

9511, 9512, 6201, 6202, 6203, 6209, 4651, 4652

Original Approval	24 July 2024
Current Certificate	24 July 2024
Certificate Expiry	24 July 2027
Registration Number	4159558



On behalf of **Quay Audit UK Limited**



www.ascb.com



www.global-accreditation.org



www.irqao.com

This is an accredited certificate authorised for issue by Accreditation Service for Certifying Bodies LLC who have assessed Quay Audit UK Limited against defined criteria and in cognisance the latest version of ISO 17021 'Conformity Assessment - Requirements for bodies providing audit and certification of management systems'.

This certificate is only valid when confirmed by the register listed in the International Register of Quality Assessed Organisations: www.irqao.com

Grove House 8 St. Julian's Friars Shrewsbury Shropshire SY1 1XL | (44)1743 351677 | post@quayaudit.co.uk | www.quayaudit.co.uk



(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: SHNGC-1801-02- R11

(en) Manufacturer's Name (de) Herstellername (fr) Nom du fabricant (es) Nombre del fabricante	HP Inc.																																				
(en) Manufacturer's Address (de) Adresse des Herstellers (fr) Adresse du fabricant (es) Dirección del fabricante	11361 Chinden Boulevard, Boise, Idaho 83714-1021 USA																																				
(en) declare, under its sole responsibility that the product (de) erklärt, dass das Produkt (fr) déclare que le produit (es) declara que el producto																																					
(en) Product Name and Model ^{5.2} (de) Produktname und Modell ^{5.2} (fr) Nom du produit et modèle ^{5.2} (es) Nombre del producto y modelo ^{5.2}	HP LaserJet Pro MFP M428fdw HP LaserJet Pro MFP M429fdw HP LaserJet Pro MFP 4101fdwe HP LaserJet Pro MFP 4101fdw HP LaserJet Pro MFP 4102fdwe HP LaserJet Pro MFP 4102fdw HP LaserJet Pro MFP 4103fdw HP LaserJet Pro MFP 4104fdw																																				
(en) Regulatory Model Number ^{5.1} (de) Regulatorische Modell Nummer ^{5.1} (fr) Numéro de modèle réglementaire ^{5.1} (es) Número de modelo reglamentario ^{5.1}	SHNGC-1801-02																																				
(en) Product Options (de) Produktoptionen (fr) Options du produit (es) Opciones del producto	(en) Please See ANNEX 1 (de) Siehe Anhang I (fr) Voir l'annexe I (es) Ver Anexo I																																				
(en) conforms to the following Product Specifications and Regulations (de) entspricht den folgenden Produktspezifikationen und Vorschriften (fr) est conforme aux normes et règlements de produit suivants (es) cumple con las siguientes especificaciones y normas de productos																																					
<table><tr><td>(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad</td><td>(en) EMC / (de) EMV / (fr) EMC / (es) EMC</td><td>(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico</td></tr><tr><td>IEC 60950-1:2005 +A1:2009 +A2:2013</td><td>CISPR 22:2008 Class B</td><td>EN 300 328 V2.2.2</td></tr><tr><td>IEC 62368-1:2014</td><td>CISPR 32:2015 Class B</td><td>EN 301 893 V2.1.1</td></tr><tr><td>EN 62368-1:2014 +A11:2017</td><td>EN 55032:2015+A11:2020 Class B</td><td>EN 300 440 V2.1.1</td></tr><tr><td>IEC 62368-1:2018</td><td>CISPR 35:2016</td><td></td></tr><tr><td>EN IEC 62368-1:2020 +A11:2020</td><td>EN 55035:2017+A11:2020</td><td></td></tr><tr><td>IEC 60825-1:2014</td><td>EN IEC 61000-3-2:2019 +A1:2021</td><td></td></tr><tr><td>EN 60825-1:2014 +A11:2021</td><td>EN 61000-3-3:2013+A1:2019+A2:2021</td><td></td></tr><tr><td>IEC 62479:2010</td><td>FCC CFR 47 Part 15 Class B</td><td></td></tr><tr><td>EN 62479:2010</td><td>ICES-003, Issue 7 Class B</td><td></td></tr><tr><td>IEC 62311:2007</td><td>EN 301 489-1 V2.2.3</td><td></td></tr><tr><td>EN 62311:2008</td><td>EN 301 489-17 V3.3.1</td><td></td></tr></table>		(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad	(en) EMC / (de) EMV / (fr) EMC / (es) EMC	(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico	IEC 60950-1:2005 +A1:2009 +A2:2013	CISPR 22:2008 Class B	EN 300 328 V2.2.2	IEC 62368-1:2014	CISPR 32:2015 Class B	EN 301 893 V2.1.1	EN 62368-1:2014 +A11:2017	EN 55032:2015+A11:2020 Class B	EN 300 440 V2.1.1	IEC 62368-1:2018	CISPR 35:2016		EN IEC 62368-1:2020 +A11:2020	EN 55035:2017+A11:2020		IEC 60825-1:2014	EN IEC 61000-3-2:2019 +A1:2021		EN 60825-1:2014 +A11:2021	EN 61000-3-3:2013+A1:2019+A2:2021		IEC 62479:2010	FCC CFR 47 Part 15 Class B		EN 62479:2010	ICES-003, Issue 7 Class B		IEC 62311:2007	EN 301 489-1 V2.2.3		EN 62311:2008	EN 301 489-17 V3.3.1	
(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad	(en) EMC / (de) EMV / (fr) EMC / (es) EMC	(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico																																			
IEC 60950-1:2005 +A1:2009 +A2:2013	CISPR 22:2008 Class B	EN 300 328 V2.2.2																																			
IEC 62368-1:2014	CISPR 32:2015 Class B	EN 301 893 V2.1.1																																			
EN 62368-1:2014 +A11:2017	EN 55032:2015+A11:2020 Class B	EN 300 440 V2.1.1																																			
IEC 62368-1:2018	CISPR 35:2016																																				
EN IEC 62368-1:2020 +A11:2020	EN 55035:2017+A11:2020																																				
IEC 60825-1:2014	EN IEC 61000-3-2:2019 +A1:2021																																				
EN 60825-1:2014 +A11:2021	EN 61000-3-3:2013+A1:2019+A2:2021																																				
IEC 62479:2010	FCC CFR 47 Part 15 Class B																																				
EN 62479:2010	ICES-003, Issue 7 Class B																																				
IEC 62311:2007	EN 301 489-1 V2.2.3																																				
EN 62311:2008	EN 301 489-17 V3.3.1																																				
(en) Ecodesign / (de) Öko-Design / (fr) Écoconception / (es) Diseño ecológico																																					
Regulation (EU) 2023/826																																					
EN 50564:2011																																					
IEC 62301:2011																																					
RoHS																																					
EN IEC 63000:2018																																					
(en) Cybersecurity / (de) Cybersicherheit / (fr) Cybersécurité / (es) Ciberseguridad																																					
EN 18031-1:2024																																					
EN 18031-2:2024																																					
(en) Other / (de) Andere / (fr) Autre / (es) Otro																																					
ES 203 021-1 v2.1.1																																					

(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: SHNGC-1801-02- R11

ES 203 021-2 v2.1.2 ES 203 021-3 v2.1.2 FCC Rules & Regulations 47 CFR Part 68	
(en) The product herewith complies with the requirements of the following and carries the CE -marking accordingly (de) Das Produkt hiermit entspricht den Anforderungen der folgenden und trägt das entsprechende CE -Kennzeichen (fr) Le produit est conforme aux exigences suivantes et porte le marquage CE en conséquence (es) El producto presente cumple con los requisitos de lo siguiente y conlleva el marcado CE en consecuencia	Radio Equipment Directive 2014/53/EU Ecodesign Directive 2009/125/EU RoHS Directive 2011/65/EU Battery Regulation 2023/1542
UK ONLY: This product herewith complies with the requirements of the following and carries the UK CA marking.	Radio Equipment Regulations 2017 Ecodesign for Energy-Related Products Regulations 2010 Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012
U.S. ONLY: This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	
(en) Additional Information (de) Zusätzliche Information (fr) Informations complémentaires (es) Información Adicional:	
5.1) (en) This product is assigned a Regulatory Model Number which stays with the regulatory aspects of the design. The Regulatory Model Number is the main product identifier in the regulatory documentation and test reports, this number should not be confused with the marketing name or the product numbers. (de) Für die regulatorischen Aspekte zum Design wurde diesem Produkt eine Regulatorische Modell Nummer zugeordnet. Zur Produktidentifizierung in der regulatorischen Dokumentation und den Prüfberichten wird diese Regulatorische Modell Nummer verwendet und sollte nicht zu Verwechslungen von Marketingnamen oder Produktnummern führen. (fr) A ce produit est assigné un numéro de modèle réglementaire qui est associé avec les aspects réglementaires liés à la conception du produit. Le numéro de modèle réglementaire est le principal identificateur du produit dans la documentation réglementaire et les rapports d'essais, ce nombre ne doit pas être confondu avec le nom commercial ou les numéros de produit. (es) A este producto se asigna un número de modelo regulatorio que cumple con los aspectos regulatorios del diseño. El número de modelo normativo es el identificador principal del producto en la documentación reglamentaria e informes de ensayo, este número no se debe confundir con el nombre comercial o los números del producto.	
5.2) (en) This product was tested in a typical HP environment. (de) Dieses Produkt wurde in einer typischen HP Konfiguration getestet. (fr) Ce produit a été testé dans un environnement typique HP. (es) Este producto se ha probado en un entorno típico de HP.	
(en) This product uses an analog fax accessory with the following Regulatory Model Number as needed to meet technical regulatory requirements for the countries/regions where this product will be sold. (de) Dieses Produkt verwendet ein analoges Faxzubehör mit der folgenden regulatorischen Modellnummer, um die technischen regulatorischen Anforderungen für die Länder/Regionen, in denen dieses Produkt verkauft wird, zu erfüllen. (fr) Ce produit utilise un accessoire de télécopie analogique avec le numéro de modèle réglementaire suivant au besoin pour répondre aux exigences réglementaires techniques pour les pays / régions où ce produit sera vendu. (es) Este producto utiliza un accesorio de fax analógico con el siguiente número de modelo regulatorio según sea necesario para cumplir con los requisitos reglamentarios técnicos para los países/regiones donde se venderá este producto.	BOISB-1500-03, BOISB-1500-04, BOISB-1500-05 or BOISB-1500-06
(en) This product uses a radio module with the following Regulatory Model Number as needed to meet technical regulatory requirements for the countries/regions where this product will be sold. (de) Dieses Produkt verwendet ein Funkmodul mit der folgenden regulatorischen Modellnummer nach Bedarf, um die technischen regulatorischen Anforderungen für die Länder/Regionen zu erfüllen, in denen dieses Produkt verkauft wird.	VCVRA-1712 or SNPRC-1950

**(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE
CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD**

DoC #: SHNGC-1801-02- R11

(fr) Ce produit utilise un module radio avec le numéro de modèle réglementaire suivant au besoin pour répondre aux exigences réglementaires techniques pour les pays / régions où ce produit sera vendu.
(es) Este producto utiliza un módulo de radio con el siguiente número de modelo regulatorio según sea necesario para cumplir con los requisitos regulatorios técnicos para los países/regiones donde se venderá este producto.

(en) Telecom approvals and standards appropriate for the target countries/regions have been applied to this product, in addition to those listed above.
(de) Den Ziellaendern entsprechende Telecom Zulassungen und Standarde wurden an diesem Produkt angewandt, zusätzlich zu den oben aufgelisteten.
(fr) Homologations et normes appropriées pour les pays cibles Télécom / régions ont été appliquées à ce produit, en plus de ceux énumérés ci-dessus.
(es) Aprobaciones y normas apropiadas para los países de destino Telecom / regiones se han aplicado a este producto, además de los mencionados anteriormente.

Boise, ID
14-07-2025

  **HP Inc.**
11361 Chinden Boulevard, Boise, Idaho
83714-1021 USA
Rich Payne, Manager
LES Product Regulations

Rich Payne, Manager
LES Product Regulations

(en) Local contact for regulatory topics only
(de) Lokale Ansprechpartner für Richtlinien und Bestimmungen
(fr) Contact local uniquement pour les réglementations
(es) Contacto local únicamente para temas de normativa:

EU: HP REG 23010, 08028 Barcelona, Spain
UK: HP Inc UK Ltd, Regulatory Enquiries, Earley West, 300 Thames Valley Park Drive, Reading, RG6 1PT
U.S.: HP Inc., 1501 Page Mill Road, Palo Alto 94304, U.S.A. 650-857-1501
Email: reg@hp.com

www.hp.eu/certificates

(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: SHNGC-1801-02- R11

(en) ANNEX I (de) ANHANG I (fr) ANNEXE I (es) ANEXO I	
(en) Regulatory Model Number (RMN) (de) Regulatorische Modell Nummer (RMN) (fr) Numéro de modèle réglementaire (RMN) (es) Número de modelo reglamentario (RMN)	SHNGC-1801-02
1 (en) DESCRIPTION 2 (en) OPTION RMN* 1 (de) BESCHREIBUNG 2 (de) RMN OPTION* 1 (fr) DESCRIPTION 2 (fr) RMN OPTION* 1 (es) DESCRIPCIÓN 2 (es) RMN OPCIÓN*	

1	2
HP LaserJet 550-sheet Paper Tray	D9P29A
HP 148A Black Original LaserJet Toner Cartridge	W1480A
HP 148X Black Original LaserJet Toner Cartridge	W1480X
HP 149A Black Original LaserJet Toner Cartridge	W1490A
HP 149X Black Original LaserJet Toner Cartridge	W1490X
HP W1020XC Black Original Contract LaserJet Toner Cartridge	W1020XC
HP W1020XC Black Original Contract LaserJet Toner Cartridge	W8009A
HP 148/149 Black Jumbo Original Instant Ink Toner Cartridge	W8009J
HP 151A Black Original LaserJet Toner Cartridge	W1510A
HP 151X Black Original LaserJet Toner Cartridge	W1510X
HP W1030XC Black Original Contract LaserJet Toner Cartridge	W1030XC
HP 152A Black Original LaserJet Toner Cartridge	W1520A
HP 152X Black Original LaserJet Toner Cartridge	W1520X

(en) *Where X represents any alpha numeric character.
 (de) *Wo X steht für eine beliebige alphanumerische Zeichen
 (fr) *Où X représente n'importe quel caractère alphanumérique
 (es) *Donde X representa cualquier carácter alfanumérico



HP LaserJet Pro MFP 4101-4104dw/fdn/fdw Printer series

Get blazing fast printing speeds, high-volume scanning, and easy management with LaserJet Pro.

Get blazing fast printing speeds, high-volume scanning, and easy management tools with LaserJet Pro.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

Maximum productivity

- Support your dynamic workteam with this high-speed printer, ideal for up to 10 users.
- Step up your workflow. HP Pro-class print speed reaches up to 42 ppm to meet high-demand environments. ¹
- Scan both sides with a single pass. Dual-sided scanning allows your users to get more done in less time.
- Get productivity in the palm of your hand. Print and save time with Shortcuts from HP Smart. ²

Seamless management

- Centralize your print management. HP Web Jetadmin makes it easy with its suite of features. ⁴
- Set up your printers quickly. Streamlined setup makes it easy to set up and get back to business.
- Print wirelessly even without the network, stay connected with dual-band Wi-Fi and Wi-Fi direct ⁸

HP Wolf Pro Security

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Set configuration policies and validate settings universally with HP Security Manager. ⁹



Optimized performance



HP Web Jetadmin



End to end security

Product walkaround

HP LaserJet Pro MFP 4103fdw Printer

- 1. Designed for worksteams of up to 10 users
- 2. Pre-configured security settings
- 3. Walk-up USB
- 4. Automatic 2-sided printing
- 5. Dual-band WiFi® with self heal, USB and Ethernet
- 6. Print speeds up to 40 ppm A4



Series at a glance



Model	HP LaserJet Pro MFP 4103dw Printer	HP LaserJet Pro MFP 4103fdn Printer	HP LaserJet Pro MFP 4103fdw Printer
Product number	ZZ627A	ZZ628A	ZZ629A
Function	Print, copy, scan	Print, copy, scan, fax	
Print speed	Up to 40 ppm A4		
Security	HP Wolf Pro Security		
Connectivity	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n/2.4/5 GHz Wi-Fi radio + BLE	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)	1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabi Ethernet LAN 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n / 2.4 / 5 GHz Wi-Fi radio + BLE

Configurable Items, Accessories, Supplies and Support

Supplies	W1030XC HP Black Contract LaserJet Toner Cartridge (Average cartridge yields 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1510A HP 151A Black LaserJet Toner Cartridge (Average cartridge yields 3,050 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1510X HP 151X Black LaserJet Toner Cartridge (Average cartridge yields 9,700 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray
Service and Support	U42TYE HP 2 year Next Business Day Service for LaserJet Pro MFP 410x U42TZE HP 3 year Next Business Day Service for LaserJet Pro MFP 410x U42U2E HP 2 year 4 hour 9x5 Service for LaserJet Pro MFP 410x U42U3E HP 3 year 4 hour 9x5 Service for LaserJet Pro MFP 410x U42U7E HP 3 year Return to Depot Service for LaserJet Pro MFP 410x U42U8PE HP 1 year Post Warranty Next Business Day Service for LaserJet Pro MFP 410x U42U9PE HP 1 year Post Warranty 4 hour 9x5 Service for LaserJet Pro MFP 410x U42V1PE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro MFP 410x U9JT1E HP Installation Service w/Network Personal Scanner & Printer

Technical specifications

Model	HP LaserJet Pro MFP 4103dw Printer		HP LaserJet Pro MFP 4103fdn Printer	HP LaserJet Pro MFP 4103fdw Printer
Product number	Z2627A		Z2628A	Z2629A
Functions	Print, copy, scan		Print, copy, scan, fax	
Control panel	2.7" Color Touchscreen			
Print				
Print technology	Laser			
Print speed ⁷	Black (A4, normal) Up to 40 ppm ; Black (A4, duplex): Up to 34 ipm			
First page out ⁸	Black (A4, ready): As fast as 6.3 sec ; Black (A4, sleep): As fast as 8.8 sec			
Print resolution	Black (best): Fine Lines (1200 x 1200 dpi) ; Technology: HP FastRes 1200, HP ProRes1200, Economode			
Monthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume: 750 to 4,000			
Printer smart software features ¹	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types			
Standard print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster			
Fonts and typefaces	84 scalable TrueType fonts			
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm			
Duplex printing	Automatic (default)			
Copy				
Copy speed	Black (A4): Up to 40 cpm			
Copier specifications	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults ; Maximum number of copies: Up to 9999 copies ; Reduce/Enlarge: 25 to 400%			
Scan				
Scan speed ¹¹	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color)		Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color); Duplex (A4): Up to 46 ipm (b&w), up to 34 ipm (color)	
Scan file format	PDF, JPG, TIFF			
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: Yes; Optical scan resolution: Up to 1200 x 1200 dpi			
Scanner advanced features	Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets		Single-pass 2-sided scanning ADF, Scan to cloud (Google Drive and DropBox) Scan to email with LDAP email address lookup, Scan to network folder, Scan to USB, Scan to Microsoft SharePoint®, Scan to computer with software, Fax archive to network folder, Fax archive to email, Fax to computer, Enable/disable fax, Quick Sets	
Recommended monthly scan volume	750 to 4000			
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm			
Bit depth/ Grey scale levels	24-bit / 256			
Fax				
Fax	No,		Yes, 33.6 kbps	
Fax speed			33.6 kbps (maximum); 14.4 kbps (default)	
Fax specifications			Fax memory: Up to 400 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 200 numbers	
Fax smart software features			Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax	
Processor speed	1200 MHz			
Connectivity				
Standard	1 Front USB port; 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.3az; 802.11b/g/n (2.4 GHz) Wi-Fi radio		1 Hi-Speed USB 2.0; 1 rear host USB; 1 Front USB port; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)	
Mobile printing capability	HP Smart App; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing		HP Smart App; Apple AirPrint™; Mopria™ Certified	
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download			
Network capabilities	Yes, via built-in 10/100Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X			
Hard disk	No			
Memory	Standard: 512 MB; Maximum: 512 MB			
Media handling				
Number of paper trays	Standard: 2 ; Maximum: 3			
Media types	Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;			
Media size	Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2, 3: 104.9 x 148.59 to 215.9 x 355.6 mm ; Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Japanese Postcard; Double Japan Postcard Rotated; Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; Custom Size; 4 x 6 in; 5 x 8 in; Statement; Tray 2 & Tray 3: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); 16K (195 x 270 mm); 16K (184 x 260 mm); 16K (197 x 273 mm); Custom Size; A5-R; 4 x 6 in; B6 (JIS) ; ADF: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm			
Media handling	Standard input: 100-sheet tray 1, 250-sheet input tray 2; 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray ADF: Standard, 50 sheets			
Media weight	Tray 1: 60 to 200 g/m² ; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²; ADF: 60 to 120 g/m²			
Input capacity	Tray 1: Sheets: 100; Envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 (optional) Maximum: Up to 900 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets			
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets			

Technical specifications

Model	HP LaserJet Pro MFP 4103dw Printer		HP LaserJet Pro MFP 4103fdn Printer	HP LaserJet Pro MFP 4103fdw Printer
Product number	Z2627A		Z2628A	Z2629A
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 15 Sequoia; Chrome OS			
Compatible network operating systems	Windows 8; Windows Server; macOS 15 Sequoia; Linux; Citrix; Novell			
Minimum system requirements	Windows: 2 GB available hard disk space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see microsoft.com;; Mac: 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com;			
Software included	No software solutions are included in the Box only on http://hp.com ; http://123.hp.com ;			
Security management	Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; wireless network security: WPA (Wi-Fi Protected Access) WPA2 WPA3, WEP encryption (64 and 128 bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers			
Printer management	HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator)			
Dimensions and weight				
Printer dimensions (W x D x H)	Minimum 420 x 390 x 323 mm; Maximum: 430 x 634 x 325 mm			
Printer weight	12.6 kg			
Operating environment	Temperature: 10 to 32.5°C; Humidity: 30 to 70% RH			
Storage conditions	Temperature: -20 to 40°C			
Acoustics	Acoustic power emissions: 6.7 B(A); Acoustic pressure emissions: 54 dB(A)			
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier) ; Consumption: 510 watts (active printing), 7.5 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Wake on LAN, enabled at shipment), 0.06 watts (Auto-off/Manual-on), 0.06 (Manual Off) ; Power supply type: Internal (Built-in) power supply			
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; EcoSmart black toner			
Certifications ⁵	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR 32:2015 Class B / EN 55032:2015 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B IT ECO Declaration Telecom compliance: ETSI EN 301 489-1 V2.2.3; ETSI EN 301 489-17 V3.2.4	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR 32:2015 Class B / EN 55032:2015 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B IT ECO Declaration Telecom compliance: ETSI EN 301 489-1 V2.2.3; ETSI EN 301 489-17 V3.2.4	RCM (Australia), TUV and GS Mark (Germany), BSMI (Taiwan), CCC (China), BIS (India), KC (South Korea), SIRIM (Malaysia), Cambodia, Ukraine, EAC, Eastern European approvals, CE Marking, FCC, UL, Paraguay, Chile, Argentina, Indonesia, Singapore, Philippines, etc. Electromagnetic emission standard: CISPR 32:2015 Class B / EN 55032:2015 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B IT ECO Declaration Telecom compliance: ETSI EN 301 489-1 V2.2.3; ETSI EN 301 489-17 V3.2.4	
Sustainable impact specifications	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic			
Blue Angel compliant ⁹	No, please refer to the ECI (Ecolabel Comparison Information) document			
Country of origin	Made in Brazil; Made in China; Made in India			Made in China; Made in Brazil (Z2629#696, #697, #AC8)
What's in the box ²	Z2627A Original HP Black LaserJet Toner Cartridge installed (2,900 pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP & Wireless Only)	Z2628A HP Black Original LaserJet Toner Cartridge (~3,050 Pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP & Wireless Only)	Z2629A HP Black Original LaserJet Toner Cartridge (~3,050 Pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP & Wireless Only)	
Warranty	One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region.			

Footnotes

- ¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.
- ⁴ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁵ HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart
- ⁶ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- ⁷ Recycling: Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- ⁸ Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting
- ⁹ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

Technical specifications disclaimers

- ¹ Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.
- ² For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- ⁴ Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/toneryield>
- ⁵ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.
- ⁶ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁸ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP LaserJet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.
- ¹⁰ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ¹¹ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.





HP LaserJet Pro 4003dn Printer

This HP printer powers office productivity by delivering blazing speed and reliable hardware.

These printers are built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at:

Maximum performance.

- Support your dynamic workteam with this high-speed printer, ideal for up to 10 users.
- Step up your workflow. HP Pro-class print speed reaches up to 42 ppm to meet high-demand environments.¹
- Connect your way. Choose between Ethernet or high-speed USB.

Maximum productivity.

- Don't wait for printjobs. With no warm up time your printer is always ready.
- Get productivity in the palm of your hand. Print and save time with Shortcuts from HP Smart.
- Work without delays or messes, with cartridges featuring auto seal removal.

Seamless management.

- Connect your HP printers. Robust features and smart tools help your people do more, wherever work happens.
- Manage your printer fleet from a single dashboard. Smart Admin makes the experience seamless for IT and users.²
- Centralise print management for your enterprise. HP Web Jetadmin makes it easy with its suite of features.³
- Set configuration policies and validate settings universally with HP Security Manager.⁴

HP Wolf Pro Security.

- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Validate before you operate. Secure setup uses boot code signature before powering on.
- Get ahead of potential security risks. Routine updates help you stay resilient against the latest threats.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.



Team management



Fast two-sided printing



HP Web Jetadmin



Easy setup



Dashboard



HP JetAdvantage compatible



EcoSmart toner

Product walkaround

HP LaserJet Pro 4003dn Printer shown

- 1. Print speeds up to 40 ppm (A4), 350-sheet standard paper capacity
- 2. Pre-configured security settings
- 3. Hi-speed USB ports, built-in Gigabit Ethernet
- 4. Designed for workteams of up to 10 users
- 5. HP Smart app for productivity in your hand



Accessories, Supplies and Support

Supplies ⁸	W1030XC HP Black Contract LaserJet Toner Cartridge (Average cartridge yields 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1510A HP 151A Black LaserJet Toner Cartridge (Average cartridge yields 3,050 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1510X HP 151X Black LaserJet Toner Cartridge (Average cartridge yields 9,700 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	
Service and Support	U42HFE - HP 3 year Next Business Day Service for LaserJet Pro 400x U42HRPE - HP 1 year Post Warranty Next Business Day Service for LaserJet Pro 400x

Technical specifications

Model	HP LaserJet Pro 4003dn Printer
Product number	Z2609A
Functions	Print
Control panel	2-line LCD; OK button; Left button; Right button; Cancel button; Back button; Ready LED; Error LED; Wi-Fi LED (only for wireless bundle)
Print	
Print technology	Laser
Print speed ¹	Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 34 ipm
First page out ²	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec
Print resolution	Black (best): Fine Lines (1200 x 1200 dpi) ; Technology: HP FastRes1200, HP ProRes1200, Economode
Monthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume: 750 to 4,000
Printer smart software features ³	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, PWG Raster
Fonts and typefaces	84 scalable TrueType fonts
Print area	Print margins Top: 5 mm, Bottom: 5 mm, Left: 4 mm, Right: 4 mm; Maximum print area : 207.4 x 347.1 mm
Processor speed	1200 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)
Mobile printing capability	HP Smart App; Apple AirPrint™; Mopria™ Certified
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Network capabilities	Yes, via built-in 10/100Base-TX Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X (does not apply to D bundles)
Hard disk	None
Memory	Standard: 256 MB ; Maximum: 256 MB
Media handling	
Number of paper trays	Standard: 2 ; Maximum: 3
Media types	Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 104.9 x 148.5 to 2165.9 x 356.6 mm

Model	HP LaserJet Pro 4003dn Printer
Product number	Z2609A
Media handling	Standard input: 100-sheet multipurpose Tray 1, 250-sheet input Tray 2 Standard output: 150-sheet output bin Optional input: Optional third 550-sheet tray
Media weight	Tray 1: 60 to 200 g/m ² ; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m ²
Input capacity	Tray 1: Sheets: 100; envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 Maximum: Up to 900 sheets
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
Compatible operating systems	Windows 11; Windows 10; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; Chrome OS
Compatible network operating systems	Windows Server; macOS 15 Sequoia; Linux; Citrix; UNIX; Novell
Minimum system requirements	Windows: 2 GB available hard disk space; Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com Mac: 2 GB available hard drive space; Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com
Software included	No software solutions are included in the Box, only on http://www.hp.com or http://123.hp.com
Security management	Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; wireless network security: WPA (Wi-Fi Protected Access) WPA2 WPA3, WEP encryption (64 and 128 bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers
Printer management	HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator)
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 381 x 357 x 216 mm; Maximum: 381 x 634 x 241 mm
Printer weight	8.56 kg
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics	Acoustic power emissions: 6.6 B(A) Acoustic pressure emissions: 54 dB(A)
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier); Consumption: 495 watts (active printing), 5.5 watts (ready), 0.5 watts (sleep), 0.5 (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off); Power supply type: Internal (built-in) Power Supply
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; EcoSmart black toner; Power save
Certifications ⁵	Electromagnetic emission standard: CISPR 32:2012 Class B / EN 55032:2012 Class B; CISPR 35:2016 / EN 55035:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B Blue Angel compliant ⁶ No, please refer to the ECI (Ecolabel Comparison Information) document
Sustainable impact specifications ^{22,27}	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic
Country of origin	Made in Philippines
What's in the box ⁷	Z2609A HP LaserJet Pro 4003dn Printer; Preinstalled HP Black Original LaserJet Toner Cartridge (3,050 pages); Getting Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord
Warranty	One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to https://hp.com/support to learn about HP award winning service and support options in your region.

Footnotes

¹ Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Easy setup and manage - Requires use of Smart Admin Dashboard for printer setup and onboarding of users.

³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

⁴ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

³ Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity.

⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

⁵ EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP LaserJet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP LaserJet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.

⁷ For yield information on the cartridge included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.



www.blauer-engel.de/uz219





(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: SHNGC-1800-01- R10

(en) Manufacturer's Name (de) Herstellername (fr) Nom du fabricant (es) Nombre del fabricante	HP Inc.			
(en) Manufacturer's Address (de) Adresse des Herstellers (fr) Adresse du fabricant (es) Dirección del fabricante	11361 Chinden Boulevard, Boise, Idaho 83714-1021 USA			
(en) declare, under its sole responsibility that the product (de) erklärt, dass das Produkt (fr) déclare que le produit (es) declara que el producto				
(en) Product Name and Model ^{5.2} (de) Produktname und Modell ^{5.2} (fr) Nom du produit et modèle ^{5.2} (es) Nombre del producto y modelo ^{5.2}	HP LaserJet Pro M404dw HP LaserJet Pro M405dw HP LaserJet Pro 4001dwe HP LaserJet Pro 4001dw HP LaserJet Pro 4002dwe HP LaserJet Pro 4002dw HP LaserJet Pro 4003dw HP LaserJet Pro 4004dw			
(en) Regulatory Model Number ^{5.1} (de) Regulatorische Modell Nummer ^{5.1} (fr) Numéro de modèle réglementaire ^{5.1} (es) Número de modelo reglamentario ^{5.1}	SHNGC-1800-01			
(en) Product Options (de) Produktoptionen (fr) Options du produit (es) Opciones del producto	(en) Please See ANNEX 1 (de) Siehe Anhang I (fr) Voir l'annexe I (es) Ver Anexo I			
(en) conforms to the following Product Specifications and Regulations (de) entspricht den folgenden Produktspezifikationen und Vorschriften (fr) est conforme aux normes et règlements de produit suivants (es) cumple con las siguientes especificaciones y normas de productos				
<table><tr><td>(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad IEC 60950-1:2005 +A1:2009 +A2:2013 IEC 62368-1:2014 / EN 62368-1:2014 +A11:2017 IEC 62368-1:2018 EN IEC 62368-1:2020 +A11:2020 IEC 60825-1:2014 / EN 60825-1:2014 +A11:2021 IEC 62479:2010 / EN 62479:2010 IEC 62311:2007 / EN 62311:2008</td><td>(en) EMC / (de) EMV / (fr) EMC / (es) EMC CISPR 22:2008 Class B CISPR 32:2015 Class B EN 55032:2015+A11:2020 Class B CISPR 35:2016 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019 +A1:2021 EN 61000-3-3:2013+A1:2019+A2:2021 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B EN 301 489-1 V2.2.3 EN 301 489-17 V3.3.1</td><td>(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 300 440 V2.1.1</td></tr></table>		(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad IEC 60950-1:2005 +A1:2009 +A2:2013 IEC 62368-1:2014 / EN 62368-1:2014 +A11:2017 IEC 62368-1:2018 EN IEC 62368-1:2020 +A11:2020 IEC 60825-1:2014 / EN 60825-1:2014 +A11:2021 IEC 62479:2010 / EN 62479:2010 IEC 62311:2007 / EN 62311:2008	(en) EMC / (de) EMV / (fr) EMC / (es) EMC CISPR 22:2008 Class B CISPR 32:2015 Class B EN 55032:2015+A11:2020 Class B CISPR 35:2016 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019 +A1:2021 EN 61000-3-3:2013+A1:2019+A2:2021 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B EN 301 489-1 V2.2.3 EN 301 489-17 V3.3.1	(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 300 440 V2.1.1
(en) Safety / (de) Sicherheit / (fr) Sécurité / (es) Seguridad IEC 60950-1:2005 +A1:2009 +A2:2013 IEC 62368-1:2014 / EN 62368-1:2014 +A11:2017 IEC 62368-1:2018 EN IEC 62368-1:2020 +A11:2020 IEC 60825-1:2014 / EN 60825-1:2014 +A11:2021 IEC 62479:2010 / EN 62479:2010 IEC 62311:2007 / EN 62311:2008	(en) EMC / (de) EMV / (fr) EMC / (es) EMC CISPR 22:2008 Class B CISPR 32:2015 Class B EN 55032:2015+A11:2020 Class B CISPR 35:2016 EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019 +A1:2021 EN 61000-3-3:2013+A1:2019+A2:2021 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B EN 301 489-1 V2.2.3 EN 301 489-17 V3.3.1	(en) Spectrum / (de) Frequenzspektrum / (fr) Spectre radioélectrique / (es) Espectro radioeléctrico EN 300 328 V2.2.2 EN 301 893 V2.1.1 EN 300 440 V2.1.1		
(en) Ecodesign / (de) Öko-Design / (fr) Écoconception / (es) Diseño ecológico Regulation (EU) 2023/826 EN 50564:2011 IEC 62301:2011				
RoHS EN IEC 63000:2018				
(en) Cybersecurity / (de) Cybersicherheit / (fr) Cybersécurité / (es) Ciberseguridad EN 18031-1:2024 EN 18031-2:2024				
(en) The product herewith complies with the requirements of the following and carries the CE -marking accordingly	EMC Directive 2014/30/EU Ecodesign Directive 2009/125/EU			

(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD

DoC #: SHNGC-1800-01- R10

(de) Das Produkt hiermit entspricht den Anforderungen der folgenden und trägt das entsprechende CE -Kennzeichen (fr) Le produit est conforme aux exigences suivantes et porte le marquage CE en conséquence (es) El producto presente cumple con los requisitos de lo siguiente y conlleva el marcado CE en consecuencia	
UK ONLY: This product herewith complies with the requirements of the following and carries the UK CA marking.	Electromagnetic Compatibility Regulations 2016 Ecodesign for Energy-Related Products Regulations 2010
U.S. ONLY: This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.	
(en) Additional Information (de) Zusätzliche Information (fr) Informations complémentaires (es) Información Adicional:	
5.1) (en) This product is assigned a Regulatory Model Number which stays with the regulatory aspects of the design. The Regulatory Model Number is the main product identifier in the regulatory documentation and test reports, this number should not be confused with the marketing name or the product numbers. (de) Für die regulatorischen Aspekte zum Design wurde diesem Produkt eine Regulatorische Modell Nummer zugeordnet. Zur Produktidentifizierung in der regulatorischen Dokumentation und den Prüfberichten wird diese Regulatorische Modell Nummer verwendet und sollte nicht zu Verwechslungen von Marketingnamen oder Produktnummern führen. (fr) A ce produit est assigné un numéro de modèle réglementaire qui est associé avec les aspects réglementaires liés à la conception du produit. Le numéro de modèle réglementaire est le principal identificateur du produit dans la documentation réglementaire et les rapports d'essais, ce nombre ne doit pas être confondu avec le nom commercial ou les numéros de produit. (es) A este producto se asigna un número de modelo regulatorio que cumple con los aspectos regulatorios del diseño. El número de modelo normativo es el identificador principal del producto en la documentación reglamentaria e informes de ensayo, este número no se debe confundir con el nombre comercial o los números del producto.	
5.2) (en) This product was tested in a typical HP environment. (de) Dieses Produkt wurde in einer typischen HP Konfiguration getestet. (fr) Ce produit a été testé dans un environnement typique HP. (es) Este producto se ha probado en un entorno típico de HP.	

Boise, ID
14-07-2025

  **HP Inc.**
11361 Chinden Boulevard, Boise, Idaho
83714-1021 USA
Rich Payne, Manager
LES Product Regulations

Rich Payne, Manager
LES Product Regulations

(en) Local contact for regulatory topics only (de) Lokale Ansprechpartner für Richtlinien und Bestimmungen (fr) Contact local uniquement pour les réglementations (es) Contacto local únicamente para temas de normativa:	
EU:	HP REG 23010, 08028 Barcelona, Spain
UK:	HP Inc UK Ltd, Regulatory Enquiries, Earley West, 300 Thames Valley Park Drive, Reading, RG6 1PT
U.S.:	HP Inc., 1501 Page Mill Road, Palo Alto 94304, U.S.A. 650-857-1501
Email:	reg@hp.com

www.hp.eu/certificates

**(en) DECLARATION OF CONFORMITY / (de) KONFORMITÄTSERKLÄRUNG / (fr) DÉCLARATION DE
CONFORMITÉ / (es) DECLARACIÓN DE CONFORMIDAD**

DoC #: SHNGC-1800-01- R10

(en) ANNEX I (de) ANHANG I (fr) ANNEXE I (es) ANEXO I	
(en) Regulatory Model Number (RMN) (de) Regulatorische Modell Nummer (RMN) (fr) Numéro de modèle réglementaire (RMN) (es) Número de modelo reglamentario (RMN)	SHNGC-1800-01
1 (en) DESCRIPTION 2 (en) OPTION RMN* 1 (de) BESCHREIBUNG 2 (de) RMN OPTION* 1 (fr) DESCRIPTION 2 (fr) RMN OPTION* 1 (es) DESCRIPCIÓN 2 (es) RMN OPCIÓN*	

1	2
HP LaserJet 550-sheet Paper Tray	D9P29A
HP 148A Black Original	W1480A
HP 148X Black Original	W1480X
HP 149A Black Original	W1490A
HP 149X Black Original	W1490X
HP W1020XC Black Original	W1020XC
HP 148/149 Black Standard-Capacity Original Instant Ink	W8009A
HP 148/149 Black Jumbo Original Instant Ink	W8009J
HP 151A Black Original	W1510A
HP 151X Black Original	W1510X
HP W1030XC Black Original Contract	W1030XC
HP 152A Black Original	W1520A
HP 152X Black Original	W1520X

(en) *Where X represents any alpha numeric character.
(de) *Wo X steht für eine beliebige alphanumerische Zeichen
(fr) *Où X représente n'importe quel caractère alphanumérique
(es) *Donde X representa cualquier carácter alfanumérico