

## **ANNEX II + III: TECHNICAL SPECIFICATIONS + TECHNICAL OFFER**

**Contract title:** Minibus Supply

**Publication reference:** ROMD00252-BL-F-05

Columns 1–2 must be completed by the contracting authority.

Columns 3–4 must be completed by the bidder.

Column 5 is reserved for the evaluation committee.

### **Annex III – Contractor’s Technical Offer**

Bidders are requested to complete the template on the following pages:

- Column 2 is completed by the contracting authority, indicating the required specifications (these cannot be modified by the bidder),
- Column 3 must be completed by the bidder and must detail what is being offered (for example, the words “compliant” or “yes” are not sufficient),
- Column 4 allows the bidder to provide comments regarding the proposed supply and to make any references to documentation.

Any supporting documentation provided must clearly indicate (highlight, mark) the offered models and included options, if any, so that evaluators can see the exact configuration. Offers that do not allow precise identification of models and specifications may be rejected by the evaluation committee.

The offer must be sufficiently clear to allow evaluators to easily compare the requested specifications with those offered.

### **1. GENERAL REQUIREMENTS**

Front-wheel drive minibus, with sufficiently high ground clearance, capable of transporting a maximum of 8+1 passengers as well as small or medium-sized loads, ensuring a minimum level of comfort for passengers both in urban driving conditions and over longer distances, while also providing adequate off-road capability for routes of medium difficulty, with or without paved surfaces.

The minibus must comply with the applicable regulations in force for technical transport units.

#### **1.1 Standards and Regulations**

**1.1.1** The delivered vehicle shall comply with the provisions of Government Decision of the Republic of Moldova No. 357 of 13.05.2009 regarding the approval of the Road Traffic Regulations, including all subsequent amendments and additions;

**1.1.2** The delivered vehicle shall comply with the requirements set out in this Technical Specifications document;

**1.1.3** It is noted that the vehicle will operate both within the Republic of Moldova and in European Union countries, and therefore must meet the minimum requirements for circulation on public roads in these regions, including, where applicable, compliance with Directive 2007/46/EC, which establishes the safety and environmental requirements that motor vehicles must meet before being placed on the EU market.

**1.2 General Description:**

1. Item Number	2. Required Specifications		3. Offered Specifications	4. Notes, Observations, References to Documentation	5. Evaluation Committee Notes
	Name/Description	Technical Specifications			
1.	Year of Manufacture	2024–2026	2026		
2.	Maximum Permissible Weight	3500 kg	3500		
3.	Number of Seats	8+1 seats, reclining seats	8+1		
4.	Number of Doors	4/5	5		
5.	Drive Configuration	front-wheel drive (FWD), rear-wheel drive (RWD), or all-wheel drive (AWD)	front-wheel drive (FWD),		
6.	Length	minimum 5900 mm	5981 mm		
7.	Height	minimum 2700 mm (high roof)	2781 mm (high roof)		
8.	Width	maximum 2500 mm (measured with side mirrors)	2474 mm (measured with side mirrors)		
9.	Load Capacity:				
9.1	Cargo Area Length up to the 2nd Row of Seats	minimum 2700 mm	2720 mm		
9.2	Cargo Area Length up to the 3rd Row of Seats	minimum 1900 mm	1936 mm		

9.3	Cargo Space up to the Roof	minimum 2000 mm			
10.	Operational Warranty / Warranty Period	60 months or a minimum of 100,000 km	60 months or 200,000 km		
11.	Passive Safety Systems, minimum:				
11.1	Seat Belts	minim: 8+1	8+1		
11.2	Airbags	minim șofer/pasageri față	șofer/pasageri față		
12.	Dashboard	metric, digital	metric, digital		
13.	Warning Systems, minimum:				
13.1	unfastened driver seat belt	+	+		
13.2	reverse gear engaged	+	+		
13.3	Exterior lights left on	+	+		
13.4	tire pressure	+	+		
14.	The minibus will be delivered with:				
14.1	wheel wrench	+	+		
14.2	minibus jack	+	+		
14.3	warning triangle (reflective)	+	+		
14.4	high-visibility safety vest	+	+		
14.5	Vehicle first aid kit, the minimum contents of which shall comply with the provisions of Government	+	+		

	Decision No. 1306 of 21.11.2008.				
14.6	set of rubber floor mats	+	front rubber floor mats		
15.	Remote-controlled central locking system	+	+		
16.	Operating Manual	+	+		
<b>1.3</b>	Body Type	Minibus	Minibus		
<b>2. PERFORMANCE</b>					
<b>2.1</b>	<b>Engine:</b>				
2.1.1	Fuel	diesel	diesel		
2.1.2	Emission Standard	minim Euro 6	Euro 6.2		
2.1.3	Engine Power	minim 140 c.p.	150 c.p.		
2.1.4	Engine Displacement	1950-2050 cm <sup>3</sup>	1996 cm <sup>3</sup>		
2.1.5	Combined Fuel Consumption	maxim 11 litri / 100 km	8.7 litri / 100 km		
2.1.6	Combined Fuel Consumption	minim-70 litri	70 litri		
<b>2.2</b>	<b>Braking System</b>				
2.2.1	Disc brake system for front/rear axle	+	+		
2.2.2	Anti-lock Braking System (ABS)	+	+		

2.2.3	Emergency Brake Assist (EBA / AFU)	+	+		
<b>2.3</b>	Running Gear				
2.3.1	Electronic Stability Program (ESP)	+	+		
2.3.2	Traction Control (TCS / ASR)	+	+		
2.3.3	Emergency Warning Lights (Hazard Lights / Flashing Brake Lights)	+	+		
2.3.4	Hill Start Assist (HSA)	+	+		
2.3.5	Roll Over Mitigation (ROM / ERM)	+	+		
2.3.6	Gearbox	Manual, Automatic, Semi-automatic	Automatic 8 fear		
2.3.7	Wheels	Steel wheels, size R16–R17 or alloy wheels are also acceptable	Steel wheels, size R16		
2.3.8	The vehicle will be equipped with summer tires, including a spare wheel.	+	+		
2.3.9	Additionally, a set of winter tires (4 pcs) will be delivered.	+	+		
2.3.10	Tire Repair Kit	+	-		
2.3.11	Tire size comparable to R16–R17	+	R16		

2.3.12	Power-assisted steering system	+	+		
<b>2.4</b>	<b>Exterior Appearance:</b>				
2.4.1	The vehicle color shall be	White, gray, silver	gray		
2.4.2	The vehicle shall be equipped with lighting and signaling system, including:	fog lights, position/parking lights, additional side turn indicators	+		
2.4.3	Headlights with halogen lighting elements	+	+		
2.4.4	Electrically adjustable and heated exterior rearview mirrors	+	+		
2.4.5	Electrically heated windshield	+	+		
2.4.6	Front and rear mud flaps	+	+		
2.4.7	Front/rear parking sensors, optionally a rearview camera	+	Front/rear parking sensors, rearview camera		
2.4.8	Central locking with remote control	+	+		
2.4.9	Sliding side door	+	+		
2.4.10	High roof	+	+		
2.4.11	Tinted rear windows	+	+		

2.4.12	Trailer hitch	+	+		
<b>2.5.</b>	<b>Passenger Compartment</b>				
2.5.1	Cabin thermal and acoustic insulation	+	+		
2.5.2	Dashboard computer	at least 7 inches	8 inches		
2.5.3	Air Conditioning System	+	+		
2.5.4	Rear passenger air conditioning	+	+		
2.5.5	Recirculation of heated and cooled air	+	+		
2.5.6	Two interior sun visors mounted above the windshield	+	+		
2.5.7	Interior rearview mirror	+	+		
2.5.8	Multimedia system with a minimum 11" touchscreen, USB (and/or CD) and Bluetooth connectivity, at least 2 speakers installed in the cabin, and operable from the steering wheel controls.	+	Multimedia system with a 12" touchscreen, USB and Bluetooth connectivity, 4 speakers installed in the cabin, and operable from the steering wheel controls		
2.5.9	Height and reach adjustable steering wheel	+	+		
2.5.10	Heated steering wheel	+	+		

2.5.11	Front seats soft and comfortable, upholstered in fabric, preferably heated, adjustable at least the driver's seat (fore-aft and height), with seat belts.	+	+		
2.5.12	Rear seats soft and comfortable, upholstered in fabric, equipped with three-point seat belts, and foldable to increase luggage compartment space.	+	+		
2.5.13	Armrest, at least for the driver	+	+		
2.5.14	Rubber floor covering in the driver's cabin and passenger area	+	+		
2.5.15	12V power outlets	At least 2, one on the center console and one for the rear passengers	2, one on the center console and one for the rear passengers		
2.5.16	Interior roof light	+	+		
2.5.17	Front and rear windows electrically operated, including from a single control panel mounted within the driver's reach.	+	Front windows electrically operated, including from a single control panel mounted within the driver's reach.		
2.5.18	Autonomous passenger compartment heating system	+	+		
2.5.19	One vehicle fire extinguisher, with pressure gauge, appropriate for the	+	+		

	vehicle type, with a mounting bracket.				
<b>3. Delivery Acceptance</b>					
<p><b>Delivery of the vehicle</b> shall be carried out within a maximum of <b>150 days</b> from the date of contract signing, at the headquarters of DSE in <b>Bălți municipality</b>, located at <b>38 Păcii Street, Bălți municipality</b>.</p> <p>After delivery, the vehicle and its equipment will be tested. The testing distance shall be <b>1,000 km</b>. Following this, an <b>Acceptance Form</b> will be signed, in accordance with the applicable legislation of the Republic of Moldova.</p> <p>Upon issuance of the Acceptance Form, the <b>warranty period</b> will commence, during which any defects will be reported, and any defective equipment (parts) will be replaced <b>free of charge</b>.</p>					

DATA 30.04.2026.

DAAC AUTO SRL în persoana

Director Salon Auto Ford

GRIGORIEV EDUARD