



I.P. "AGENȚIA SERVICII PUBLICE"

Departamentul înregistrare și licențiere a unităților de drept

EXTRAS
din Registrul de stat al persoanelor juridice

nr. 39071 din 22.12.2020

Denumirea completă: **Societatea cu Răspundere Limitată «ERICON» .**

Denumirea prescurtată: **«ERICON» S.R.L. .**

Forma juridică de organizare: **Societate cu Răspundere Limitată.**

Numărul de identificare de stat și codul fiscal: **1003600000316.**

Data înregistrării de stat: **20.10.1992.**

Sediul: **MD-2003, str. Vasile Lupu, 6, or. Durlești, mun. Chișinău, Republica Moldova.**

Obiectul principal de activitate:

1 Editarea cărților, broșurilor și altor publicații;

2 Tipărirea ziarelor;

3 Publicitate;

4 Comerțul cu amănuntul al cărților, ziarelor și rechizitelor de birou;

5 Comerțul cu amănuntul al articolelor medicale și ortopedice.

Capitalul social: **449852 lei.**

Administrator: BUNIC GHEORGHE,

Asociați:

1. BUNIC GHEORGHE 100 %.

Prezentul extras este eliberat în temeiul art. 34 al Legii nr. 220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: 22.12.2020.

Specialist coordonator
tel. 022-20-7838

Clichici Elena



EB 0340121

Client Name and address
Müşteri ismi ve adresi

ELERS MEDICAL FINLAND OY

NIITTYTAIVAL 13, 02200 ESPOO, FINLAND

Standard
Standard

ISO 14001:2015 Environmental Management System

INSPECT assessed and approved that related firm meets the requirements of the designated standard at related scope
INSPECT ilgili kuruluşun yukarıda belirtilen standardın gereklerine uygunluğunu ilgili kapsamda tetkik etmiş olup onaylamaktadır.

Scope
Kapsam

**DESIGN, DEVELOPMENT, MANUFACTURING, MARKETING, SALES, DISTRIBUTION OF
INFECTION CONTROL AND DISPOSABLE NON-WOVEN PRODUCTS**

EA Code: 04

Initial issue date: 19.Feb.2021

Issue date of this certificate: 19.Feb.2021

Validity of this certificate: 18.Feb.2022

Recertification date: 18.Feb.2024

Certificate No: 20.12.509-EM

The firm is to be notified of any changes in scope or address in advance.

INSPECT is accredited by International Accreditation Service (IAS) United States Of America.
To verify the validity of this certificate please visit: www.inspect.com.tr

Bu sertifikadan geçerliliği için kontrol etmek için lütfen www.inspect.com.tr'yi ziyaret ediniz.

The validity of this certificate is depend on the success of surveillance assessments

Bu belgenin geçerliliği ara denetimlerin başarılı olmasıyla bağlıdır.



General Manager



ACCREDITED
Management Systems
Certification Body
MSCB-148

Test Report

ASH21-020069-01

Date: 14 Apr 2021

Sample Description:

Specimen No. 1
SGS Sample ID ASH21-020069.001
Description sample in bag

Test Result(s):

Test Requested: Antibacterial Assessment for the submitted sample

Test Method: ISO 20743:2013 Textiles-Determination of antibacterial activity of textile products: 8.1
Absorption method

ASH21-020069.001

Test organism(s)	Escherichia coli ATCC 8739 Staphylococcus aureus ATCC 6638 Klebsiella pneumoniae ATCC 4352		
	8739	ATCC 6638	ATCC 4352
Test inoculum (CFU/mL)	2.4x10 ⁶	1.8x10 ⁶	1.5x10 ⁶
F	3.6	3.0	3.7
IgCt	8.3	7.5	8.2
IgC0	4.7	4.5	4.6
G	3.2	3.1	1.1
IgTt	1.3	1.3	3.3
IgT0	4.6	4.4	4.4
A*	7.0	6.2	4.9
Comment	Pass:Strong	Pass:Strong	Pass:Strong

Notes:

The control sample was 100% cotton fabric, provided by SGS lab.

F: Growth value of F on the control specimens (F=IgCt-IgC0);

G: Growth value of G on the antibacterial testing specimens (G=IgTt-IgT0);

A*: antibacterial activity value (A=F-G);

IgCt: common logarithm of arithmetic average of the numbers of bacteria, obtained from three control specimens after 24 h incubation;

IgC0: common logarithm of arithmetic average of the numbers of bacteria, obtained from three control specimens immediately after incubation;

IgTt: common logarithm of arithmetic average of the numbers of bacteria, obtained from three test specimens after 24 h incubation;

IgT0: common logarithm of arithmetic average of the numbers of bacteria, obtained from three test specimens immediately after incubation.

The testing specimens sterilization method was autoclave sterilization method (121 °C, 15 min).

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Page 2 of 3



UNLESS SPECIFICALLY NOTED TO THE CONTRARY, THE INFORMATION CONTAINED IN THIS DOCUMENT IS SOLELY FOR INFORMATIONAL PURPOSES AND DOES NOT CONSTITUTE A GUARANTEE OF ANY KIND. THE INFORMATION IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, INCLUDING MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. THE INFORMATION IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THOSE FOR WHICH IT WAS PROVIDED. THE INFORMATION IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF SGS-CSTC STANDARDS TECHNICAL SERVICES (SHANGHAI) CO., LTD. THE INFORMATION IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THOSE FOR WHICH IT WAS PROVIDED. THE INFORMATION IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF SGS-CSTC STANDARDS TECHNICAL SERVICES (SHANGHAI) CO., LTD.

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Building No. 888, Yishan Road, Shanghai, China 200233
中国·上海·崧山路888号2号楼 邮编:200233

1 400-881-0488 1 800-210-61402547 www.sgsgroup.com.cn
1 400-881-0488 1 800-210-61402547 sgs.china@sgs.com

Manufacturers Declaration of Conformity

Elers Medical[®] Antimicrobial Disposable Curtains adhere to International Health and Safety specifications, EU Health and Safety Regulations, Flammability specifications and International ECHA chemical specifications. The Antimicrobial additive used is supported under the EU Biocidal Products Regulation (BPR) and registered to meet REACH requirements in the European Union. The Product is not classed as a medical device according to the Directive 93/42/EEC and MDR 2002.

Product: Elers Medical Antimicrobial Disposable Curtains

Specifications

Material: Polypropylene 120g/m² 110g/m² and 100g/m²

Treatment: Treated with patented Silver nitrate Technology


The Silver Nitrate additive used to protect Elers Medical Fabric has a concentration % of <10

Safety standards:

- ISO 20743 - Assessment of Antibacterial Finished Products
- ISO 22196: 2011 - Measurement of antibacterial activity on plastics and other non-porous surfaces
- NFPA 701 – Standard Method of Fire Tests for Flame Propagation of Textiles
- BS 5867 Part 2 Type C – Fabric for Curtains, Window Blinds and Drapes Flammability Requirements

Elers Medical Finland Ltd certifies that the above listed products comply with requirements including all applicable standards as set forth by authorized regulatory bodies.

Yours sincerely



Angus Kennedy
Elers Medical Finland Ltd



ELERS[®]
MEDICAL



TEST RESULTS

Antimicrobial Disposable Curtains

TEST RESULTS

New Curtains

24h test

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

K119897-8

29th April 2019

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial Hospital Curtain SUMB 4.19 Roll 1 (treated).

TESTS: ISO 20743:2013, Textiles – Determination of antibacterial activity of textile products.

METHOD: Absorption method.

TEST BACTERIA: Methicillin Resistant Staphylococcus aureus NCTC 12493
Klebsiella pneumoniae ATCC 4532
Escherichia coli ATCC 25922
Staphylococcus aureus ATCC 6538
Vancomycin resistant Enterococcus faecalis NCTC 12201
Enterobacter cloacae CRE NCTC 13925
Clostridium difficile (vegetative) NCTC 11209

EFFICACY CRITERIA : Antibacterial value (A) : $2 \leq A < 3$ = Significant
 $A \geq 3$ = Strong

RESULTS: See attached table.

CONCLUSIONS: According to ISO 20743, Antimicrobial Hospital Curtain SUMB 4.19 Roll 1 possesses strong antibacterial activity all seven organisms tested.

KM Self

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

	MRSA	K. pneumoniae	E. coli	S. aureus	VR. Enterococcus	E. cloacae CRE	C. difficile veg
Inoculum concentration	2.9x10 E5	1.7x10 E5	2.4x10 E5	2.8x10 E5	2.0x10 E5	1.7x10 E5	1.8x10 E5
Control fabric 0hrs (C ₀) Count Log	3.7x10 E4 4.57	3.0x10 E4 4.48	4.1x10 E4 4.61	5.0x10 E4 4.70	2.8x10 E4 4.45	2.4x10 E4 4.38	3.2x10 E4 4.51
Control fabric 20hrs (C _t) Count Log	6.6x10 E6 6.82	2.7x10 E6 6.43	5.3x10 E6 6.72	3.8x10 E6 6.58	3.0x10 E6 6.48	9.9x10 E5 6.00	7.6x10 E5 5.88
Test fabric 0hrs (T ₀) Count Log	3.8x10 E4 4.58	3.3x10 E4 4.52	3.8x10 E4 4.58	4.1x10 E4 4.61	3.2x10 E4 4.51	3.0x10 E4 4.48	2.6x10 E4 4.41
Test fabric 20hrs (T _t) Count Log	2.1x10 E3 3.32	2.0x10 E1 1.30	4.2x10 E2 2.62	1.1x10 E3 3.04	4.0x10 E1 1.60	2.0x10 E1 1.30	6.0x10 E1 1.78
Growth value F (log C _t – log C ₀)	2.25	1.95	2.11	1.88	2.03	1.62	1.37
Growth value G (log T _t – log T ₀)	-1.26	-3.22	-1.96	-1.57	-2.91	-3.18	-2.67
Antibacterial Activity value (A), (F-G)	3.51	5.17	4.07	3.45	4.94	4.80	4.00

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

K119713-4

25th March 2019

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial Hospital
Curtain SUMB BN R2/6/3/19 (treated).

TESTS: ISO 22196:2011, Plastics – Measurement of antibacterial
activity on plastic surfaces..

METHOD: 50mm x 50mm test specimen, covered with polyethylene film
40mm x 40 mm, incubated at 37 C, $\geq$ 95% RH, 24hrs.

TEST BACTERIA: Methicillin Resistant Staphylococcus aureus NCTC 12493
(MRSA)

RESULTS: See attached table.

CONCLUSIONS: According to ISO 22196, Antimicrobial Hospital Curtain
SUMB BN R2/6/3/19 possesses strong antibacterial activity
against MRSA NCTC 12493.

KM Self

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

		Methicillin Resistant Staphylococcus aureus
Inoculum concentration		2.6x10 E5
Control fabric 0hrs (U_0)	Count Log	9.8x10 E3 3.99
Control fabric 24hrs (U_t)	Count Log	1.1x10 E5 5.04
Test fabric 0hrs (A_0)	Count Log	9.9x10 E3 4.00
Test fabric 24hrs (A_t)	Count Log	5.0x10 E1 1.70
Antibacterial Activity value (R), $R = U_t - A_t$		3.34

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

K119899-900

29th April 2019

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial Hospital Curtain SUMB 4.19 Roll 1 (treated).

TESTS: ISO 22196:2011, Plastics – Measurement of antibacterial activity on plastic surfaces..

METHOD: 50mm x 50mm test specimen, covered with polyethylene film 40mm x 40 mm, incubated at 37 C, $\geq$ 95% RH, 24hrs.

TEST BACTERIA: Methicillin Resistant Staphylococcus aureus NCTC 12493 (MRSA)

RESULTS: See attached table.

CONCLUSIONS: According to ISO 22196, Antimicrobial Hospital Curtain SUMB 4.19 Roll 1 possesses strong antibacterial activity against MRSA NCTC 12493.

KM Self

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

		Methicillin Resistant Staphylococcus aureus
Inoculum concentration		3.4x10 E5
Control fabric 0hrs (U_0)	Count Log	7.2x10 E3 3.86
Control fabric 24hrs (U_t)	Count Log	1.5x10 E6 6.18
Test fabric 0hrs (A_0)	Count Log	6.9x10 E3 3.84
Test fabric 24hrs (A_t)	Count Log	7.0x10 E1 1.85
Antibacterial Activity value (R), $R = U_t - A_t$		4.33

TEST RESULTS

Curtains 6 months

After manufacture

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

K120224-5

9th August 2019

LABORATORY REPORT

<u>SOURCE:</u>	Elers Medical Finland Oy
<u>ITEMS:</u>	Curtain Fabrics, Control (untreated) and Antimicrobial Hospital Curtain EMF-1.1.19 (treated).
<u>TESTS:</u>	ISO 22196:2011, Plastics – Measurement of antibacterial activity on plastic surfaces..
<u>METHOD:</u>	50mm x 50mm test specimen, covered with polyethylene film 40mm x 40 mm, incubated at 37 C, $\geq$ 95% RH, 24hrs.
<u>TEST BACTERIA:</u>	Methicillin Resistant Staphylococcus aureus NCTC 12493 (MRSA)
<u>RESULTS:</u>	See attached table.
<u>CONCLUSIONS:</u>	According to ISO 22196, Antimicrobial Hospital Curtain EMF-1.1.19 possesses strong antibacterial activity against MRSA NCTC 12493.

KMSelf

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

		Methicillin Resistant Staphylococcus aureus
Inoculum concentration		5.9x10 E5
Control fabric 0hrs (U_0)	Count Log	1.0x10 E4 4.00
Control fabric 24hrs (U_t)	Count Log	7.4x10 E6 6.87
Test fabric 0hrs (A_0)	Count Log	1.2x10 E4 4.08
Test fabric 24hrs (A_t)	Count Log	7.1x10 E2 2.85
Antibacterial Activity value (R), $R = U_t - A_t$		4.02

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

K120226-7

9th August 2019

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial Hospital Curtain EMF-1.1.19 (treated).

TESTS: ISO 20743:2013, Textiles – Determination of antibacterial activity of textile products.

METHOD: Absorption method.

TEST BACTERIA: Methicillin Resistant Staphylococcus aureus NCTC 12493
Klebsiella pneumoniae ATCC 4532
Escherichia coli ATCC 25922
Staphylococcus aureus ATCC 6538
Vancomycin resistant Enterococcus faecalis NCTC 12201
Enterobacter cloacae CRE NCTC 13925
Clostridium difficile (vegetative) NCTC 11209

EFFICACY CRITERIA : Antibacterial value (A) : $2 \leq A < 3$ = Significant
 $A \geq 3$ = Strong

RESULTS: See attached table.

CONCLUSIONS: According to ISO 20743, Antimicrobial Hospital Curtain EMF-1.1.19 possesses strong antibacterial activity against all seven organisms tested.

KM Self

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

	MRSA	K.pneumoniae	E.coli	S.aureus	VR.Enterococcus	E.cloacae CRE	C.difficile veg
Inoculum concentration	5.0x10 E5	4.8x10 E5	2.8x10 E5	1.9x10 E5	4.1x10 E5	2.9x10 E5	4.1x10 E5
Control fabric 0hrs (C ₀) Count Log	7.1x10 E4 4.85	6.9x10 E4 4.84	4.0x10 E4 4.60	2.7x10 E4 4.43	3.0x10 E4 4.48	4.1x10 E4 4.61	6.0x10 E4 4.78
Control fabric 20hrs (C _t) Count Log	7.8x10 E6 6.89	5.9x10 E6 6.77	3.8x10 E6 6.58	1.7x10 E6 6.23	5.1x10 E6 6.71	1.9x10 E6 6.28	1.0x10 E6 6.00
Test fabric 0hrs (T ₀) Count Log	6.8x10 E4 4.83	6.6x10 E4 4.82	3.8x10 E4 4.58	2.5x10 E4 4.40	4.0x10 E4 4.60	4.0x10 E4 4.60	6.1x10 E4 4.79
Test fabric 20hrs (T _t) Count Log	1.2x10 E3 3.08	2.1x10 E2 2.32	<10 <1	1.0x10 E2 2.00	1.2x10 E2 2.08	1.7x10 E2 2.23	3.8x10 E2 2.58
Growth value F (log C _t – log C ₀)	2.04	1.93	1.98	1.80	2.23	1.67	1.22
Growth value G (log T _t – logT ₀)	-1.75	-2.50	->3.58	-2.40	-2.52	-2.37	-2.21
Antibacterial Activity value (A), (F-G)	3.79	4.43	>5.56	4.20	4.75	4.04	3.43

TEST RESULTS

Curtains 12 months

After manufacture

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

K120711-2

20th December 2019

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial Hospital Curtain HS:6303920090 (treated).

TESTS: ISO 22196:2011, Plastics – Measurement of antibacterial activity on plastic surfaces..

METHOD: 50mm x 50mm test specimen, covered with polyethylene film 40mm x 40 mm, incubated at 37 C, $\geq 95\%$ RH, 24hrs.

TEST BACTERIA: Methicillin Resistant Staphylococcus aureus NCTC 12493 (MRSA)

RESULTS: See attached table.

CONCLUSIONS: According to ISO 22196, Antimicrobial Hospital Curtain HS:6303920090 possesses strong antibacterial activity against MRSA NCTC 12493.

KMSelf

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

		Methicillin Resistant Staphylococcus aureus
Inoculum concentration		3.8x10 E5
Control fabric 0hrs (U_0)	Count Log	9.8x10 E3 3.99
Control fabric 24hrs (U_t)	Count Log	5.8x10 E6 6.76
Test fabric 0hrs (A_0)	Count Log	9.7x10 E3 3.99
Test fabric 24hrs (A_t)	Count Log	8.8x10 E2 2.94
Antibacterial Activity value (R), $R = U_t - A_t$		3.82

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

K120713-4

20th December 2019

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial Hospital Curtain HS:6303920090 (treated).

TESTS: ISO 20743:2013, Textiles – Determination of antibacterial activity of textile products.

METHOD: Absorption method.

TEST BACTERIA: Methicillin Resistant Staphylococcus aureus NCTC 12493
Klebsiella pneumoniae ATCC 4532
Escherichia coli ATCC 25922
Staphylococcus aureus ATCC 6538
Vancomycin resistant Enterococcus faecalis NCTC 12201
Enterobacter cloacae CRE NCTC 13925
Clostridium difficile (vegetative) NCTC 11209

EFFICACY CRITERIA : Antibacterial value (A) : $2 \leq A \leq 3$ = Significant
 $A > 3$ = Strong

RESULTS: See attached table.

CONCLUSIONS: According to ISO 20743, Antimicrobial Hospital Curtain HS:6303920090 possesses strong antibacterial activity against all seven organisms tested.

KM Self

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

	MRSA	K.pneumoniae	E.coli	S.aureus	VR.Enterococcus	E.cloacae CRE	C.difficile veg
Inoculum concentration	3.8x10 E5	3.6x10 E5	2.7x10 E5	2.4x10 E5	3.7x10 E5	2.9x10 E5	5.3x10 E5
Control fabric 0hrs (C ₀) Count Log	5.6x10 E4 4.75	5.5x10 E4 4.74	2.4x10 E4 4.38	2.1x10 E4 4.32	3.5x10 E4 4.54	4.2x10 E4 4.62	6.3x10 E4 4.80
Control fabric 20hrs (C _t) Count Log	6.8x10 E6 6.83	4.6x10 E6 6.66	6.1x10 E6 6.79	5.7x10 E6 6.76	5.2x10 E6 6.72	6.2x10 E6 6.79	1.2x10 E6 6.08
Test fabric 0hrs (T ₀) Count Log	5.4x10 E4 4.73	5.2x10 E4 4.72	2.8x10 E4 4.45	2.3x10 E4 4.36	3.5x10 E4 4.54	4.0x10 E4 4.60	6.2x10 E4 4.79
Test fabric 20hrs (T _t) Count Log	1.2x10 E3 3.08	8.0x10 E1 1.90	1.0x10 E2 2.00	2.1x10 E2 2.32	1.4x10 E2 2.15	6.0x10 E1 1.78	4.1x10 E2 2.61
Growth value F (log C _t – log C ₀)	2.08	1.92	2.41	2.44	2.18	2.17	1.28
Growth value G (log T _t – log T ₀)	-1.65	-2.82	-2.45	-2.04	-2.39	-2.82	-2.18
Antibacterial Activity value (A), (F-G)	3.73	4.74	4.86	4.48	4.57	4.99	3.46

UP TO DATE TESTING

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

K121865-6a

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

4th November 2020

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial
Curtain (Sample B - EMF Chinese fabric, 14/9/20) treated.

TESTS: ISO 20743:2013, Textiles – Determination of antibacterial
activity of textile products.

METHOD: Absorption method.

TEST ORGANISM: Candida albicans ATCC 10231

EFFICACY CRITERIA : Antimicrobial value (A) : $2 \leq A < 3$ = Significant
 $A \geq 3$ = Strong

RESULTS: See attached table.

CONCLUSIONS: According to ISO 20743, Antimicrobial Curtain (Sample B)
possesses strong antimicrobial activity against Candida albicans.

KM Self

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

		Candida albicans
Inoculum concentration		4.6x10 E5
Control fabric 0hrs (C ₀)	Count Log	6.2x10 E4 4.79
Control fabric 20hrs (C _t)	Count Log	3.3x10 E7 7.52
Test fabric 0hrs (T ₀)	Count Log	6.0x10 E4 4.78
Test fabric 20hrs (T _t)	Count Log	<10 <1
Growth value F (log C _t – log C ₀)		2.73
Growth value G (log T _t – log T ₀)		-3.78
Antibacterial Activity value (A), (F-G)		>6.51

Scientific Services

**Consultant Microbiologists
Animal feed Chemists**

K121684-5

**Willow Farm,
Stewton,
Louth,
Lincolnshire,
LN11 8SD
Mob: 07770 872461
Tel/Messages: 01507 328552
Email: kevinm.self@tiscali.co.uk**

28th September 2020

LABORATORY REPORT

SOURCE: Elers Medical Finland Oy

ITEMS: Curtain Fabrics, Control (untreated) and Antimicrobial
Curtain (Sample B - EMF Chinese fabric, 14/9/20) treated.

TESTS: ISO 20743:2013, Textiles – Determination of antibacterial
activity of textile products.

METHOD: Absorption method.

TEST BACTERIA:

Staphylococcus aureus	ATCC 6538
Escherichia coli	ATCC 8739
Klebsiella pneumoniae	ATCC 4352

EFFICACY CRITERIA : Antibacterial value (A) : $2 \leq A \leq 3$ = Significant
 $A > 3$ = Strong

RESULTS: See attached table.

CONCLUSIONS: According to ISO 20743, Antimicrobial Curtain (Sample B)
possesses strong antibacterial activity against the three
organisms tested.

KM Self

K.M.Self, M.B.I.C.Sc., M.R.S.P.H., A.M.S.B.

Summary of Results

	S.aureus	E.coli	K.pneumoniae
Inoculum concentration	3.1x10 E5	2.1x10 E5	2.7x10 E5
Control fabric 0hrs (C ₀) Count Log	3.9x10 E4 4.59	2.9x10 E4 4.46	3.6x10 E4 4.56
Control fabric 20hrs (C _t) Count Log	5.6x10 E6 6.75	2.8x10 E6 6.45	2.9x10 E6 6.46
Test fabric 0hrs (T ₀) Count Log	3.6x10 E4 4.56	3.1x10 E4 4.49	3.4x10 E4 4.53
Test fabric 20hrs (T _t) Count Log	<10 <1	<10 <1	2.0x10 E1 1.30
Growth value F (log C _t – log C ₀)	2.16	1.99	1.90
Growth value G (log T _t – logT ₀)	>-3.56	>-3.49	-3.23
Antibacterial Activity value (A), (F-G)	>5.72	>5.48	5.13



www.ellers-medical.com
info@ellers-medical.eu

DISCLAIMER:

The results included in this booklet were done under laboratory conditions in accordance with the recognised international standards. Results achieved under trial conditions or every day use may vary. For further information, please contact Elers Medical.


IMPORTANT:

The information contained in this leaflet may be confidential and privileged. As such, the contents of this document must not be disclosed, distributed or copied without express permission from Elers Medical. If you believe you have received this leaflet in error, please notify the sender immediately. All contents, test approvals and results remain the property of Elers Medical.

Hook guide

Different hook options designed to fit commonly used standard cubicle tracks

U Hooks (C hooks)



Nested U hook



Removable U hook

Stem hooks / Quick fit hooks / Button hooks – Same fit



Fixed stem hook



Removable quick fit hook



Button hook

Wheeled hooks



Wheeled hooks – For tracks which requires wheels in order to slide smoothly. Wider fit compared to stem hook/quick fit hook fit.

S hooks



S hook – Fits internal track hanging systems.

Eyelet, no hooks

