

Specificații tehnice

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1750863173384

Obiectul achiziției: Piese și componente pentru stațiile de lucru

Nr.	Denumirea bunurilor / serviciilor	Denumirea modelului bunului / serviciului	Țara de origine	Produ-catrul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
LOT 1 Baterii, cu valoarea estimată de 4 000,00 lei (fără TVA)							
1.1	Baterie bios	CR2032, Blister*2, Energenie, EG-BA-CR2032-01	PRC	Energenie	Baterie CR-2032 Bioss	CR2032, Blister*2, Energenie, EG-BA-CR2032-01	SM, CE, ISO
1.2	Baterie cronă	Crona 9V Energenie "EG-BA-6LR61-01" Blister*1, Alkaline	PRC	Energenie	Crona 9V	Crona 9V Energenie "EG-BA-6LR61-01" Blister*1, Alkaline	SM, CE, ISO
1.3	Baterii AA	Panasonic "ALKALINE Power" AA Blister* 4, Alkaline, LR6REB/4BPR	Belgia	Panasonic	Panasonic "ALKALINE Power" AA Blister* 4, Alkaline, LR6REB/4BPR, sau echivalent	Panasonic "ALKALINE Power" AA Blister* 4, Alkaline, LR6REB/4BPR	SM, CE, ISO
1.4	Baterii AAA	Panasonic "ALKALINE Power" AAA Blister* 4, Alkaline, LR03REB/4BPR	Belgia	Panasonic	Panasonic "ALKALINE Power" AAA Blister* 4, Alkaline, LR03REB/4BPR, sau echivalent	Panasonic "ALKALINE Power" AAA Blister* 4, Alkaline, LR03REB/4BPR	SM, CE, ISO
LOT 2 Hardware și cabluri pentru stațiile de lucru, cu valoarea estimată de 368 500,00 lei (fără TVA)							
2.1	Cablu de alimentare (IEC-320-C13)	Power Cord PC-220V 1.8m Euro Plug PC-186, Cablexpert	PRC	Cablexpert	Power Cord PC/Monitor 220V 1.8m Euro Plug "IEC-320-C13"	Power Cord PC-220V 1.8m Euro Plug PC-186, Cablexpert	SM, CE, ISO
2.2	Cablu DVI	Cable DVI M to DVI M, 1.8m, Cablexpert DVI-D Dual link with ferrite, CC-DVI2-BK-6	PRC	Cablexpert	Cable DVI M to DVI M, 1.8m, DVI-D Dual link with ferrite	Cable DVI M to DVI M, 1.8m, Cablexpert DVI-D Dual link with ferrite, CC-DVI2-BK-6	SM, CE, ISO
2.3	Cablu HDMI (1,8 m)	Cable HDMI male to HDMI female 1.8m Cablexpert male-female, V1.4, Black, CC-HDMI4X-6	PRC	Cablexpert	Cable HDMI male to HDMI female 1.8m, V1.4	Cable HDMI male to HDMI female 1.8m Cablexpert male-female, V1.4, Black, CC-HDMI4X-6	SM, CE, ISO
2.4	Cablu HDMI (5 m)	Cable HDMI male to HDMI female 4.5m Cablexpert male-female, V1.4, Black, CC-HDMI4X-15	PRC	Cablexpert	Cable HDMI male to HDMI female 5m	Cable HDMI male to HDMI female 4.5m Cablexpert male-female, V1.4, Black, CC-HDMI4X-15	SM, CE, ISO
2.5	Cablu telefonic	4 core telephone flat cable, TEL4W, 28 AWG 2.2X4.5MM 100M/ROLL white	PRC	OEM	4 core telephone flat cable, TEL4W, 28AWG 2.2X4.5MM 100M/ROLL white	4 core telephone flat cable, TEL4W, 28AWG 2.2X4.5MM 100M/ROLL white	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului /serviciului	Țara de origine	Produ-catrorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
2.6	Cablu UPS-PC 1.8 m	Cable, Power Extension UPS-PC 1.8m, High quality, 3x0.75mm2, APC Electronic	PRC	APC Electronic	Cable, Power Extension UPS-PC 1.8m 3x0.75mm2	Cable, Power Extension UPS-PC 1.8m, High quality, 3x0.75mm2, APC Electronic	SM, CE, ISO
2.7	Cablu UPS-PC 3 m	Cable, Power Extension UPS-PC 3.0m, High quality, 3x0.75mm2, APC Electronic	PRC	APC Electronic	Cable, Power Extension UPS-PC 3 m 3x0.75mm2	Cable, Power Extension UPS-PC 3.0m, High quality, 3x0.75mm2, APC Electronic	SM, CE, ISO
2.8	Cablu USB (AM/AF 1,8 m)	Cable USB, USB AM/AF, 1.8 m, USB2.0 Cablexpert, CCP-USB2-AMAF-6	PRC	Cablexpert	Cable USB, USB AM/AF, 1.8 m, USB2.0	Cable USB, USB AM/AF, 1.8 m, USB2.0 Cablexpert, CCP-USB2-AMAF-6	SM, CE, ISO
2.9	Cablu USB (AM/AF 3 m)	Cable USB, USB AM/AF, 3.0 m, USB2.0 Premium quality with ferrite core, CCF-USB2-AMAF-10	PRC	Cablexpert	Cable USB, USB AM/AF, 3.0 m, USB2.0,	Cable USB, USB AM/AF, 3.0 m, USB2.0 Premium quality with ferrite core, CCF-USB2-AMAF-10	SM, CE, ISO
2.10	Cablu USB (AM/BM 1,8 m)	Cable USB, AM/BM, 1.8 m, USB2.0, High quality, Cablexpert, Black, CCP-USB2-AMBM-6	PRC	Cablexpert	Cable USB, AM/BM, 1.8 m, USB2.0	Cable USB, AM/BM, 1.8 m, USB2.0, High quality, Cablexpert, Black, CCP-USB2-AMBM-6	SM, CE, ISO
2.11	Cablu USB (AM/BM 3 m)	Cable USB, AM/BM, 3.0 m, USB2.0. High quality, Cablexpert, CCP-USB2-AMBM-10	PRC	Cablexpert	Cable USB, AM/BM, 3.0 m, USB2.0	Cable USB, AM/BM, 3.0 m, USB2.0. High quality, Cablexpert, CCP-USB2-AMBM-10	SM, CE, ISO
2.12	Cablu UTP (Cat. 5E)	Cable UTP Cat.5E, 24awg 4X2X1/0.45 COPPER, 305M, APC Electronic	PRC	APC Electronic	Cable UTP Cat.5E, 305m, CCAG, 24awg 4X2X1/0.50, (cupru)	Cable UTP Cat.5E, 24awg 4X2X1/0.45 COPPER, 305M, APC Electronic	SM, CE, ISO
2.13	Cablu UTP (Cat. 6)	Cable FTP Cat.6 outdoor cable, 23AWG 4X2X1/0.55 COPPER, double jacket, APC Electronic, 305m	PRC	APC Electronic	Cable UTP Cat.6 (4*2*0,57 mm cooper, PVC, 305m)	Cable FTP Cat.6 outdoor cable, 23AWG 4X2X1/0.55 COPPER, double jacket, APC Electronic, 305m	SM, CE, ISO
2.14	Cablu VGA	Cable VGA Premium Extension 1.8m, HD15M/HD15F Black, Cablexpert, w/2* ferrite core, CC-PPVGAX-6B	PRC	Cablexpert	Cable VGA Coaxial 3+4 HDB15M/HDB15F,1.8M	Cable VGA Premium Extension 1.8m, HD15M/HD15F Black, Cablexpert, w/2*ferrite core, CC-PPVGAX-6B	SM, CE, ISO
2.15	Prelungitor (1.8m)	Surge Protector 5 Sockets, 1.8m, Ultra Power, black, UP3-B-6PPB	PRC	Ultra Power	Surge Protector 5 Sockets, 1.8m, flame-retardant material	Surge Protector 5 Sockets, 1.8m, Ultra Power, black, UP3-B-6PPB	SM, CE, ISO
2.16	Prelungitor (3.0m)	Surge Protector 5 Sockets, 3.0m, Ultra Power, black, UP3-B-10PPB	PRC	Ultra Power	Surge Protector 5 Sockets, 3.0m, flame-retardant material	Surge Protector 5 Sockets, 3.0m, Ultra Power, black, UP3-B-10PPB	SM, CE, ISO
2.17	Prelungitor (5.0m)	Surge Protector 5 Sockets, 5.0m, Sven "SF-05E", Black, flame-retardant material	PRC	Sven	Surge Protector 5 Sockets, 5.0m, flame-retardant material	Surge Protector 5 Sockets, 5.0m, Sven "SF-05E", Black, flame-retardant material	SM, CE, ISO
2.18	Convertor USB	Converter USB to Serial port, Gembird "UAS-DB9M-02",1.5m cable, Black	PRC	Gembird	Converter USB to Serial port RS232, USB A plug/DB9M 1.5m cable, Black,	Converter USB to Serial port, Gembird "UAS-DB9M-02",1.5m cable, Black	SM, CE, ISO
2.19	USB prelungitor	USB 2.0 Hub 4-port SVEN "HB-401", Black	PRC	Sven	USB 2.0 Hub 4-port	USB 2.0 Hub 4-port SVEN "HB-401", Black	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului / serviciului	Țara de origine	Produ-catorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
2.20	Controler	PCI-Express to 2xSerial port, Gembird "SP C-22", add-on card	PRC	Gembird	PCI 2xSerial Port Card	PCI-Express to 2xSerial port, Gembird "SPC-22", add-on card	SM, CE, ISO
2.21	Bloc de sistem (ATX)	Case ATX 500W Sohoo 2810BK, 2xUSB 2.0, Black-Grey, ATX-500W-12cm	PRC	Sohoo	Case ATX 500W , 2xUSB2.0, Black,	Case ATX 500W Sohoo 2810BK, 2xUSB 2.0, Black-Grey, ATX-500W-12cm	SM, CE, ISO
2.22	Bloc de sistem (SFF)	Case ATX Deepcool CC560 Limited v2, w/o PSU, USB3.0, USB2.0, Mesh Front, Tempered Glass, 2x2.5, 2x3.5, Black	PRC	Sohoo	Case SFF mATX 275W Slim Tower/Desktop, 1xUSB3.0, 2xUSB2.0, Black	Case ATX Deepcool CC560 Limited v2, w/o PSU, USB3.0, USB2.0, Mesh Front, Tempered Glass, 2x2.5, 2x3.5, Black	SM, CE, ISO
2.23	CPU (Intel Core i3- 12100)	CPU Intel Core i3-12100 3.3-4.3GHz (4P+0E/8T,12MB,S1700, 10nm, Integ. UHD Graphics 730, 60W) Tray	Vietnam	Intel	CPU Intel Core i3- 12100 Socket LGA 1700 sau echivalent	CPU Intel Core i3-12100 3.3-4.3GHz (4P+0E/8T,12MB,S1700, 10nm, Integ. UHD Graphics 730, 60W) Tray	SM, CE, ISO
2.24	CPU (Intel Core i5- 12400)	CPU Intel Core i5-12400 2.5-4.4GHz (6P+0E/12T,18MB, S1700, 10nm, Integ.UHD Graphics 730, 65W) Tray	Vietnam	Intel	CPU Intel Core i5- 12400 Socket LGA 1700 sau echivalent	CPU Intel Core i5-12400 2.5-4.4GHz (6P+0E/12T,18MB, S1700, 10nm, Integ. UHD Graphics 730, 65W) Tray	SM, CE, ISO
2.25	CPU (Intel Core i7 - 12700)	CPU Intel Core i7-12700 2.1-4.9GHz (8P+4E/20T, 25MB,S1700,10nm , Integ. UHD Graphics 770, 65W) Tray	Vietnam	Intel	CPU Intel Core i7 - 12700 Socket LGA 1700 sau echivalent	CPU Intel Core i7-12700 2.1-4.9GHz (8P+4E/20T, 25MB,S1700,10nm, Integ. UHD Graphics 770, 65W) Tray	SM, CE, ISO
2.26	CPU (Intel Celeron G6900)	CPU Intel Pentium G7400 3.7GHz (2P+0E/4T,6MB,S1700, 10nm, Integ. UHD Graphics 710, 46W) Tray	Vietnam	Intel	CPU Intel Celeron G6900 Socket LGA 1700 sau echivalent	CPU Intel Pentium G7400 3.7GHz (2P+0E/4T, 6MB,S1700, 10nm, Integ. UHD Graphics 710, 46W) Tray	SM, CE, ISO
2.27	CPU (Intel Core i3)	CPU Intel Core i3-13100 3.4-4.5GHz (4P+0E/8T,12MB,S1700, 10nm, Integ. UHD Graphics 730, 60W) Tray	Vietnam	Intel	CPU Intel Core i3 13100 Socket LGA 1700 sau echivalent	CPU Intel Core i3-13100 3.4-4.5GHz (4P+0E/8T,12MB,S1700, 10nm, Integ. UHD Graphics 730, 60W) Tray	SM, CE, ISO
2.28	CPU (Intel Core i5)	CPU Intel Core i5-14500 2.6-5.0GHz (6P+8E/20T,24MB,S1700, 10nm, Integ. UHD Graphics 770, 65W) Tray	Vietnam	Intel	CPU Intel Core i5 13500 Socket LGA 1700 sau echivalent	CPU Intel Core i5-14500 2.6-5.0GHz (6P+8E/20T,24MB,S1700, 10nm, Integ. UHD Graphics 770, 65W) Tray	SM, CE, ISO
2.29	CPU (Intel Core i7)	CPU Intel Core i7-14700 2.1-5.4GHz (8P+12E/28T, 28MB,S1700,10nm, Integ.UHD Graphics 770, 65W) Tray	Vietnam	Intel	CPU Intel Core i7 13700 Socket LGA 1700 sau echivalent	CPU Intel Core i7-14700 2.1-5.4GHz (8P+12E/28T, 28MB,S1700,10nm, Integ.UHD Graphics 770, 65W) Tray	SM, CE, ISO
2.30	CPU (Intel G7400)	CPU Intel Pentium G7400 3.7GHz (2P+0E/4T,6MB,S1700, 10nm, Integ. UHD Graphics 710, 46W) Tray	Vietnam	Intel	CPU Intel G7400 Socket 1700 sau echivalent	CPU Intel Pentium G7400 3.7GHz (2P+0E/4T, 6MB,S1700, 10nm, Integ. UHD Graphics 710, 46W) Tray	SM, CE, ISO
2.31	Hard Drive	2.0TB (USB3.1) 2.5" Toshiba Canvio Basics External Hard Drive (HDTB520EK3AA)", Black	Vietnam	Toshiba	2TB External Hard Drive Portable HDD – USB 3.0 for PC, Mac, PS4,	2.0TB (USB3.1) 2.5" Toshiba Canvio Basics External Hard Drive (HDTB520EK3AA)", Black	SM, CE, ISO
2.32	Hard Drive (600 GB)	9FN066-150 (DELL) - Dell 600GB 15K 3.5 SAS 6G ST3600057SS	PRC	Dell	DELL CHEETAH 15k.7 600GB, Model Number ST3600057SS, F/W ES66, ES65, ES68 Vender DELL sau echivalent	DELL CHEETAH 15k.7 600GB, Model Number ST3600057SS, F/W ES66, ES65, ES68 Vender DELL sau echivalent	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului / serviciului	Țara de origine	Produce-ctorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
2.33	HDD	8.0TB (USB3.1) 3.5" Transcend "StoreJet 35T3", Black [256-bit AES encryption]	Taiwan	Transcend	HDD external 8 TB, USB 3.0, Compatible with PC, Mac	8.0TB (USB3.1) 3.5" Transcend "StoreJet 35T3", Black [256-bit AES encryption]	SM, CE, ISO
2.34	HDD (1 TB)	3.5" HDD 1.0TB-SATA - 64MB Toshiba "Performance P 300 (HDWD110UZSVA)"	Taiwan	Toshiba	3.5" HDD 1.0TB-SATA-64MB (New, Non-Refurbished)	3.5" HDD 1.0TB-SATA - 64MB Toshiba "Performance P300 (HDWD110UZSVA)"	SM, CE, ISO
2.35	HDD (2 TB)	3.5" HDD 2.0TB -SATA-256MB Toshiba "Performance P300 (HDWD320UZSVA)"	Taiwan	Toshiba	3.5" HDD 2.0TB -SATA-64MB (New, Non-Refurbished)	3.5" HDD 2.0TB -SATA-256MB Toshiba "Performance P300 (HDWD320UZSVA)"	SM, CE, ISO
2.36	Placă de bază (LGA1700/Z690/DDR4/HDMI)	MB S1700 Asus PRIME B760M-R D4 mATX	Taiwan	Asus	MB Socket LGA1700/Z690/DDR4/HDMI	MB S1700 Asus PRIME B760M-R D4 mATX	SM, CE, ISO
2.37	Placă de bază cu procesor integrat (tip 1)	Gigabyte A520M K V2/Athlon 300 PRO 300GE	PRC/Vietnam	Gigabyte/AMD	MB cu procesor integrat 1x PCI Express x16, 1x PCI Express x16, 1x PCI Express x1; 1x M.2 connector, 4x SATA 6Gb/s; 6x USB 3.1, 2x USB 2.0	Gigabyte A520M K V2/Athlon 300 PRO 300GE: 1x PCI Express x16, 1x PCI Express x1; 1x M.2 connector, 4x SATA 6Gb/s; 6x USB 3.2, 6x USB 2.0	SM, CE, ISO
2.38	Placă de bază cu procesor integrat (tip 2)	Gigabyte A520M K V2/Athlon 300 PRO 300GE	PRC/Vietnam	Gigabyte/AMD	MB cu procesor integrat / Cipset J4025B/ CPU Intel Dual-Core/ DDR4 SDRAM/ Com Port RS232, sau echivalent	Gigabyte A520M K V2/Athlon 300 PRO 300GE: 1x PCI Express x16, 1x PCI Express x1; 1x M.2 connector, 4x SATA 6Gb/s; 6x USB 3.2, 6x USB 2.0, Com-port	SM, CE, ISO
2.39	Placă de bază (AM4)	MB AM4 Gigabyte A520M K V2 mATX	PRC	Gigabyte	MB AM4 B450M PRO4 R2.0 mATX, sau echivalent	MB AM4 Gigabyte A520M K V2 mATX	SM, CE, ISO
2.40	Placă de bază (H310CM-HDV)	MB S1200 Gigabyte H410M H V2 1.0 mATX	PRC	Gigabyte	MB ASRock H310CM-HDV mATX, sau echivalent	MB S1200 Gigabyte H410M H V2 1.0 mATX	SM, CE, ISO
2.41	Placă de bază (S1200)	MB S1200 Gigabyte H410M H V2 1.0 mATX	PRC	Gigabyte	MB S1200 Gigabyte H410M H V3 1.0 mATX, sau echivalent	MB S1200 Gigabyte H410M H V2 1.0 mATX	SM, CE, ISO
2.42	Placă de bază (B760)	MB S1700 Asus PRIME B760M-K D4 mATX	Vietnam	Asus	MB B760 S1700/DDR4/ RS232 sau echivalent	MB S1700 Asus PRIME B760M-K D4 mATX	SM, CE, ISO
2.43	Placă de bază (H610)	MB S1700 Asus PRIME H610M-R D4-SI mATX	Vietnam	Asus	MB H610 S1700/DDR4/ RS232 sau echivalent	MB S1700 Asus PRIME H610M-R D4-SI mATX	SM, CE, ISO
2.44	Placă video (ASRock Radeon RX560)	VGA ASUS RTX3050 6GB GDDR6 Dual OC (DUAL-RTX3050-O6G)	Vietnam	Asus	VGA ASRock Radeon RX560 4GB GDDR5 sau echivalent	VGA ASUS RTX3050 6GB GDDR6 Dual OC (DUAL-RTX3050-O6G)	SM, CE, ISO
2.45	Placă video (ASRock Radeon RX590)	VGA ASUS RTX3050 8GB GDDR6 Dual OC (DUAL-RTX3050-O8G-V2)	Vietnam	Asus	VGA ASRock Radeon RX590 8GB GDDR5 sau echivalent	VGA ASUS RTX3050 8GB GDDR6 Dual OC (DUAL-RTX3050-O8G-V2)	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului /serviciului	Țara de origine	Produ-catrorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
2.46	Placă video (Gigabyte GTX1050Ti)	VGA ASUS RTX3050 6GB GDDR6 Dual OC (DUAL-RTX3050-O6G)	Vietna m	Asus	VGA Gigabyte GTX1050Ti 4GB GDDR5 sau echivalent	VGA ASUS RTX3050 6GB GDDR6 Dual OC (DUAL-RTX3050-O6G)	SM, CE, ISO
2.47	Placă video (Gigabyte RTX2070)	VGA ASUS RTX3050 8GB GDDR6 Dual OC (DUAL-RTX3050-O8G-V2)	Vietna m	Asus	VGA Gigabyte RTX2070 8GB GDDR6 sau echivalent	VGA ASUS RTX3050 8GB GDDR6 Dual OC (DUAL-RTX3050-O8G-V2)	SM, CE, ISO
2.48	Cooler (Deepcool AG200)	AC Deepcool "AG200" (≤30.5dB, 500-3050RPM, 36.75 CFM, 92mm, 100W, 2 x6mm, 304g.)	PRC	Deepcool	Cooler Deepcool AG200, sau echivalent	AC Deepcool "AG200" (≤30.5dB, 500-3050RPM, 36.75 CFM, 92mm, 100W, 2x6mm, 304g.)	SM, CE, ISO
2.49	Cooler (Socket 1151)	AC Deepcool "GAMMA HUNTER V2" (21dBA, 1600RPM, 55.5CFM, 120mm, PWM, 65W, 252g)	PRC	Deepcool	Cooler Socket 1151 (Up to 65W) V2	AC Deepcool "GAMMA HUNTER V2" (21dBA, 1600RPM, 55.5CFM, 120mm, PWM, 65W, 252g)	SM, CE, ISO
2.50	Cooler (Socket 1700)	AC Deepcool "GAMMA HUNTER V2" (21dBA, 1600RPM, 55.5CFM, 120mm, PWM, 65W, 252g)	PRC	Deepcool	Cooler Socket 1700 (Up to 65W)	AC Deepcool "GAMMA HUNTER V2" (21dBA, 1600RPM, 55.5CFM, 120mm, PWM, 65W, 252g)	SM, CE, ISO
2.51	UPS (12V/5AH)	Baterie UPS 12V/ 5AH REDDOT	PRC	Reddot	Baterie UPS 12V/5AH	Baterie UPS 12V/ 5AH REDDOT	SM, CE, ISO
2.52	UPS (12V/7AH)	Baterie UPS 12V/ 7AH Ultra Power	PRC	Ultra Power	Baterie UPS 12V/7AH	Baterie UPS 12V/ 7AH Ultra Power	SM, CE, ISO
2.53	UPS (12V/9AH)	Baterie UPS 12V/ 9AH Ultra Power	PRC	Ultra Power	Baterie UPS 12V/9AH	Baterie UPS 12V/ 9AH Ultra Power	SM, CE, ISO
2.54	RAM (DDR 16, 4 GB, 3200 MHZ)	16GB DDR4- 3200MHz Transcend P C25600, CL22, 288pin DIMM 1.2V	Taiwan	Transcend	RAM 16 GB DDR4- 3200 MHz	16GB DDR4- 3200MHz Transcend PC25600, CL22, 288pin DIMM 1.2V	SM, CE, ISO
2.55	RAM (DDR 8, 4 GB, 3200 MHZ)	.8GB DDR4- 3200MHz Transcend P C25600, CL22, 288pin DIMM 1.2V	Taiwan	Transcend	RAM 8 GB DDR4- 3200 MHz	.8GB DDR4- 3200MHz Transcend PC25600, CL22, 288pin DIMM 1.2V	SM, CE, ISO
2.56	RAM (DDR 3, 4 GB)	.4GB DDR3- 1600MHz Apacer PC12800, CL11, 1.5V	Taiwan	Apacer	RAM 4GB DDR3-1600MHz, PC12800, CL11, 1.5V	.4GB DDR3- 1600MHz Apacer PC12800, CL11, 1.5V	SM, CE, ISO
2.57	RAM (DDR 3, 8 GB)	.8GB DDR3- 1600MHz Apacer PC12800, CL11, 1.5V	Taiwan	Apacer	RAM 8GB DDR3-1600MHz, PC12800, CL11, 1.35V	.8GB DDR3- 1600MHz Apacer PC12800, CL11, 1.5V	SM, CE, ISO
2.58	RAM (DDR 4, 4 GB)	.4GB DDR4- 2666MHz Apacer PC21300, CL19, 288pin DIMM 1.2V	Taiwan	Apacer	RAM 4GB DDR4-2666MHz, PC21300, CL19, 288pin DIMM 1.2V	.4GB DDR4- 2666MHz Apacer PC21300, CL19, 288pin DIMM 1.2V	SM, CE, ISO
2.59	RAM (DDR 4, 8 GB)	.8GB DDR4- 2666MHz Apacer PC21300, CL19, 288pin DIMM 1.2V	Taiwan	Apacer	RAM 8GB DDR4- 2666MHz, PC21300, CL19, 288pin DIMM 1.2V	.8GB DDR4- 2666MHz Apacer PC21300, CL19, 288pin DIMM 1.2V	SM, CE, ISO
2.60	RAM (DDR 5, 4 GB)	.8GB DDR5-4800MHz Transcend JetRam (JM4800ALG-8G), PC5-38400U, 1Rx16, CL40, 1.1V	Taiwan	Transcend	RAM 4GB DDR5 SDRAM 4800-5200 MHz	.8GB DDR5-4800MHz Transcend JetRam (JM4800ALG-8G), PC5-38400U, 1Rx16, CL40, 1.1V	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului / serviciului	Țara de origine	Produ-catrorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1		2	3	4	5	6	7
2.61	RAM (DDR 5, 8 GB)	.8GB DDR5-4800MHz Transcend JetRam (JM4800ALG-8G), PC5-38400U, 1Rx16, CL40, 1.1V	Taiwan	Transcend	RAM 8GB DDR5 SDRAM 4800-5200 MHz	.8GB DDR5-4800MHz Transcend JetRam (JM4800ALG-8G), PC5-38400U, 1Rx16, CL40, 1.1V	SM, CE, ISO
2.62	SSD	.M.2 NVMe SSD 250GB Transcend 115S [PCIe 3.0 x4, R/W:3200/1300MB/s, 250/170K IOPS, 100TBW,3DTLC]	Taiwan	Transcend	M.2 NVMe SSD 250GB NV2 [PCIe 4.0 x4, R/W:3000/1300MB/s, 80TBW, 3D-NAND QLC]	.M.2 NVMe SSD 250GB Transcend 115S [PCIe 3.0 x4, R/W:3200/1300MB/s, 250/170K IOPS, 100TBW,3DTLC]	SM, CE, ISO
2.63	SSD (256 GB)	2.5" SATA SSD 240GB Apacer "AS340" Panther [R/W:550/520MB/s, 97/30K IOPS, 140 TBW, 3D TLC]	Taiwan	Apacer	2.5" SATA SSD 240-256GB	2.5" SATA SSD 240GB Apacer "AS340" Panther [R/W:550/520MB/s, 97/30K IOPS, 140 TBW, 3D TLC]	SM, CE, ISO
2.64	Sursă de alimentare (500 W)	Power Supply ATX 500W Sohoo, 12cm Fan, Bulk	Taiwan	Apacer	Power Supply ATX 500W, 12cm Fan	Power Supply ATX 500W Sohoo, 12cm Fan, Bulk	SM, CE, ISO
2.65	Sursă de alimentare (min. 800 W)	Power Supply ATX 850W GAMEMAX GX-850, 80+ Gold, Active PFC, LLC+DC/DC, Full Modular, 120mm fan	PRC	Gamemax	Power Supply ATX min.: 800W 80+ Gold, Full Modular cable, Active PFC	Power Supply ATX 850W GAMEMAX GX-850, 80+ Gold, Active PFC, LLC+DC/DC, Full Modular, 120mm fan	SM, CE, ISO
2.66	Adapter Wireless	10/100/1000M PCI-Express Network Adapter, TP-LINK TG-3468, Realtek RTL8168B chipset	PRC	TP-Link	10/100/1000M PCI-Express Network Adapter, Realtek RTL8168B chipset	10/100/1000M PCI-Express Network Adapter, TP-LINK TG-3468, Realtek RTL8168B chipset	SM, CE, ISO

LOT 3 - Garnitură și accesorii, cu valoarea estimată de 50 000,00 lei (fără TVA)

3.1	Mouse (tip 1)	Mouse SVEN RX-110, 1000 dpi, 3 buttons, Ambidextrous, 75g., 1.5m, USB, Black	PRC	Sven	Mouse SVEN RX-110, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, USB sau echivalent	Mouse SVEN RX-110, 1000 dpi, 3 buttons, Ambidextrous, 75g., 1.5m, USB, Black	SM, CE, ISO
3.2	Mouse (tip 2)	Mouse Logitech B100 OEM, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, USB	PRC	Logitech	Mouse Logitech B100, Optical, 800 dpi, 3 buttons, Ambidextrous, Black, USB sau echivalent	Mouse Logitech B100 OEM, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, USB	SM, CE, ISO
3.3	Mouse (tip 3)	Mouse SVEN RX-110, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, PS/2	PRC	Sven	Mouse SVEN RX-110, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, PS/2 sau echivalent	Mouse SVEN RX-110, Optical, 1000 dpi, 3 buttons, Ambidextrous, Black, PS/2	SM, CE, ISO
3.4	Mouse (tip 4)	Wireless Mouse SVEN RX-270W, 800-1600 dpi, 4 buttons, Ambidextrous, 65g., 1xAA. 2.4Ghz, Black	PRC	Sven	Wireless Mouse SVEN RX-270W, Optical, 800-1600 dpi, 4 buttons, Ambidextrous, Black, sau echivalent	Wireless Mouse SVEN RX-270W, 800-1600 dpi, 4 buttons, Ambidextrous, 65g., 1xAA. 2.4Ghz, Black	SM, CE, ISO
3.5	Mouse (tip 5)	Wireless Mouse Logitech M170, 1000 dpi, 3 buttons, Ambidextrous, 69,3g., 1xAA, 2.4Ghz, Grey/Black	PRC	Logitech	Wireless Mouse Logitech M170, Optical, 3 buttons, Ambidextrous, 1xAA, Grey or Black, sau echivalent	Wireless Mouse Logitech M170, 1000 dpi, 3 buttons, Ambidextrous, 69,3g., 1xAA, 2.4Ghz, Grey/Black	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului /serviciului	Țara de origine	Produ-catrorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
3.6	Căști (fără fir)	Bluetooth Headphones SONY WH-CH520, EXTRA BASS™	PRC	Sony	SONY WH-CH520, fără fir, timp de redare minim 30 ore, Bluetooth min 5.0, microfon incorporat, sau echivalent	Bluetooth Headphones SONY WH-CH520, EXTRA BASS™	SM, CE, ISO
3.7	Căști (cu fir)	Headset Logitech H110, Mic, 2 x mini-jack 3.5mm	PRC	Logitech	Headset Logitech H110, Mic, 2 x mini-jack 3.5mm, sau echivalent	Headset Logitech H110, Mic, 2 x mini-jack 3.5mm	SM, CE, ISO
3.8	Tastatură (tip 1)	Keyboard SVEN Standard 301, Traditional layout, Splash proof, Calculator key, Black, USB	PRC	Sven	Keyboard SVEN Standard 301, Traditional layout, Splash proof, Calculator key, Grey USB, sau echivalent	Keyboard SVEN Standard 301, Traditional layout, Splash proof, Calculator key, Black, USB	SM, CE, ISO
3.9	Tastatură (tip 2)	Keyboard Logitech K120 OEM, Thin profile, Quiet typing, Spill-resistant, 1.5m, USB, EN/RU, Black	PRC	Logitech	Keyboard Logitech K120 OEM, Thin profile, Quiet typing, Spill-resistant, Black, USB, sau echivalent	Keyboard Logitech K120 OEM, Thin profile, Quiet typing, Spill-resistant, 1.5m, USB, EN/RU, Black	SM, CE, ISO
3.10	Tastatură (tip 3)	Keyboard SVEN Standard 301, Traditional layout, Splash proof, Calculator key, Black, USB+PS/2	PRC	Sven	Keyboard SVEN Standard 301, Traditional layout, Splash proof, Calculator key, Black, PS/2, sau echivalent	Keyboard SVEN Standard 301, Traditional layout, Splash proof, Calculator key, Black, USB+PS/2	SM, CE, ISO
3.11	Tastatură (tip 4)	Wireless Keyboard SVEN KB-C2300W, 12 Fn keys, Splash proof, Battery indicator, 2.4Ghz, 2xAA, Black	PRC	Sven	Wireless Keyboard SVEN Comfort 2200, Fullsize layout, Splash proof, Nano rec., 2.4 Ghz, 1xAA, Black, sau echivalent	Wireless Keyboard SVEN KB-C2300W, 12 Fn keys, Splash proof, Battery indicator, 2.4Ghz, 2xAA, Black	SM, CE, ISO
3.12	Tastatură (tip 5)	Wireless Keyboard & Mouse A4Tech FG2400 Air2, Low Profile, Quiet Key, Silent, 2000dpi, 7 buttons, Ergonomic, 1xAA/1xAA, 2.4Ghz, EN/RU/RO, Black	PRC	A4Tech	Wireless Keyboard & Mouse Logitech MK220, Compact, Quiet typing, FN key, 2xAAA/2xAA, Black, sau echivalent	Wireless Keyboard & Mouse A4Tech FG2400 Air2, Low Profile, Quiet Key, Silent, 2000dpi, 7 buttons, Ergonomic, 1xAA/1xAA, 2.4Ghz, EN/RU/RO, Black	SM, CE, ISO
3.13	Stic USB (32 GB)	32GB USB2.0 Flash Drive Apacer "AH333", White, Classic Cap (AP32GAH333W-1)	Taiwan	Apacer	32GB USB2.0 Flash Drive Classic Cap	32GB USB2.0 Flash Drive Apacer "AH333", White, Classic Cap (AP32GAH333W-1)	SM, CE, ISO
3.14	Stic USB (64 GB)	64GB USB3.1 Flash Drive Apacer "AH355", Black, Classic Cap (AP64GAH355B-1)	Taiwan	Apacer	64GB USB3.1 Flash Drive Classic Cap	64GB USB3.1 Flash Drive Apacer "AH355", Black, Classic Cap (AP64GAH355B-1)	SM, CE, ISO
3.15	Boxe (20 Watt 2.0)	Speakers SVEN "SPS-585" Black, 20w	PRC	Sven	PC multimedia speakers - 20 Watt 2.0	Speakers SVEN "SPS-585" Black, 20w	SM, CE, ISO
3.16	Boxe (5w, USB power)	Speakers SVEN "315" Black, 5w, USB power	PRC	Sven	Speakers SVEN "315" Black, 5w, USB power, sau echivalent	Speakers SVEN "315" Black, 5w, USB power	SM, CE, ISO
3.17	Camă video (0.3 MP)	PC Camera A4Tech PK-710G, 480p, Glass lens, Built-	PRC	A4Tech	Web Camera 0.3 MP USB	PC Camera A4Tech PK-710G, 480p, Glass lens, Built-	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului /serviciului	Țara de origine	Produ-catrorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
		in Microphone, Compact Design, Anti -glare Coating				in Microphone, Compact Design, Anti-glare Coating	
3.18	Camera video (FHD)	Camera SVEN IC-965, 1080p/33fps, 360° camera rotation angle, Built-in microphone	PRC	Sven	Web Camera Full HD native, USB	Camera SVEN IC-965, 1080p/33fps, 360° camera rotation angle, Built-in microphone	SM, CE, ISO
LOT 4 - Echipament de rețea, cu valoarea estimată de 57 500,00 lei (fără TVA)							
4.1	Router (tip 1)	Wi-Fi N MERCUSYS Router, "MW301R", 300Mbps, 2x5dBi Antennas, 2xLAN Ports	PRC	Mercusys	Wireless Router 300Mbps	Wi-Fi N MERCUSYS Router, "MW301R", 300Mbps, 2x5dBi Antennas, 2xLAN Ports	SM, CE, ISO
4.2	Router (tip 2)	Mikrotik RB951Ui-2nD hAP	PRC	Mikrotik	Mikrotik RB951Ui-2nD hAP sau echivalent sau echivalent	Mikrotik RB951Ui-2nD hAP	SM, CE, ISO
4.3	Router (tip 3)	Mikrotik Cloud Core Router CCR2116-12G-4S+	PRC	Mikrotik	Mikrotik Cloud Core Router CCR1036-8G-2S+ Sau echivalent	Mikrotik Cloud Core Router CCR2116-12G-4S+	SM, CE, ISO
4.4	Switch (16-port)	16-port 10/100Mbps Desktop Switch TP-LINK "TL-SF1016D", Plastic Case	PRC	TP-Link	16-port 10/100Mbps Desktop Switch , Plastic Case	16-port 10/100Mbps Desktop Switch TP-LINK "TL-SF1016D", Plastic Case	SM, CE, ISO
4.5	Switch (24-port)	24-port 10/100Mbps Switch TP-LINK "TL-SF1024M", plastic case	PRC	TP-Link	24-port 10/100Mbps Switch, plastic case	24-port 10/100Mbps Switch TP-LINK "TL-SF1024M", plastic case	SM, CE, ISO
4.6	Switch (48-port)	48-port 10/100Mbps Switch TP-LINK "TL-SF1048", 1U 19" Rack Mount, Metal Case	PRC	TP-Link	48-port Switch Rack mount	48-port 10/100Mbps Switch TP-LINK "TL-SF1048", 1U 19" Rack Mount, Metal Case	SM, CE, ISO
4.7	Switch (5-port)	5-port 10/100Mbps Desktop Switch MERCUSYS "MS105", Plastic Case	PRC	Mercusys	5-port 10/100Mbps Desktop Switch Plastic Case	5-port 10/100Mbps Desktop Switch MERCUSYS "MS105", Plastic Case	SM, CE, ISO
4.8	Switch (8-port)	8-port 10/100Mbps Desktop Switch MERCUSYS "MS108", Plastic Case	PRC	Mercusys	8-port 10/100Mbps Desktop Switch Plastic Case	8-port 10/100Mbps Desktop Switch MERCUSYS "MS108", Plastic Case	SM, CE, ISO
4.9	Gateway	Wi-Fi N D-Link VoIP Router, "DVG-N5402G/2S1U1L/A1A", Gbit Ports, 2xFXS, MIMO, USB2.0, Print Server	PRC	D-Link	VoIP gateway 1 fxs, 2 lan Rj 45	Wi-Fi N D-Link VoIP Router, "DVG-N5402G/2S1U1L/A1A", Gbit Ports, 2xFXS, MIMO, USB2.0, Print Server	SM, CE, ISO
LOT 5 - Echipament de comunicații, cu valoarea estimată de 42 500,00 lei (fără TVA)							
5.1	Radio telefon	Dect Panasonic KX-TG1611UAH, Grey, AOH, Caller ID	Vietnam	Panasonic	Radio Telephone Panasonic KX-TG1611UAH sau echivalent	Dect Panasonic KX-TG1611UAH, Grey, AOH, Caller ID	SM, CE, ISO
5.2	Telefon (Panasonic KX-TS2350UAB)	Telephone Panasonic KX-TS2350UAB, Black	Vietnam	Panasonic	Telephone Panasonic KX-TS2350UAB, Black sau echivalent	Telephone Panasonic KX-TS2350UAB, Black	SM, CE, ISO
5.3	Telefon (Fanvil X1S)	Fanvil X1SP Black, VoIP phone, POE support	PRC	Fanvil	Telephone Fanvil X1S Black, VoIP, sau echivalent	Fanvil X1SP Black, VoIP phone, POE support	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor / serviciilor	Denumirea modelului bunului / serviciului	Țara de origine	Produ-catorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
5.4	Telefon (Fanvil X210)	Fanvil X210, High-end Enterprise IP Phone	PRC	Fanvil	Telephone Fanvil X210, High-end Enterprise IP Phone, with power supply, sau echivalent	Fanvil X210, High-end Enterprise IP Phone	SM, CE, ISO
LOT 6 - Accesorii și consumabile, cu valoarea estimată de 15 000,00 lei (fără TVA)							
6.1	Mufă modulară (tip 1)	RJ45 Modular Plug LC-8P8C-001/100, Modular plug 8P8C for solid L AN cable, 30u" gold plated, 100 pcs	PRC	Gembird	RJ45 Modular Plug, Cat.5E, Long Type, 3u" Gold plated, 100pcs/bag	RJ45 Modular Plug LC-8P8C-001/100, Modular plug 8P8C for solid LAN cable, 30u" gold plated, 100 pcs	SM, CE, ISO
6.2	Mufă modulară (tip 2)	Plug RJ-12, MP-6P4C modular plug (3u"), 100 pcs	PRC	Gembird	Plug RJ-12, MP-6P4C modular plug (3u"), 100 pcs	Plug RJ-12, MP-6P4C modular plug (3u"), 100 pcs	SM, CE, ISO
6.3	Termo – pastă	Thermal Paste Deepcool Z3 (1.5g, Silver based thermal-grease in syringe)	PRC	Deepcool	Thermal paste – 3gr.	Thermal Paste Deepcool Z3 (1.5g, Silver based thermal-grease in syringe)	SM, CE, ISO
6.4	Cutter	Gembird T-WC-03, 3-in-1 modular crimping tool, RJ45 / 8P8C	PRC	OEM	Crimping Cutting Tool RJ-45,	Gembird T-WC-03, 3-in-1 modular crimping tool, RJ45 / 8P8C	SM, CE, ISO
6.5	Incarcator wireless	Wireless Charger Nilkin, Magic Disk III , 10W, Fast Charging	PRC	Nilkin	Wireless charger for android phones and iphone	Wireless Charger Nilkin, Magic Disk III, 10W, Fast Charging	SM, CE, ISO
6.6	PowerBank	Power Bank Proove 65W 60000mAh	PRC		PowerBank XO PRI25, 50000mAh, Negru sau echivalent	Power Bank Proove 65W 60000mAh	SM, CE, ISO
6.7	Stickere	KEYBOARD STIKERS "COLOR"	PRC	OEM	Stickere litere pentru tastatura cu litere RO/RU	KEYBOARD STIKERS "COLOR"	SM, CE, ISO
6.8	Covoraș	Mouse Pad Gembird MP-S-BK, 210 x 180mm, Cloth mouse pad with rubber anti-skid bottom, Black	PRC	Gembird	Mouse pad-uri (covorase)	Mouse Pad Gembird MP-S-BK, 210 x 180mm, Cloth mouse pad with rubber anti-skid bottom, Black	SM, CE, ISO
6.9	Suport pentru monitor	Table/desk 2-display mounting arm Gembird (rotat e, tilt, swivel), 17"-32", up to 9 kg, VESA: 75x75, 100x100	PRC	Gembird	Suport birou pentru monitoare Gembird MA-DA2P-01 negru, sau echivalent	Table/desk 2-display mounting arm Gembird (rotate, tilt, swivel), 17"-32", up to 9 kg, VESA: 75x75, 100x100	SM, CE, ISO
6.10	Card de memorie (MicroSD 32 GB)	..32GB MicroSD (Class 10) UHS-I (U1) +SD adapter, Apacer "AP32GMCSH10UB-R" (R:100MB/s)	Taiwan	Apacer	32GB MicroSD (Class 10) UHS-I (U1)	..32GB MicroSD (Class 10) UHS-I (U1) +SD adapter, Apacer "AP32GMCSH10UB-R" (R:100MB/s)	SM, CE, ISO
LOT 7 - Ecrane, cu valoarea estimată de 62 500,00 lei (fără TVA)							
7.1	Monitor (26,5 - 27,5 inch)	27" PHILIPS 278B1, Black, IPS, 3840x2160, 75Hz, AdaptiveSync, 4ms, 350cd, DCR 50M:1, HDMI+DP+USB, Spkrs, Pivot	PRC	Philips	26,5 - 27,5 inch Monitor, White/Bk/Silver 4 k, 3840x2160, 4ms, HDMI, 2x2W	27" PHILIPS 278B1, Black, IPS, 3840x2160, 75Hz, AdaptiveSync, 4ms, 350cd, DCR 50M:1, HDMI+DP+USB, Spkrs, Pivot	SM, CE, ISO
7.2	Monitor (31,5 - 32,5 inch)	31.5" PHILIPS 328B1, Black, VA, 3840x2160, 75Hz, 4ms, 350cd, 50M:1, DP+HDMI+USB+AudioOut, Spkrs	PRC	Philips	31,5 - 32,5 inch Monitor, White/Bk/Silver 4 k, 3840x2160, 4ms, HDMI, 2x5W	31.5" PHILIPS 328B1, Black, VA, 3840x2160, 75 Hz, 4ms, 350cd, 50M:1, DP+HDMI+USB+Audio Out, Spkrs	SM, CE, ISO

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md

Nr.	Denumirea bunurilor /serviciilor	Denumirea modelului bunului / serviciului	Țara de origine	Produ-catrorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7	
7.3	Monitor (21 - 22 inch)	21.5" PHILIPS 22IV8, Black, VA, 1920x1080, 75Hz, 5ms, 250cd, MegaDCR, HDM I+D-Sub+AudioOut	PRC	Philips	21 - 22 inch Monitor, Black min.: 1600x900, 5ms, 200cd, LED10M:1, D-Sub+Digital	21.5" PHILIPS 22IV8, Black, VA, 1920x1080, 75 Hz, 5ms, 250cd, MegaDCR, HDMI+D-Sub+AudioOut	SM, CE, ISO
7.4	Monitor (23 - 24 inch)	23.8" PHILIPS 243V7QJABF, Black, IPS , 1920x1080, 75Hz, 4ms, 250cd, 200M:1, D-Sub+HDMI+DP, Spkrs	PRC	Philips	23 - 24 inch Monitor, Black min.: 1920x1080, 5ms, 250cd, LED10M:1, DVI, HDMI, 2x2W	23.8" PHILIPS 243V7QJABF, Black, IPS, 1920x1080, 75Hz, 4ms, 250cd, 200M:1, D-Sub+HDMI+DP, Spkrs	SM, CE, ISO
7.5	Televizor (75 inch)	75" LED SMART TV TCL 75V6B, Real 4K, 3840x2160, Google TV, Black	PRC	TCL	Televizor 4k cu diagonala ecranului: 75 "	75" LED SMART TV TCL 75V6B, Real 4K, 3840x2160, Google TV, Black	SM, CE, ISO
7.6	Televizor (65 inch)	65" LED SMART TV KIVI 65U770QB, QLED, 3840x2160, Android TV, Black	PRC	Kivi	Televizor 4k cu diagonala ecranului: 65 "	65" LED SMART TV KIVI 65U770QB, QLED, 3840x2160, Android TV, Black	SM, CE, ISO
7.7	Televizor (55 inch)	55" LED SMART TV OZON U55Z8000R, 4K HDR, 3840x2160, Android TV, Black	PRC	Ozon	Televizor 4k cu diagonala ecranului: 55 "	55" LED SMART TV OZON U55Z8000R, 4K HDR, 3840x2160, Android TV, Black	SM, CE, ISO

- Acest tabel este completat de către ofertant în coloanele 2, 3, 4, 6, 7.

Numele, prenumele: Bogdan Gnidaș

(Se precizează numele și prenumele persoanei ce aplică semnătura)

În calitate de: Administrator

(Se precizează funcția în cadrul companiei)

Ofertantul: BTS Pro SRL

(Se precizează denumirea operatorului economic)

Adresa: Mun. Chisinau, str. Ion Creangă, 6 V

(Se precizează adresa juridică a operatorului economic)

(Semnătura)

L.Ș.

str. Ion Creangă 6V
MD-2069, Chișinău, Republica Moldova
Tel.: +373 22 870 140
Fax.: +373 22 595 858

Cod TVA: 0505766
Cod BIC: MOLDM2X336
Cod fiscal: 1008600061565
Cod IBAN: MD22ML000000022515361542

"BTS Pro" SRL
office@bts.md
www.bts.md