



Danfoss A/S
6430 Nordborg
Denmark
CVR nr.: 20 16 57 15

Telephone: +45 7488 2222
Fax: +45 7449 0949

EU DECLARATION OF CONFORMITY
Danfoss A/S
Danfoss Drives

declares under our sole responsibility that the

Product category: Frequency Converter
Type designation(s): FC-202XYYYYZZ*****

Character X: N or P
Character YYY: K25, K37, K55, K75, 1K1, 1K5, 2K2, 3K0, 3K7, 4K0, 5K5, 7K5, 11K, 15K, 18K, 22K, 30K, 37K, 45K, 55K, 75K, 90K, 110, 132, 150, 160, 200, 250, 315, 355, 400, 450, 500, 560, 630, 710, 800, 900, 1M0, 1M2, 1M4
Character ZZ: S2, S4, T2, T4, T6, T7
* may be any number or letter indicating drive options which do not impact this DoC.
The meaning of the 39 characters in the type code string can be found in appendix 00729776.

Covered by this declaration is in conformity with the following directive(s), regulation(s), standard(s) or other normative document(s), provided that the product is used in accordance with our instructions.

Low Voltage Directive 2014/35/EU
EN61800-5-1:2007+A1:2017+A11:2021 Adjustable speed electrical power drive systems – Part 5-1:
Safety requirements – Electrical, thermal and energy.

EMC Directive 2014/30/EU
EN61800-3:2004 + A1:2012 Adjustable speed electrical power drive systems – Part 3:
EMC requirements and specific test methods.

RoHS Directive 2011/65/EU including amendment 2015/863
EN IEC63000:2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

Date: 2024.04.11 Place of issue: Graasten, DK	Issued by DocuSigned by: Signature: Tim Flintholm Fink Name: Tim Flintholm Fink Title: Product Manager	Date: 2024.04.11 Place of issue: Graasten, DK	Approved by DocuSigned by: Signature: Gregers Geilager Name: Gregers Geilager Title: Head of BU Water Product Management
---	--	---	--

Danfoss only vouches for the correctness of the English version of this declaration. In the event of the declaration being translated into any other language, the translator concerned shall be liable for the correctness of the translation

Commission Regulation (EU) 2019/1781 under the Ecodesign Directive 2009/125/EC including amendment in Commission Regulation (EU) 2021/341

EN61800-9-2:2017 Adjustable speed electrical power drive systems - Part 9-2:
Ecodesign for power drive systems, motor starters, power electronics and their driven applications - Energy efficiency indicators for power drive systems and motor starters.

For products including available Safe Torque Off (STO) function according to unit type code on the nameplate: **X, B or R at character 18 of the type code**. The following directives apply:

Machine Directive 2006/42/EC

EN61800-5-2:2007 Adjustable speed electrical power drive systems –
(Safe Torque Off, SIL 2 Capability) Part 5-2: Safety requirements – Functional

Other standards applied :

EN ISO 13849-1:2015 Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design

EN61800-5-2:2017 Adjustable speed electrical power drive systems - Part 5-2: Safety requirements - Functional

For products including ATEX option, it requires STO function in the products. The products can have the VLT PTC Thermistor Card MCB112 installed from factory (**2 at character 32 in the typecode**), or it can be separately installed as an additional part.

2014/34/EU - Equipment for potentially explosive atmospheres (ATEX)

EN50495: 2010 Safety devices required for safe functioning of equipment with respect to explosion risks.

EN IEC 60079-0:2018 Equipment – General requirements

Notified Body:
PTB Physikalisch-Technische Bundesanstalt, Bundesallee 100, 38116 Braunschweig, has assessed the conformity of the "ATEX certified motor thermal protection systems" of Danfoss FC VLT Drives with Safe Torque Off function and has issued the certificate PTB 14 ATEX 3009.
Notified Body no. (PQAN) : 0539





Danfoss A/S
6430 Nordborg
Denmark
CVR nr.: 20 16 57 15

Telephone: +45 7488 2222
Fax: +45 7449 0949

UK DECLARATION OF CONFORMITY
Danfoss A/S
Danfoss Drives

declares under our sole responsibility that the

Product category: Frequency Converter
Type designation(s): FC-202XXXXXX*****

Character X: N or P
Character YYY: K25, K37, K55, K75, 1K1, 1K5, 2K2, 3K0, 3K7, 4K0, 5K5, 7K5, 11K, 15K, 18K, 22K, 30K, 37K, 45K, 55K, 75K, 90K, 110, 132, 150, 160, 200, 250, 315, 355, 400, 450, 500, 560, 630, 710, 800, 900, 1M0, 1M2, 1M4
Character ZZ: S2, S4, T2, T4, T6, T7
* may be any number or letter indicating drive options which do not impact this DoC.

The meaning of the 39 characters in the type code string can be found in appendix 00729776.
Covered by this declaration is in conformity with the following directive(s), regulation(s), standard(s) or other normative document(s), provided that the product is used in accordance with our instructions.

Electrical Equipment (Safety) Regulations 2016
BS EN61800-5-1:2007+A1:2017+A11:2021 Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy.

Electromagnetic Compatibility Regulations 2016
BS EN61800-3:2004 + A1:2012 Adjustable speed electrical power drive systems – Part 3: EMC requirements and specific test methods.

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 as amended.
BS EN IEC63000:2018 Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances.

Date: 2024.04.11 Place of issue: Graasten, DK	Issued by DocuSigned by: Signature: Tim Flintholm Fink Name: Tim Flintholm Fink Title: Product Manager	Date: 2024.04.11 Place of issue: Graasten, DK	Approved by DocuSigned by: Signature: Gregers Geilager Name: Gregers Geilager Title: Head of BU Water Product Management
--	---	--	---

Danfoss only vouches for the correctness of the English version of this declaration. In the event of the declaration being translated into any other language, the translator concerned shall be liable for the correctness of the translation

Commission Regulation (EU) 2019/1781 under the Ecodesign Directive 2009/125/EC including amendment in Commission Regulation (EU) 2021/341

BS EN61800-9-2:2017

Adjustable speed electrical power drive systems - Part 9-2:
Ecodesign for power drive systems, motor starters, power
electronics and their driven applications - Energy efficiency
indicators for power drive systems and motor starters.

For products including available Safe Torque Off (STO) function according to unit typecode on the nameplate: **X, B or R at character 18 of the typecode**. The following regulations apply

Supply of Machinery (Safety) Regulations 2008

BS EN/IEC 61800-5-2:2007

(Safe Torque Off, SIL 2 Capability)

Adjustable speed electrical power drive systems –
Part 5-2: Safety requirements – Functional

Other standards considered:

BS EN/IEC 61800-5-2:2017

Adjustable speed electrical power drive systems - Part 5-2: Safety requirements - Functional

For products including ATEX option, it requires STO function in the products. The products can have the VLT PTC Thermistor Card MCB112 installed from factory (**2 at character 32 in the typecode**), or it can be separately installed as an additional part.

Equipment and Protective Systems Intended for use in Potentially Explosive Atmospheres Regulations 2016

BS EN50495: 2010

Safety devices required for safe functioning of equipment with respect to explosion risks.

EN IEC 60079-0:2018

Equipment – General requirements

Notified Body:

PTB Physikalisch-Technische Bundesanstalt, Bundesallee 100, 38116 Braunschweig, has assessed the conformity of the "ATEX certified motor thermal protection systems" of Danfoss FC VLT Drives with Safe Torque Off function and has issued the certificate PTB 14 ATEX 3009.

Notified Body no. (PQAN) : 0539



Danfoss A/S6430 Nordborg
Dánsko

Č. CVR: 20 16 57 15

Telefon: +45 7488 2222

Fax: +45 7449 0949

EU PROHLÁŠENÍ O SHODĚ**Danfoss A/S****Danfoss Drives**

prohlašuje na vlastní odpovědnost, že

Kategorie výrobků: Frekvenční měnič**Typová označení:** FC-202XXXXZZ*****

Znak X: N nebo P

Znak YYY: K25, K37, K55, K75, 1K1, 1K5, 2K2, 3K0, 3K7, 4K0, 5K5, 7K5, 11K, 15K, 18K, 22K, 30K, 37K, 45K, 55K, 75K, 90K, 110, 132, 150, 160, 200, 250, 315, 355, 400, 450, 500, 560, 630, 710, 800, 900, 1M0, 1M2, 1M4

Znak ZZ: S2, S4, T2, T4, T6, T7

* může být jakékoli číslo nebo písmeno označující doplňky měniče, které nemají vliv na toto prohlášení o shodě.

Význam 39 znaků v typovém kódu naleznete v příloze 00729776.

Výrobky, na které se toto prohlášení vztahuje, jsou v souladu s následujícími směrnici, předpisy, normami nebo jinými normativními dokumenty za předpokladu, že je výrobek používán v souladu s našimi pokyny.

Směrnice pro zařízení nízkého napětí 2014/35/EUEN 61800-5-1:2007+A1:2017+A11:2021 Systémy elektrických výkonových pohonů s nastavitelnou rychlostí
– Část 5-1: Bezpečnostní požadavky – Elektrické, tepelné a energetické.**EMC směrnice 2014/30/EU**EN 61800-3:2004 + A1:2012 Systémy elektrických výkonových pohonů s nastavitelnou rychlostí
– Část 3: Požadavky EMC a specifické zkušební metody.**Směrnice RoHS 2011/65/EU včetně změny 2015/863**

EN IEC 63000:2018 Technická dokumentace k posuzování elektrických a elektronických produktů z hlediska omezování nebezpečných látek

Datum: 11. 4. 2024 Místo vydání:	Vyhotovil(a) Podpis: Jméno: Tim Flinholm Fink Funkce: Product Manager	Datum: 11. 4. 2023 Místo vydání:	Schválil(a) Podpis: Jméno: Gregers Geilager Funkce: Head of BU Water Product
Graasten, DK		Graasten, DK	

Společnost Danfoss ručí pouze za správnost anglické verze tohoto prohlášení. V případě překladu prohlášení do jiného jazyka je za správnost překladu odpovědný příslušný překladatel.

Nařízení Komise (EU) 2019/1781 na základě směrnice 2009/125/ES o ekodesignu včetně změny v nařízení Komise (EU) 2021/341

EN 61800-9-2:2017

Systémy elektrických výkonových pohonů s nastavitelnou rychlostí – Část 9-2: Ekodesign pro systémy výkonových pohonů, spouštěče motorů, výkonovou elektroniku a jejich použití s pohony – Ukazatele energetické účinnosti pro systémy výkonových pohonů a spouštěče motorů.

Pro výrobky s funkcí Safe Torque Off (STO) podle typového kódu jednotky na typovém štítku:
X, B nebo R na pozici 18 typového kódu. Platí následující směrnice:

Směrnice o strojních zařízeních 2006/42/ES

EN 61800-5-2:2007

(Bezpečné vypnutí momentu, úroveň SIL 2)

Systémy elektrických výkonových pohonů s nastavitelnou rychlostí – Část 5-2: Bezpečnostní požadavky – Funkční

Další použité normy:

EN ISO 13849-1:2015

Bezpečnost strojních zařízení – Bezpečnostní části ovládacích systémů – Část 1: Obecné zásady pro konstrukci

EN 61800-5-2:2017

Systémy elektrických výkonových pohonů s nastavitelnou rychlostí – Část 5-2: Bezpečnostní požadavky – Funkční

U výrobků s doplňkem ATEX je ve výrobcích vyžadována funkce STO. Výrobky mohou mít z výroby nainstalovanou kartu s PTC termistorem VLT MCB112 (**2 na pozici 32 v typovém kódu**), nebo ji lze nainstalovat samostatně jako doplňkovou součást.

2014/34/EU – Zařízení pro prostředí s nebezpečím výbuchu (ATEX)

EN 50495: 2010

Bezpečnostní zařízení nutné pro bezpečnou funkci zařízení z hlediska ochrany proti výbuchu.

EN IEC 60079-0:2018

Zařízení – Obecné požadavky

Oznámený subjekt:

PTB Physikalisch-Technische Bundesanstalt, Bundesallee 100, 38116 Braunschweig, posoudil shodu „systémů pro tepelnou ochranu motoru s certifikací ATEX“ měničů Danfoss FC VLT Drives s funkcí bezpečného vypnutí momentu a vydal certifikát PTB 14 ATEX 3009.

Číslo oznámeného subjektu (PQAN): 0539

