medical cap with ties

features:

116

- forage cap with ties at the back
- made of perforated Spunlace Mesh non-woven
- excellent breathability and comfort of use
- single-use, non-sterile

packaging unit BT-007-35B-SPNM 100 pcs available colours: bulk packaging: 10 x 100 pcs



TOM

medical cap with ties

features:

- cap with ties at the back
- anti-sweat insert on the whole circumference
- made of polypropylene non-woven 20 g/m²
 packaging: ergonomic cardboard box to remove individual pieces
- single-use, non-sterile

REF	packaging unit	
BT-007-P20G	100 pcs	
bulk packaging: 10 x 100 pcs	111 anti-sweat insert	available colours:



ROS

medical cap with ties

features:

- · cap with ties at the back
- anti-sweat insert in the forehead area
- ${\scriptstyle \bullet}$ made of Spunlace and polypropylene non-woven
- packaging: ergonomic cardboard box to remove individual pieces
- latex-free
- single-use, non-sterile

REF	packaging unit	
BT-007-P45B	50 pcs	
	11/17	Æ
bulk packaging:	TTT anti-sweat	available colours:
6 x 50 pcs	insert	



features

- made of medical PVC
- very soft tips with smooth edges
- fastening under the chin with a soft, sliding adjustment ring
- various spacing of the nasal part of the cannula depending on the size
- · universal connector compatible with any source of oxygen
- tubing with star cross-section that is resistant to bending
- available in 3 sizes: for adults, for children and for infants with 140 cm, 200 cm, 300 cm and 500 cm long tubing
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./foil

inication

• designed to deliver oxygen through the nose

REF	length of tubing	purpose	intermediate packaging	bulk packaging
CTNN-200	200 cm	for infants	25 pcs	10 x 25 pcs
CTNZ-200	200 cm	for children	25 pcs	10 x 25 pcs
CTND-140	140 cm	for adults	30 pcs	10 x 30 pcs
CTND-200	200 cm	for adults	25 pcs	10 x 25 pcs
CTND-300	300 cm	for adults	15 pcs	10 x 15 pcs
CTND-500	500 cm	for adults	10 pcs	10 x 10 pcs



oxygen tubing

sterile

features

- made of transparent, non-toxic PVC
- tubing with star cross-section that is resistant to bending, with reinforcing straps along the entire length

 standardized connectors at the end of the tubing allowing
- connection to oxygen devices
- single-use
- latex-free
- EO sterilized
- packaging: 1 pc./paper-foil

• for transporting oxygen from an oxygen source to another medical device for oxygen supply, e.g. oxygen mask

REF	length of tubing	bulk packaging
DT2100	210 cm +/- 2%	100 x 1 pc.
DT4260	426 cm +/- 2%	50 x 1 pc.
DT7620	762 cm +/- 2%	25 x 1 pc.



- layered structure: non-woven + cellulose pulp
- needs to be fixed with a secondary dressing e.g. with adhesive tape or tubular net bandage
 hypoallergenic

indication

- covering an eye and its area after ophthalmic procedures and surgical procedures
- sight correction in strabismus therapy



eye pad

elastoLUMENAL



non-sterile

Before use on open wounds, the device must be sterilized in accordance with a validated sterilization method. It can be sterilized with ethylene oxide or radiation.

REF	dimensions	packaging unit paper-paper	intermediate packaging box	bulk packaging carton
803311	5,5 cm x 7 ,5 cm	1 pc.	50 x 1 pc.	24 x 50 pcs



elastoLUMENAL S



sterile

REF	dimensions	packaging unit paper-paper	intermediate packaging box	bulk packaging carton
803310	5,5 cm x 7,5 cm	1 pc.	50 x 1 pc.	24 x 50 pcs

Conforms well to facial contours thanks to the oval shape.

SUPPORTING BANDAGES

- delicate, light, air and X-ray permeable
- conforms good to the body's contours
- hypoallergenic

indication

• fixation of all types of non-adhesive dressings



knitted supporting bandage elastoBAND BASIC



non-sterile

features

- · contains viscose
- single-use

REF	dimensions	packaging unit paper	bulk packaging carton	
OD05400	5 cm x 4 m	1 pc.	250 x 1 pc.	
OD10400	10 cm x 4 m	1 pc.	150 x 1 pc.	
OD15400	15 cm x 4 m	1 pc.	100 x 1 pc.	



elastic supporting bandage, woven elastoBAND FLEX



non-sterile

features

- supporting bandage, elastic, woven
 high cotton content makes the bandage safe for the skin and well-tolerated by people with allergic tendency
- equipped with a clip for fixing

- fixation of all types of non-adhesive dressings, especially where a non-elastic bandages can slide down
- in compression therapy to facilitate correct blood circulation
- stabilization at bone-articular system damage, e.g. dislocation, joint twisting, weakness of muscles, tendons and ligaments
- · as a sports bandage
- securing and strengthening integument after surgery

REF - cardboard box	REF - paper pouch	dimensions	packaging unit box/paper	bulk packaging carton
OE08400 - E	OE08400P-E	8 cm x 4 m	1 pc.	124 x 1 pc.
OE10400-E	OE10400P-E	10 cm x 4 m	1 pc.	108 x 1 pc.
OE12400-E	OE12400P-E	12 cm x 4 m	1 pc.	96 x 1 pc.
OE15400-E	OE15400P-E	15 cm x 4 m	1 pc.	72 x 1 pc.
OE08500-E	OE08500P-E	8 cm x 5 m	1 pc.	124 x 1 pc.
OE10500-E	OE10500P-E	10 cm x 5 m	1 pc.	108 x 1 pc.
OE12500-E	OE12500P-E	12 cm x 5 m	1 pc.	96 x 1 pc.
OE15500-E	OE15500P-E	15 cm x 5 m	1 pc.	72 x 1 pc.



oxygen mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
 adjustable nose metal plate and rubber fastening
 equipped with a 210 cm (+/- 5%) long tubing with universal connectors
 tubing with star cross-section that is resistant to bending
 revolving connector that allows adjusting to patient's position

- single-uselatex-free

48

- EO sterilized
- packaging: 1 pc./paper-foil

indication

• designed to deliver oxygen with precise regulation of concentration, for medium oxygen concentration

REF	length of tubing	size
MTS-S	210 cm +/- 5%	S
MTS-M	210 cm +/- 5%	M
MTS-L	210 cm +/- 5%	L
MTS-XI	210 cm +/- 5%	XI





non-rebreather mask

with tubing, sterile

features

- made of transparent, non-toxic PVC
- adjustable nose metal plate and rubber fastening
 equipped with a 210 cm (+/-5%) long tubing with universal connectors
 tubing with star cross-section that is resistant to bending
- · 1000 ml oxygen reservoir
- revolving connector that allows adjusting to patient's position
- silicone valves on the connector and ventilation openings
- single-uselatex-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

- designed to deliver oxygen with precise regulation of concentration, for high oxygen concentration

REF	length of tubing	size
MTW-S	210 cm +/- 5%	S
MTW-M	210 cm +/- 5%	М
MTW-L	210 cm +/- 5%	L
MTW-VI	210 cm ±/- 5%	VI





features

- transparent barrel allows full visual control of content
- green contrasting plunger
- sealing in the form of double ring on plunger stopper situated on the top of plunger
- · smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
- name of syringe and manufacturer's logo placed on barrel · clear, legible and permanent black graduation facilitating
- dosage, adequately:
- every 0,1 ml for capacity of 2 ml
- every 0,2 ml for capacity of 5 ml
- every 0,2 ml for capacity of 10 ml
- every 0,5 ml for capacity of 20 ml
- every 1 ml for capacity of 50 ml
- single-use, non-pyrogenic, non-toxic
- · latex-free, phthalate-free
- EO sterilized
- packaging: 1 pc./paper-foil

indication

· 3-piece syringe intended for drawing up and administering of medicines/liquids to patient and collecting body fluid samples from patient

REF	capacity	intermediate packaging	bulk packaging
002ML-3CZ-BL	2 ml	100 pcs	30 x 100 pcs
005ML-3CZ-BL	5 ml	100 pcs	24 x 100 pcs
010ML-3CZ-BL	10 ml	100 pcs	16 x 100 pcs
020ML-3CZ-BL	20 ml	50 pcs	16 x 50 pcs
050ML-3C7-BL	50 ml	25 pcs	16 x 25 pcs





dicoNEX


single-use syringe, 3-part, luer lock, sterile

- · transparent barrel allows full visual control of content
- $\bullet \ \ green \ contrasting \ plunger \ (amber-coloured \ syringe \ \ white \ contrasting \ plunger)$
- · luer lock nozzle
- $\bullet\,$ sealing in the form of double ring on plunger stopper situated on the top of plunger
- smooth plunger sliding thanks to rubber sealing
- limitation flange securing against accidental removal of plunger
- name of syringe and manufacturer's logo placed on barrel
- $\bullet \ \ {\it clear}, legible \ and \ permanent \ black \ graduation \ facilitating \ dosage, \ adequately:$
- every 0,1 ml for capacity of 2 ml
- every 0,2 ml for capacity of 5 ml and of 10 ml
- every 0,5 ml for capacity of 20 ml $\,$
- every 1 ml for capacity of 30 ml and of 50 ml
- · single-use
- non-pyrogenic, non-toxic
- latex-free, phthalate-free
- EO sterilized
- · packaging: 1 pc./paper-foil

indication

- $\,$ 3-piece syringe intended for drawing up and administering of medicines/liquids to patient and collecting body fluid samples from patient $% \left(1\right) =\left(1\right) \left(1\right) \left($
- amber-coloured syringe is intended for drawing up and administering of photosensitive medicines

REF	capacity	colour of plunger	intermediate packaging	bulk packaging
003ML-3CZ-LL-BL	3 ml	green	100 pcs	30 x 100 pcs
005ML-3CZ-LL-BL	5 ml	green	100 pcs	24 x 100 pcs
010ML-3CZ-LL-BL	10 ml	green	100 pcs	16 x 100 pcs
020ML-3CZ-LL-BL	20 ml	green	50 pcs	16 x 50 pcs
030ML-3CZ-LL-BL	30 ml	green	50 pcs	16 x 50 pcs
050ML-3CZ-LL-BL	50 ml	green	25 pcs	16 x 25 pcs
mber type				
OFOMI 2C7 LL P DI	E0 ml	white	2F nec	16 v 25 pec
050ML-3CZ-LL-B-BL	50 ml	white	25 pcs	16 x 25 pcs





surgical suction set

with Yankauer cannula, standard, sterile

CANNULA

- completely transparent for full possibility of observing the sucked secretion
 light and perfectly balanced handle ensures high comfort of work and reduces
- perfectly smooth inner surface prevents blocking or retaining the sucked content, ensuring correct and optimal flow
 cannula with double bend of curvature
- four lateral eyes, which prevent the tip from sticking to the tissues and one central opening
- universal stepped connector ensures tight connection with a wide range of suction connecting tubes

TUBE

- made of soft and flexible PVC
- along the tube a special longitudinal reinforcement to prevent bending and sucking of the tube
- perfectly smooth inner surface of tube prevents the sucked content from settling on the walls, ensuring correct and optimal flow

 connector type funnel-funnel cut-to-fit with the possibility of cutting in the
- marked places of the connector and matching to any type of medical suction device (for the diameter of 8 mm to 18 mm)
- funnel connector equipped with a special bending system, enabling convenient manipulation of the tube
- tube connectors compatible with the standard suction cannulas, enabling their reliable, effective and tight connection

features

- available with or without suction control
- single-use
- latex-free
- EO sterilized
- packaging: 1 set/double packaging: internal- foil, external- paper-foil

• evacuating secretions and body fluids from the operating field in general surgery

REF	size of cannula/ size of tube	length of tube	version
ZO-212400104	CH 21 / CH 24	210 cm	without suction control, funnel-funnel
ZO-212400114	CH 21 / CH 24	210 cm	with suction control, funnel-funnel
ZO-402423104	CH 21 / CH 24	400 cm	without suction control, funnel-funnel
ZO-402423114	CH 21 / CH 24	400 cm	with suction control, funnel-funnel
ZO-2124001041	CH 21 / CH 24	210 cm	without suction control, funnel-funnel cut-to-fit
ZO-2124001141	CH 21 / CH 24	210 cm	with suction control, funnel-funnel cut-to-fit





62