

## Paketleme Ürünleri Packaging Products

4A Sterilizasyon Ruloları, steril olacak malzemelerin içerisine konulduğu paketleme poşetleri olup 6 ay boyunca ürünün steril olarak saklanması sağlayan, poşet içerisine hiçbir mikroorganizmanın girmesine izin vermeyen ürünlerdir.

4A Sterilizasyon Rulolarının kenarında bulunan işlem indikatörleri su bazlı olup ISO 11140-1 standardını karşılar.

4A Sterilizasyon Ruloları buhar, etilen oksit, formaldehit sterilizasyon yöntemleri için kullanılmaktadır. Sterilizasyon koşulları, sterilize edilecek malzeme ile ilgili olarak son kullanıcı tarafından belirlenmelidir.

4A Sterilizasyon Ruloları ISO 11607 standartlarını karşılayan ürünler olup, en yüksek kalite ve son teknoloji ile üretilmektedir.

OEM üretim yapılabilmektedir.

*4A Sterilization Reels provide sterile storage in packages and keep package sterile for 6 months and do not permit microorganisms to enter inside the package after sterilization cycle.*

*The process indicators that are printed on the side of the Sterilization Reels are water based and conforms with ISO 11140.*

*4A Sterilization Reels are used for steam, ethylene oxide, formaldehyde sterilization methods. The sterilization conditions should be determined by the end user regarding to material to be sterilized.*


*4A Sterilization Reels meet ISO 11607 standards and they are manufactured using state-of-art technology with the highest quality.*

*Products can be produced with your trademark*

## Sterilizasyon Düz Ruloları Sterilization Flat Reels

4A Sterilizasyon Düz Ruloları medikal kâğıttan 60gr/m<sup>2</sup> veya 70gr /m<sup>2</sup> ve 52 mikron, PP+PET yeşil renkli filmten üretilmektedir. 5 cm ile 60 cm arası herhangi bir ölçü için özel üretim yapılabilmektedir. Talep üzerine 100 m uzunlukta da üretilebilmektedir.

*4A Sterilization Flat Reels can be produced from medical paper as 60gr/m<sup>2</sup> veya 70gr /m<sup>2</sup> and 52 micron, PP+PET green film. Any dimension between 5cm – 60cm can be made on request. On request, 100 m lenght can be produced as well.*



**4AFR**

**4a medical®**  
producing health for the world



Product No.		Volume(ml)	Description	Models	
Single	Dual			Single	Dual
42.16.30000	42.16.30001	100	Used for CT: A-25	CT-100-NE	CT-100/100-NE
42.16.30002	42.16.30003	200	Used for CT: A-25 A-60	CT-200-NE	CT-200/200-NE
42.16.30005		120	Used for DSA: Nemoto 120S	DSA-120-NE	
42.16.30006	42.16.30007	60	Nemoto Dual Shot. Sonic Shot 50	MRI-60-NE	MRI-60/60-NE
	42.16.30008	100/200	Used for CT:A-25		CT-100/200-NE
	42.16.30012	60/200	Used for CT: A-25,A-60		CT-60/200-NE

Product No.		Volume(ml)	Description	Models	
Single	Dual			Single	Dual
42.16.40000	42.16.40001	200	Used for CT: ACCUTRON	CT-200-MED	CT-200/200-MED
42.16.40002	42.16.40003	65	Used for MRI: ACCUTRON	MRI-65-MED	MRI-65/65-MED
	42.16.40004	65/200	Used for MRI: ACCUTRON		MRI-65/200-MED

## Spirometer Filter

### Product Features of Spirometer Filter

- Made out of electrostatic material.
- Bacterial Filter Efficiency Test (BFE) 99.99%.
- Viral Filtration Efficiency Test (VFE) 99.99%.
- Easy to open OPP packaging.
- Dead space less than 80 ml.
- Manufactured without the use of chemical adhesives.
- Available with or without Nose Clip.
- Flow resistance: <0,93cm H<sub>2</sub>O l/s and Flow rate: 14,00 l/s +/- 5%
- Free volume: 29,52cm<sup>3</sup> +/- 5% and Filtering area: 11,46cm<sup>2</sup>

### Product Features of Nose Clip

- Suitable to nose anatomy.
- The soft grip holders attach comfortably to the nose.

### Quality

- Manufactured under ISO 13485:2016 Quality Management Standard.
- CE marked according to 93/42/EEC Medical Device Directive and classified as Class I medical device.
- Notified Body: UDEM Ltd. Şti. (2292)
- EC Certification No: M.2016.106.7000.
- GMDN Code of Spirometer Filter: 61097.

### Sterilization


- Non-sterile.

### Biocompatibility

- Latex-free.
- Phthalate-free.

### Shelf Life

- 5 years.



### Product Information

REF NO	PRODUCT NAME	STERILIZATION
273 01	Spirometer Filter 33 mm Large	Non-sterile
273 02	Spirometer Filter 30 mm Large	Non-sterile
273 03	Spirometer Filter 33 mm with Nose Clip Large	Non-sterile
273 04	Spirometer Filter 30 mm with Nose Clip Large	Non-sterile
273 05	Spirometer Filter 33 mm Small	Non-sterile
273 06	Spirometer Filter 30 mm Small	Non-sterile
273 07	Spirometer Filter 33 mm with Nose Clip Small	Non-sterile
273 08	Spirometer Filter 30 mm with Nose Clip Small	Non-sterile
273 10	Spirometer Filter 30 mm Large	Non-sterile
273 09	Spirometer Filter 33 mm Large	Non-sterile
282 01	Nose Clip	Non-sterile





Professional Manufacturer for Eletrosurgical Accessories & Continuous Passive Motion(CPM)



# MEDICAL EQUIPMENT



Scan  
Electronic Reading

ZHEJIANG JINHUA HUATONG MEDICAL APPLIANCE CO.,LTD



# About us»

# English



Zhejiang Jinhua Huatong Medical Appliance Co., Ltd is the developing, researching and manufacturing base in the field of medical products which gets special supports from Europe. We commit to manufacture "class II" medical apparatus approved by State Drug Administration (CFDA).

We have dedicated to medical accessories product developing, researching and manufacturing for many years. We have 100,000 level purification workshops and arious advanced experimental equipments and detecting instruments and ultrasonic modeling machines.

Our existing products cover a wide product range including:

- Electrosurgical pencil(also called ESU pencil / Cautery pencil / Diathermy pencil), with or without holster
- Electrosurgical smoke evacuation pencil.
- Various electrosurgical electrodes ( PTFE electrodes, Leep electrodes, Tungsten Needle, extra long electrodes etc ) ,
- Electrosurgical pad, with or without assembled cable
- Various medical cables, such as cable for electrosurgical pad.
- Tip Cleaner (Tip cleaning sponge)
- Continuous Passive Motion machine (CPM machine) , for Kneed or Hand recovery after surgery operation.


Our products are sold to more than 500 hospitals in China.

The Quality Testing Center of our unit is supervision and testing institute authorized by Jinhua Technical Supervision Bureau. We have dedicated to electrosurgical accessories for 22 years, and have accumulated adequate experience. This assures that the test evaluation and analysis of our products and raw material are leading level in China all the time.

Our products actually are well sold in both domestic market and international market, our production capacity for electrosurgical pencil is 400,000pcs each month, and products are certificated with:

- CE, ISO9001, ISO13485 issued by TUV
- SFDA approved by Chinese Ministry of Health
- China Free Sales Certificate
- European Free Sales Certificate

Huatong has been holding the core values that quality is the life of an enterprise, which is guiding the whole process of R&D, manufacture and service, and serve the clients from around the world with international quality experience.



CE



ISO 13485



ISO 9001



## Electrosurgical Pencil



### Electrosurgical Pencil

Electrosurgical pencil HUATONG Brand

The HUATONG Single Use Electrosurgical Pencil is a high quality diathermy pencil.

The electrode is fitted with a hexagonal connection, securing the electrode in the required position.

It can be used with any electrosurgical generator available.

-Comfortable design and light weight

-Colour marked buttons

-Hexagonal electrode connection

-3 meter cable,  $\Phi 2.36$  mm electrode


-3 pin US-connector

Blade can be changed to different length



**HT-N1**

\* 301 501



**HT-N1-B**

\* 302 502



**HT-N1 Anti-slip**

\* 303 503



**HT-1**

\* 304 504

Model	HT-1	HT-N1	Package of each piece: Packed with 1 PE plastic bag + 1 medical paper pouch	
Length of handle	170mm	153mm		
Buttons shape	Oval	Round		
Length of blade:	70mm ( 40mm Exposed Length)		PACKAGE OF EACH CARTON	
Diameter of Blade:	2.36mm			
Length of cable:	10ft (3M)		QTY:	100pcs/box
Maximal output current:	1A		Size of box:	38*30*23cm
Frequency confine:	0-1.0MHZ		Gross weight:	7.7kg
Current resistance:	200 $\Omega$		Net weight:	7.0kg
Sterilized Method:	Sterile by EO	20FT Container can fit		100,000PCS
Term of sterility:	3 year	40FT Container can fit		240,000PCS

\* **Ordering Code:** 3 digits, the first digit means 3 or 5 meters cable.



***MONITORING YOUR LIFE***  
***WE DO CARE***

Shanghai Intco Electrode Manufacturing Co., Ltd.



**ECG Electrodes**  
[www.intcomedical.com](http://www.intcomedical.com)

# DISPOSABLE ECG ELECTRODE

**First** US Full automatic processing factory in China since 2004, with 100,000 class clean room.

**First** manufacturer approved by US FDA in China, and CE, ISO9001, ISO 13485, MDSAP

Comfortable and Convenient, no residual and non-irritable

Excellent adhesive from special gel formula

Different sizes and materials have been studied to meet the different requirements.



SF07



SF21



SF01



SF05



SF06



SF03



SF22



SF02



SF13



BA30

## Foam Stainless Steel Snap

Medical grade material is impervious to fluids, high tack medical grade adhesive is ideal for EMS and long term monitoring

### Recommended usage

ICU/CCU, Surgery, Emergency, Anesthesiology

Item#	Description	Packaging	Case Dimention
SF01	Child, Solid Gel, Oval, 36*44 mm	50/pk, 40pk/cs	48x36x28cm
SF40	Child/Adult, Solid Gel, Oval, 43*46 mm	50/pk, 40pk/cs	40x36x28cm
SF21	Pediatric, Solid Gel, Moon Shape, 40*21mm	50/pk, 40pk/cs	40x36x28cm
SF02	Adult, Solid Gel, With tab, 41*46 mm	50/pk, 40pk/cs	48x36x28cm
SF03	Adult, Solid Gel, With tab, 50*55 mm	50/pk, 40pk/cs	48x36x28cm
SF05	Adult, Solid Gel, Tear drop, 42*50 mm	50/pk, 40pk/cs	48x36x28cm
SF55	Child, Solid Gel, Tear drop, 38*35 mm	50/pk, 40pk/cs	40x36x28cm
SF07	Neonatal, Solid Gel, Round, Ø 25.4 mm	50/pk, 40pk/cs	40x36x28cm
SF68	Neonatal, Solid Gel, With tab, 25*31mm	50/pk, 40pk/cs	40x36x28cm
SF10	Universal, Solid Gel, Oval, 37*42mm	50/pk, 40pk/cs	40x36x28cm
SF11	Pediatric, Solid Gel, Round, Ø 30 mm	50/pk, 40pk/cs	40x36x28cm
SF33	Universal, Solid Gel, Oval, 42*35mm	50/pk, 40pk/cs	40x36x28cm
SF12	Universal, Solid Gel, Round, Ø 40 mm	50/pk, 40pk/cs	40x36x28cm
SF08	Adult, Solid Gel, Round, Ø 50 mm	50/pk, 40pk/cs	48x36x28cm
SF06	Adult, Solid Gel, Round, Ø 53mm	50/pk, 40pk/cs	48x36x28cm
SF70	Adult, Solid Gel, Round, Ø 55mm	50/pk, 40pk/cs	48x36x28cm
SF27	Adult, Solid Gel, Round, Ø 60 mm	50/pk, 40pk/cs	48x36x28cm
SF22	Universal, Solid Gel, Rectangle, 35*40 mm	50/pk, 40pk/cs	40x36x28cm
SF13	Adult/Child, Solid Gel, Rectangle, 36*55 mm	50/pk, 40pk/cs	48x36x28cm
SF28	Adult, Solid Gel, Rectangle, 44*61 mm	50/pk, 40pk/cs	48x36x28cm
BA30	With 4 mm banana plug, Rectangle, 35*47mm	50/pk, 40pk/cs	43x55x28cm

## Cloth Stainless Steel Snap

Soft and breathable cloth material, paticularly designed for sensitive skin.

### Recommended usage

ICU/CCU, Emergency, Long term

Item#	Description	Packaging	Case Dimention
SN01	Pediatric, Solid Gel, Oval, 36*44 mm	50/pk, 40pk/cs	40x36x28cm
SN02	Adult, Solid Gel, With tab, 41*46 mm	50/pk, 40pk/cs	40x36x28cm
SN03	Adult, Solid Gel, With tab, 50*55 mm	50/pk, 40pk/cs	40x36x28cm
SN05	Adult, Solid Gel, Tear drop, 42*50 mm	50/pk, 40pk/cs	40x36x28cm
SN06	Adult, Solid Gel, Round, Ø 55 mm	50/pk, 40pk/cs	40x36x28cm
SN11	Neonatal, Solid Gel, Roud, Ø 30 mm	50/pk, 40pk/cs	40x36x28cm
SN08	Adult, Solid Gel, Roud, Ø 50 mm	50/pk, 40pk/cs	40x36x28cm
SN31	Universal, Solid Gel, Oval, 43*47 mm	50/pk, 40pk/cs	40x36x28cm
SN45	Adult, Solid Gel, Square, Oval, 48*48 mm	50/pk, 40pk/cs	40x36x28cm

ALL THE ECG ELECTRODES ARE NON-IRRITATING; NON-SENSITIZING; NON-CYTOTOXIC; LATEX-FREE AND PVC—free  
US Automation Equipment, US Gel, US AG/AGCL Sensor. All INTCO electrodes meet the ANSI/AAMI standards.