



America

CERTIFICATE

The Certification Body of
TÜV SÜD AMERICA INC.

hereby certifies that

Bio-Techne Ltd
19 Barton Lane
Abingdon, OX14 3NB Great Britain

(see page 2 for additional locations)

Has implemented an Environmental Management in accordance with:

ISO 14001:2015

The scope of this Environmental Management includes:

Sales, Marketing, Purchasing, Order Processing,
Warehousing, Distribution and Customer Service
of Cell Biology Research Products and Instruments

Certificate Expiry Date: January 21, 2024

Certificate Registration No: 951 21 5291

Issue Date: January 22, 2021

Reissue Date: January 27, 2022



Greg Bates
Director Business Assurance America

Page 1 of 2





America

CERTIFICATE

Bio-Techne Ltd

19 Barton Lane
Abingdon, OX14 3NB Great Britain

Scope – Central Function, Sales, Marketing, Purchasing,
Order Processing, Warehousing, Distribution and Customer
Service of Cell Biology Research Products and Instruments

Bio-Techne GmbH

Borsigstrasse 7A
5205 – Wiesbaden Germany

Scope – Sales, Marketing, and Customer Service of
Cell Biology Research Products and Instruments

Bio-Techne Ltd

Unit F, Heathrow West Business Park
SL3 8XP – Langley United Kingdom

Scope – Order Processing, Warehousing, and Distribution
of Cell Biology Research Products and Instruments

Bio-techne SAS

19, Rue Louis Delourmel, CS 49228 Noyal Chatillon Sur Seiche
35230 - Rennes Cedex 9 France

Scope – Sales, Marketing, Purchasing, Order Processing, Warehousing,
Distribution and Customer Service of Cell Biology Research Products,
Instruments, IVD Controls and Calibrators

Certificate Expiry Date: January 21, 2024

Certificate Registration No: 951 21 5291

Issue Date: January 22, 2021

Reissue Date: January 27, 2022



Greg Bates

Greg Bates
Director Business Assurance America
Page 2 of 2





CERTIFICAT CERTIFICATE

125 DS 02 X
Ind 1 – Décembre 21



N° A768-NF EN ISO 13485 : 2016/A11 :2021

Nous certifions par la présente que le Système de Management de la société :
We hereby certify that the Management System of the company:

Bio-Techne SAS
19, RUE LOUIS DELOURMEL
35230 NOYAL-CHATILLON-SUR-SEICHE (FRANCE)

est conforme aux exigences de la norme suivante :
is in compliance with the requirements of the following standard:

NF EN ISO 13485 :2016/A11 :2021

Le domaine d'application du Système de Management est le suivant :
The scope of the Management System is:

**DISTRIBUTION DE DISPOSITIFS MEDICAUX DE DIAGNOSTIC IN
VITRO : PRODUITS DE CONTROLES, CALIBRANTS ET KITS REACTIFS**
*DISTRIBUTION OF IN VITRO DIAGNOSTIC MEDICAL DEVICES : CONTROLS,
CALIBRATORS AND REAGENTS KITS.*

Ce certificat demeurera en vigueur jusqu'à sa fin de validité à moins d'avis contraire, à condition que la mise en place et la conformité du Système du Management soient jugées satisfaisantes lors des audits de surveillance et que les conditions du contrat de AB Certification soient observées.

This certificate is valid until its expiry date unless further notice, provided that the compliance and implementation of the Management System are found to be satisfactory at follow-up audits and that AB Certification contract rules are fulfilled.

Fait à PARIS, le 18 juillet 2022
Signed in PARIS on the 18th of July 2022

Date de fin de validité : 26 septembre 2025
Expiry date : 26th of September 2025

Date initiale de Certification : 27 septembre 2016
Original Registration Date : 27th of September 2016


Le Représentant d'AB Certification
AB Certification Representative


Le Représentant de l'Entreprise
The Company Representative

**DECLARATION CE DE CONFORMITE**
*DECLARATION OF CE CONFORMITY***Le produit :***The product:***CBC-3D**

Sang de contrôle multiparamétrique permettant de vérifier l'exactitude et la précision des compteurs d'hématologie.

Multi-parameter control blood that allows verifying the accuracy and precision of hematology blood cell counters.

Fabricant :*Manufacturer :*

R&D Systems – a Bio-Techne brand
614 McKinley Place, N.E.
MINNEAPOLIS MN 55413
U.S.A.

Mandataire :*Authorized Representative :*

Bio-Techne
19 Rue Louis Delourmel
CS 49228 NOYAL CHATILLON SUR SEICHE
35092 RENNES CEDEX 9
FRANCE

est conforme à l'annexe III de la Directive Européenne 98/79/CE relative aux dispositifs médicaux de diagnostic in vitro.

is in conformity with the annex III of the European Directive 98/79/EC for in vitro diagnostic medical devices.

Rennes, le 24 Avril 2019

Rennes April 24th, 2019

Mme BETHUEL Corinne

Directrice Générale

Manager

Bio-Techne

Mandataire légal européen des produits d'hématologie R&D Systems.

European authorized representative of R&D Systems hematology product.

EUROCELL - A BIO-TECHNE BRAND
HEMATOLOGY SURVEY PRODUCTS
PLANNING / MASTER SCHEDULE 2023

N° de lot Lot Number	Produit Product	A commander avant le Order before	Date d'expédition Expedition date	Date d'expiration Expiration date
Survey CBC-3D				
B0223		23/09/2022	23/01/2023	05/05/2023
B0523		24/12/2022	24/04/2023	05/08/2023
B0823		24/03/2023	24/07/2023	05/11/2023
B1123		23/06/2023	23/10/2023	05/02/2024
Survey CBC-3K				
KK112		20/10/2022	20/02/2023	05/05/2023
KK113		24/12/2022	24/04/2023	05/07/2023
KK114		19/02/2023	19/06/2023	05/09/2023
KK115		21/04/2023	21/08/2023	05/11/2023
KK116		23/06/2023	23/10/2023	05/01/2024
KK117		18/08/2023	18/12/2023	05/03/2024
Survey 3K-Retic				
E0223		23/09/2022	23/01/2023	05/04/2023
E0423		20/11/2022	20/03/2023	05/06/2023
E0623		22/01/2023	22/05/2023	05/08/2023
E0823		24/03/2023	24/07/2023	05/10/2023
E1023		25/05/2023	25/09/2023	05/12/2023
E1223		20/07/2023	20/11/2023	05/02/2024
Survey CBC-5D				
871107/882107/863107		20/10/2022	20/02/2023	05/06/2023
871108/882108/863108		22/01/2023	22/05/2023	05/09/2023
871109/882109/863109		21/04/2023	21/08/2023	05/12/2023
871110/882110/863110		20/07/2023	20/11/2023	05/03/2024
Survey Advia Retic Plus				
AD1301/2/3		23/09/2022	23/01/2023	05/04/2023
AD1311/2/3		20/11/2022	20/03/2023	05/06/2023
AD1321/2/3		22/01/2023	22/05/2023	05/08/2023
AD1331/2/3		24/03/2023	24/07/2023	05/10/2023
AD1341/2/3		25/05/2023	25/09/2023	05/12/2023
AD1351/2/3		20/07/2023	20/11/2023	05/02/2024

N° de lot Lot Number	Produit Product	A commander avant le Order before	Date d'expédition Expedition date	Date d'expiration Expiration date
Survey Body Fluid-I				
BFI0323		20/10/2022	20/02/2023	05/05/2023
BFI0523		24/12/2022	24/04/2023	05/07/2023
BFI0723		19/02/2023	19/06/2023	05/09/2023
BFI0923		21/04/2023	21/08/2023	05/11/2023
BFI1123		23/06/2023	23/10/2023	05/01/2024
BFI0124		18/08/2023	18/12/2023	05/03/2024
Survey CBC-DH				
DH2303		20/10/2022	20/02/2023	05/05/2023
DH2305		24/12/2022	24/04/2023	05/07/2023
DH2307		19/02/2023	19/06/2023	05/09/2023
DH2309		21/04/2023	21/08/2023	05/11/2023
DH2311		23/06/2023	23/10/2023	05/01/2024
DH2401		18/08/2023	18/12/2023	05/03/2024
Survey DxH500 Control				
1451		23/09/2022	23/01/2023	05/04/2023
1461		20/10/2022	20/02/2023	05/05/2023
1471		20/11/2022	20/03/2023	05/06/2023
1481		24/12/2022	24/04/2023	05/07/2023
1491		22/01/2023	22/05/2023	05/08/2023
1501		19/02/2023	19/06/2023	05/09/2023
1511		24/03/2023	24/07/2023	05/10/2023
1521		21/04/2023	21/08/2023	05/11/2023
1531		25/05/2023	25/09/2023	05/12/2023
1541		23/06/2023	23/10/2023	05/01/2024
1551		20/07/2023	20/11/2023	05/02/2024
1561		18/08/2023	18/12/2023	05/03/2024

N° de lot Lot Number	Produit Product	A commander avant le Order before	Date d'expédition Expedition date	Date d'expiration Expiration date
Survey HGB Extended				
RH0223		23/09/2022	23/01/2023	05/02/2024
Survey Body Fluid-U				
UR0223		23/09/2022	23/01/2023	05/04/2023
UR0423		20/11/2022	20/03/2023	05/06/2023
UR0643		22/01/2023	22/05/2023	05/08/2023
UR0823		24/03/2023	24/07/2023	05/10/2023
UR1023		25/05/2023	25/09/2023	05/12/2023
UR1223		20/07/2023	20/11/2023	05/02/2024
Survey StatusFlow				
FC0223		23/09/2022	23/01/2023	05/03/2023
FC0323		20/10/2022	20/02/2023	05/04/2023
FC0423		20/11/2022	20/03/2023	05/05/2023
FC0523		24/12/2022	24/04/2023	05/06/2023
FC0623		22/01/2023	22/05/2023	05/07/2023
FC0723		19/02/2023	19/06/2023	05/08/2023
FC0823		24/03/2023	24/07/2023	05/09/2023
FC0923		21/04/2023	21/08/2023	05/10/2023
FC1023		25/05/2023	25/09/2023	05/11/2023
FC1123		23/06/2023	23/10/2023	05/12/2023
FC1223		20/07/2023	20/11/2023	05/01/2024
FC0124		18/08/2023	18/12/2023	05/02/2024
Survey Statusflow Low				
FC0223-4L		23/09/2022	23/01/2023	05/03/2023
FC0323-4L		20/10/2022	20/02/2023	05/04/2023
FC0423-4L		20/11/2022	20/03/2023	05/05/2023
FC0523-4L		24/12/2022	24/04/2023	05/06/2023
FC0623-4L		22/01/2023	22/05/2023	05/07/2023
FC0723-4L		19/02/2023	19/06/2023	05/08/2023
FC0823-4L		24/03/2023	24/07/2023	05/09/2023
FC0923-4L		21/04/2023	21/08/2023	05/10/2023
FC1023-4L		25/05/2023	25/09/2023	05/11/2023
FC1123-4L		23/06/2023	23/10/2023	05/12/2023
FC1223-4L		20/07/2023	20/11/2023	05/01/2024
FC0124-4L		18/08/2023	18/12/2023	05/02/2024

N° de lot Lot Number	Produit Product	A commander avant le Order before	Date d'expédition Expedition date	Date d'expiration Expiration date
Survey StatusFlow Pro				
FC0223-34		23/09/2022	23/01/2023	05/03/2023
FC0323-34		20/10/2022	20/02/2023	05/04/2023
FC0423-34		20/11/2022	20/03/2023	05/05/2023
FC0523-34		24/12/2022	24/04/2023	05/06/2023
FC0623-34		22/01/2023	22/05/2023	05/07/2023
FC0723-34		19/02/2023	19/06/2023	05/08/2023
FC0823-34		24/03/2023	24/07/2023	05/09/2023
FC0923-34		21/04/2023	21/08/2023	05/10/2023
FC1023-34		25/05/2023	25/09/2023	05/11/2023
FC1123-34		23/06/2023	23/10/2023	05/12/2023
FC1223-34		20/07/2023	20/11/2023	05/01/2024
FC0124-34		18/08/2023	18/12/2023	05/02/2024
Survey R&D Glu/Hgb				
GH0223		23/09/2022	23/01/2023	10/05/2023
GH0523		24/12/2022	24/04/2023	10/08/2023
GH0823		24/03/2023	24/07/2023	10/11/2023
GH1123		23/06/2023	23/10/2023	10/02/2024
Survey MALARIATrol				
MAL0323		20/10/2022	20/02/2023	05/06/2023
MAL0623		22/01/2023	22/05/2023	05/09/2023
MAL0923		21/04/2023	21/08/2023	05/12/2023
MAL1223		20/07/2023	20/11/2023	05/03/2024

N° de lot Lot Number	Produit Product	A commander avant le Order before	Date d'expédition Expedition date	Date d'expiration Expiration date
Survey NCAL-S				
NS 332		23/09/2022	23/01/2023	10/04/2023
NS 333		20/10/2022	20/02/2023	08/05/2023
NS 334		27/11/2022	27/03/2023	12/06/2023
NS 335		24/12/2022	24/04/2023	10/07/2023
NS 336		30/01/2023	30/05/2023	07/08/2023
NS 337		26/02/2023	26/06/2023	04/09/2023
NS 338		24/03/2023	24/07/2023	09/10/2023
NS 339		28/04/2023	28/08/2023	06/11/2023
NS 340		25/05/2023	25/09/2023	04/12/2023
NS 341		23/06/2023	23/10/2023	08/01/2024
NS 342		27/07/2023	27/11/2023	12/02/2024
NS 343		26/08/2023	26/12/2023	21/03/2024
Survey CBC-PIX				
PIX230405		23/09/2022	23/01/2023	05/04/2023
PIX230605		20/11/2022	20/03/2023	05/06/2023
PIX230805		22/01/2023	22/05/2023	05/08/2023
PIX231005		24/03/2023	24/07/2023	05/10/2023
PIX231205		25/05/2023	25/09/2023	05/12/2023
PIX240205		20/07/2023	20/11/2023	05/02/2024
Survey Retic-I				
IR0323		20/10/2022	20/02/2023	05/05/2023
IR0523		24/12/2022	24/04/2023	05/07/2023
IR0723		19/02/2023	19/06/2023	05/09/2023
IR0923		21/04/2023	21/08/2023	05/11/2023
IR1123		23/06/2023	23/10/2023	05/01/2024
IR0124		18/08/2023	18/12/2023	05/03/2024

N° de lot Lot Number	Produit Product	A commander avant le Order before	Date d'expédition Expedition date	Date d'expiration Expiration date
SICKLE QC SURVEY				
SC0223		23/09/2022	23/01/2023	05/08/2023
SC0523		24/12/2022	24/04/2023	05/11/2023
SC0823		24/03/2023	24/07/2023	05/02/2024
SC1123		23/06/2023	23/10/2023	05/05/2024
Survey SEDRite Plus				
SR0423E		20/11/2022	20/03/2023	05/07/2023
SR0723E		19/02/2023	19/06/2023	05/10/2023
SR1023E		25/05/2023	25/09/2023	05/01/2024
SR0124E		18/08/2023	18/12/2023	05/04/2024
Survey ESRA				
2303S		01/12/2022	26/02/2023	22/03/2023
2305S		01/02/2023	01/05/2023	24/05/2023
2308S		01/06/2023	27/08/2023	20/09/2023
2311S		01/08/2023	05/11/2023	29/11/2023
Survey CBC-SYS				
23030571/2/3		20/10/2022	20/02/2023	05/05/2023
23050571/2/3		24/12/2022	24/04/2023	05/07/2023
23070571/2/3		19/02/2023	19/06/2023	05/09/2023
23090571/2/3		21/04/2023	21/08/2023	05/11/2023
23110571/2/3		23/06/2023	23/10/2023	05/01/2024
24010571/2/3		18/08/2023	18/12/2023	05/03/2024
Survey CBC-TECH				
FE 6014/24/34		23/09/2022	23/01/2023	05/04/2023
AP 6114/24/34		20/11/2022	20/03/2023	05/06/2023
JE 6214/24/34		22/01/2023	22/05/2023	05/08/2023
AU 6314/24/34		24/03/2023	24/07/2023	05/10/2023
OC 6414/24/34		25/05/2023	25/09/2023	05/12/2023
DE 6514/24/34		20/07/2023	20/11/2023	05/02/2024
Survey CBC-XE				
23030801/2/3		20/10/2022	20/02/2023	05/05/2023
23050801/2/3		24/12/2022	24/04/2023	05/07/2023
23070801/2/3		19/02/2023	19/06/2023	05/09/2023
23090801/2/3		21/04/2023	21/08/2023	05/11/2023
23110801/2/3		23/06/2023	23/10/2023	05/01/2024
24010801/2/3		18/08/2023	18/12/2023	05/03/2024
Survey XERet Control				
33031001/2/3		20/10/2022	20/02/2023	05/05/2023
33051001/2/3		24/12/2022	24/04/2023	05/07/2023
33071001/2/3		19/02/2023	19/06/2023	05/09/2023
33091001/2/3		21/04/2023	21/08/2023	05/11/2023
33111001/2/3		23/06/2023	23/10/2023	05/01/2024
34011001/2/3		18/08/2023	18/12/2023	05/03/2024

Product Name: CBC-3D[®]

Reviewed on: 15 September 2015

1. Identification of Substance:

- **GHS product identifier:** CBC-3D[®]
- **Application of the substance / the preparation:** For in vitro diagnostic use.
- **Manufacturer/Supplier:**
Bio-techne/R&D SystemsTM
614 McKinley Place N.E.
Minneapolis, MN 55413 USA
1-800-343-7475
- **For product related questions call:** 1-800-343-7475. In Europe call: +44(0)1235-529449.
- **Emergency information:** In case of a chemical emergency, spill, fire, or exposure, call R&D Systems at (612) 379-2956 or (800)-343-7475. In Europe call +44(0)1235-529449.

2. Hazard Identification:

- **Classification:** This substance does not meet the classification criteria to be listed as a hazardous material according to the EC Directives 67/548/EEC, 1999/45/EC, 1272/2008. (EC) No. 1272/2008 [CLP/GHS]:
Contains Sodium Azide (less than 0.1%) – not a hazardous substance at this concentration.
- **Pictogram:** Not applicable.
- **Signal Word:** Not applicable.
- **Hazard statements:** Not applicable.
- **Precautionary statements:** Not applicable.
- **Response:** Not applicable.
- **Hazard Symbol / R-Phrase / S-Phrase:** Not applicable.
- **Label Elements:** Not applicable.
- **Special Hazards:** Not applicable.

3. Information on Ingredients:

- **Contains:** Sodium Azide

Contains	CAS No.	EC-No.	Index-No.	Content
Sodium Azide	26628-22-8	247-852-1	011-004-00-7	<0.1% Not hazardous at this concentration

4. First Aid Measures:

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly. Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water. Consult a doctor.
- **After swallowing:** Rinse mouth with water. Seek medical attention and appropriate follow-up.

5. Fire Fighting Measures:

- **Suitable extinguishing agents:** Use water spray or extinguishing measure that is appropriate to local circumstances and the surrounding environment.
- **Hazards from the substance or mixture:** Sodium oxides.
- **Special precautions for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
- **Other information:** This product does not burn.

Rev: 0

Page 1 of 4

biotechnne

bio-techne.com
info@bio-techne.com
techsupport@bio-techne.com

North America
TEL 800 343 7475

Europe • Middle East • Africa
TEL +44 (0) 1235 529449

China
info.cn@bio-techne.com
TEL +86 (21) 52380373

Rest of World
bio-techne.com/find-us/distributors
TEL +1 612 379 2956

Bio-Techne is a trading name for R&D Systems

Product Name: CBC-3D[®]

Reviewed on: 15 September 2015

6. Accidental Release Measures:

- **Person-related safety precautions:** Use standard laboratory practices and appropriate personal protective equipment to prevent contamination of skin, eyes and personal clothing. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
- **Measures for environmental protection:** Keep away from drains.
- **Measures for containment and cleaning:** Soak up with inert absorbent material and dispose of as per section 13. Keep in suitable, closed containers for disposal.
- **Additional information:** Not available.

7. Handling and Storage:

- **Precautions for safe handling:** Avoid inhalation of vapor or mist. Avoid contact with eyes and skin. No special precautions are necessary if used properly.
- **Conditions for safe storage:** Store in a cool, dry place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Do not store in incompatible containers.

8. Exposure Controls and Personal Protection:

- **Control parameters:** Not available.
- **Appropriate engineering controls:** Use with adequate ventilation including local extraction. Ensure that eyewash stations and safety showers are close to the workstation location. Follow standard laboratory practices.
- **Individual protection measures:** Wash hands thoroughly after handling chemical products and before eating, smoking or using the restroom. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
 - Eye/face protection:** Wear approved safety goggles.
 - Skin/hand protection:** Handle with protective gloves, plastic or rubber. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
 - Body protection:** Wear suitable protective clothing as protection against splashing or contamination.
 - Other skin protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved.
 - Respiratory protection:** In case of inadequate ventilation, use a suitable respirator. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. Physical and Chemical Properties:

▪ Appearance: Solid or liquid.	▪ Upper/lower flammability or explosive limits: Not available.
▪ Odor: Little to none.	▪ Vapor pressure/density: Not available.
▪ Odor threshold: Not available.	▪ Relative Density: Not available.
▪ pH: Not available.	▪ Solubility in/Miscibility with Water: Not available.
▪ Melting point/freezing point: Not available.	▪ Partition coefficient: n-octanol/water: Not available.
▪ Boiling point/Boiling range: Not available.	▪ Auto igniting: Product is not self-igniting.
▪ Flash point: Not available.	▪ Decomposition temperature: Not available.

Rev: 0

Page 2 of 4

biotechne

bio-techne.com
info@bio-techne.com
techsupport@bio-techne.com

North America
TEL 800 343 7475

Europe • Middle East • Africa
TEL +44 (0) 1235 529449

China
info.cn@bio-techne.com
TEL +86 (21) 52380373

Rest of World
bio-techne.com/find-us/distributors
TEL +1 612 379 2956

Bio-Techne is a trading name for R&D Systems

Product Name: CBC-3D[®]

Reviewed on: 15 September 2015

▪ Evaporation rate: Not available.	▪ Viscosity: Not available.
▪ Flammability: Not available.	

10. Stability and Reactivity:

- **Reactivity:** This product contains low concentrations of Sodium Azide <0.1% (w/w). Sodium Azide can form explosive compounds with heavy metals which, with repeated contact with lead and copper commonly found in plumbing drains may result in the buildup of shock sensitive compounds.
- **Chemical Stability:** Stable under normal ambient and storage and handling temperatures.
- **Thermal decomposition/conditions to be avoided:** No decomposition if used according to specifications.
- **Incompatible materials to be avoided:** Metals and metallic compounds.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11. Toxicological Information:

- **Acute toxicity:** Not available.
- **Skin corrosion/irritation:** Not available.
- **Serious eye damage/irritation:** Not available.
- **Respiratory or skin sensitization:** Not available.
- **Germ cell mutagenicity:** Not available.
- **Carcinogenicity:** IARC: Not available.
- **Reproductive toxicity:** Not available.
- **Specific target organ toxicity (STOT):** Not available.
- **Specific target organ toxicity (STOT) -repeated exposure:** Not available.
- **Aspiration hazard:** Not available.
- **Information on likely routes of exposure:** Routes of entry anticipated; oral, dermal, inhalation.
- **Symptoms related to the physical, chemical and toxicological characteristics:**
 - Inhalation:** Not available.
 - Ingestion:** Not available.
 - Skin contact:** Not available.
 - Eye contact:** Not available.
- **Delayed and immediate effects and also chronic effects from short and long term exposure:**
 - Short term exposure: Potential immediate effects:** Not available. **Potential delayed effects:** Not available.
 - Long term exposure: Potential immediate effects:** Not available. **Potential delayed effects:** Not available.
- **Numerical measures of toxicity:** Not available.
- **Other Information:** Not available.

12. Ecological Information:

- **Ecotoxicity:** Not available.
- **Biodegradability:** Not available.
- **Bioaccumulative potential:** Not available.
- **Mobility in soil:** Not available.
- **Other adverse effects:** Not available.

13. Disposal Considerations:

Rev: 0

Page 3 of 4

biotechne[®]

bio-techne.com
info@bio-techne.com
techsupport@bio-techne.com

North America
TEL 800 343 7475

Europe • Middle East • Africa
TEL +44 (0) 1235 529449

China
info.cn@bio-techne.com
TEL +86 (21) 52380373

Rest of World
bio-techne.com/find-us/distributors
TEL +1 612 379 2956

Bio-Techne is a trading name for R&D Systems

Product Name: CBC-3D®

Reviewed on: 15 September 2015

- **Disposal methods:** Dispose of waste in accordance to applicable national, regional, or local regulations.
- **Contaminated packaging:** Dispose in the same manner as unused product.
- **Special precautions:** Dispose of small amounts of spilled material as described in section 6. Large spills must be dealt with separately by qualified disposal personnel. Avoid dispersal of spilt material to soil, waterways, drains and sewers.

14. Transportation Information:

- **ADR/RID ADN/ADNR IMDG IATA/DOT:** Not applicable.
- **UN Number:** Not applicable.
- **DOT regulations:** Not applicable.
- **Hazard class:** Not applicable.
- **Land transport ADR/RID (cross-border):** Not applicable.
- **Maritime transport IMDG:** Not applicable.
- **Marine pollutant:** Not applicable.
- **Air transport ICAO-TI and IATA-DGR:** Not applicable.
- **Transport/Additional information:** Not applicable.

15. Regulations:

- **US Federal and State Regulations**
 - TSCA (Toxic Substances Control Act):** Not applicable.
 - SARA 313:** Not applicable.
 - SARA 311/312 Hazards:** Not applicable.
 - CERCLA Reportable Quantity:** Not applicable.
 - California Proposition 65:** WARNING: This product contains a chemical known to the State of California to cause cancer.
- **European Union**
 - This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

16. Other Information:

- **Notice to reader:** To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.