



Chemila, spol. s r.o., Za Dráhou 4386/3, Hodonín 69501, Phone +420518340919, chemila@chemila.cz
Chemical and Microbiological Laboratory, Testing Laboratory No. 1273 certified by Czech Accreditation Institute according to ČSN EN ISO/IEC 17025.

Copy No.: 1
Issue No.: 1

Test report No. S37/2018

DETERMINATION OF VIRUCIDAL ACTIVITY (EN 14476+A1) OF THE PRODUCT **MEDI SPRAY**

Sample ID: S37/2018
Sample name: **Medi Spray**
Client: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz, Poland
Producer: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz, Poland
Sampling point: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz, Poland

Page: 1
From pages: 4

Incoming date:
27.2.2018

Delivery date:
14.6.2018

Hodonín, 14.6.2018

Ing. Jana Štírová, Head of Laboratory



The report may be reproduced only as a whole, in parts only upon written permission of the laboratory. The test results relate only to the samples stated in the Test Report. The Lab does not take any guarantee for the identity of samples not taken by the lab personnel.

Description: *Testing the efficacy of chemical disinfectants and antiseptics*

Sample ID: S37/2018

Rep No: 32

Sample name: **Medi Spray**

Sampled: by client

Sampling point: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz

Client: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz, Poland

Sampling date: 21.2.2018

Sample delivered: 27.2.2018

Testing date: 5.4. – 13.4.2018

Delivered amount: 3 x 100 ml

Batch No: 180123_1

Page: 2

Subject of testing:

Determination of virucidal activity of the product.

Identification of the sample:

Name of the product:	Medi Spray
Batch number:	180123_1
Date of manufacture:	2018-01-23
Expiry date:	2021-01-23
Manufacturer:	Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz, Poland
Incoming date:	27.2.2018
Storage conditions:	at room temperature in dark
Active compounds and concentrations in 100 g:	
etanol – 63.7 g	
propan-2- ol 6.3 g	

Experiment conditions:

Testing of disinfecting efficiency of chemical disinfecting and antiseptic agents by suspension method SOP-M-19-00
(EN 14476:2013 +A1:2015)

Period of analysis:	5.4. – 13.4.2018
Test temperature:	20 °C ± 1 °C
Method of titration:	virus titration on monolayers of cells on microtitre plates
Appearance of the product:	colourless liquid
Test concentration:	100% (concentrated)*/**
Contact time:	30 s (0.5 min), 60 s (1 min)
Interfering substances:	0.3 g/l BSA (clean conditions) 3 g/l BSA and 3 ml/l sheep erythrocytes (dirty conditions)
Reference product:	Formaldehyde 36 – 38% solution p.a., CAS: 50-00-0, Batch No: K47740803613, expiry date: 31.3.2018
Test virus:	<i>BVDV</i> strain NADL ATCC-VR-534 (6 th passage)
Cell lines:	MDBK cells
Incubation:	36 °C ± 1 °C, 5 % CO ₂ , 96 h, and additional period of 96 hours. After incubation, the titre infectivity is calculated according to Spearman-Kärber method.

Preparation of the test

1. Determination of the number of the microorganisms CFU/ml in the product
2. Preparation of cell culture
3. Preparation of the test virus suspension
4. Test of viral infectivity
5. Virus titration with interfering substance
6. Cytotoxicity of the product
7. Reference virus inactivation test
8. Test procedure for virucidal activity of product

Note:

Virucidal activity – the capability of a product to produce a reduction in the number of infectious virus particles under defined conditions by at least a 4 lg reduction.

* Product can only be tested at a concentration of 80% or less, as some dilution is always produced by adding the test organisms and interfering substance.

** The test was performed by using MicroSpin™ S 400 HR

Description: Testing the efficacy of chemical disinfectants and antiseptics

Sample ID: S37/2018

Rep No: 32

Sample name: **Medi Spray**

Sampled: by client

Sampling point: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz

Client: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz, Poland

Sampling date: 21.2.2018

Sample delivered: 27.2.2018

Testing date: 5.4. – 13.4.2018

Delivered amount: 3 x 100 ml

Batch No: 180123_1

Page: 3

The standard:

EN 14476:2013 +A1:2015 Chemical disinfectants and antiseptics – Quantitative suspension test for the evaluation of virucidal activity in the medical area – Test method and requirements (Phase 2/Step 1) August 2013 + September 2015

The Number of CFU in the tested product: 0 CFU/ml

1. Testing the efficacy of chemical disinfectant **Medi Spray** on *BVDV* strain NADL ATCC-VR-534

Tab No. 1.1 Table of results of product **Medi Spray** on *BVDV* strain NADL ATCC-VR-534

Product	Concentration**	Interfering substances	Level of cytotoxicity	- log ₁₀ TCID ₅₀ after 0.5 min	- log ₁₀ TCID ₅₀ after 1 min	- log ₁₀ TCID ₅₀ after 5 min	- log ₁₀ TCID ₅₀ after 15 min
Medi Spray	100%*	clean	≤2.50	3.50	3.00	-	-
Medi Spray	100%*	dirty	-	3.50	3.00	-	-
Formaldehyde	0.7 % (w/v)	PBS	≤1.50	-	-	6.83	5.67
			Virus titration, time = 0				
Virus control	-	PBS	9.00	9.00	9.00	9.00	8.83
Virus control	-	clean	9.00	9.00	9.00	-	-
Virus control	-	dirty	8.83	8.83	8.83	-	-

Tab No. 1.2 Testing the efficacy of chemical disinfectant **Medi Spray** on *BVDV* strain NADL ATCC-VR-534

Test concentration**	Titre of the virus suspension - log ₁₀ TCID ₅₀	Interfering substances	Contact time	- log ₁₀ TCID ₅₀ after test procedure	Δlog ₁₀ TCID ₅₀
100%*	9.00	clean	0.5 min	3.50	5.50
100%*	8.83	dirty	0.5 min	3.50	5.33
100%*	9.00	clean	1 min	3.00	6.00
100%*	8.83	dirty	1 min	3.00	5.83

2. Evaluation of virucidal activity of the product **Medi Spray**

Tab No. 2.1 The efficacy of chemical disinfectant **Medi Spray** on test viruses – virucidal activity

Strain	Virucidal activity of the product (EN 14476:2013+A1:2015)					
	Test temperature [°C]	Contact time [s]	Product test concentrations [%]**	Interfering substances - conditions	Δlog ₁₀ TCID ₅₀ EN 14476:2013+ A1:2015	Δlog ₁₀ TCID ₅₀
<i>BVDV</i> strain NADL ATCC-VR-534	20	30	100*	clean	≥ 4	> 4
<i>BVDV</i> strain NADL ATCC-VR-534	20	30	100*	dirty	≥ 4	> 4
<i>BVDV</i> strain NADL ATCC-VR-534	20	60	100*	clean	≥ 4	> 4
<i>BVDV</i> strain NADL ATCC-VR-534	20	60	100*	dirty	≥ 4	> 4

Note:

TCID₅₀- 50% infecting dose of a virus suspension or that dilution of the virus suspension that induce a CPE in 50% of cell culture units

* Product can only be tested at a concentration of 80% or less, as some dilution is always produced by adding the test organisms and interfering substance.

** The test was performed by using MicroSpin™ S 400 HR

Prepared by: Bc. Iva Čížová, Lab Technician

Description: *Testing the efficacy of chemical disinfectants and antiseptics*

Sample ID: S37/2018
Rep No: 32
Sample name: **Medi Spray**
Sampled: by client
Sampling point: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz
Client: Medi-Sept Sp. z o.o., Konopnica 159c, 210 30 Motycz, Poland

Sampling date: 21.2.2018
Sample delivered: 27.2.2018
Testing date: 5.4. – 13.4.2018
Delivered amount: 3 x 100 ml
Batch No: 180123_1
Page: 4

Interpretation:

Results of tests are in Tabs.

The tested concentrated*/** product **Medi Spray**, batch No: 180123_1, in the contact times 30 s and 60 s under clean and dirty conditions at temperature $20\text{ }^{\circ}\text{C} \pm 1\text{ }^{\circ}\text{C}$ **proved** by the method of virus titration on monolayers of cells on microtitre plates to reduce the number of infectious *BVDV* strain NADL ATCC-VR-534 particles under defined conditions by at least a 4 lg reduction (EN 14476:2013+A1:2015).

* Product can only be tested at a concentration of 80% or less, as some dilution is always produced by adding the test organisms and interfering substance.

** The test was performed by using MicroSpin™ S 400 HR

Conclusion:

The product **Medi Spray** is capable of reducing the number of infectious *BVDV* particles under defined conditions to the declared values, and consequently, may be called virucidal on *BVDV*.

14.6.2017, Hodonín

Ing. Barbora Stoklasková, Leader of Study



Raw data – product **Medi Spray** tested against *BVDV* strain NADL ATCC-VR-534

Sample S37/2018, the test report S37/2018,

period of analysis: 5.4. – 13.4.2018

EN14476+A1: *BVDV* strain NADL ATCC-VR-534 - 6th passage, MDBK cells – 15th passage

the test conditions: 100%(80%), 30 and 60 s, clean and dirty conditions, 20 °C

Interfering substances: 0.3 g/l BSA (clean conditions)
3 g/l BSA and 3 ml/l sheep erythrocytes (dirty conditions)

Reference product: Formaldehyde 36 – 38% solution p.a., CAS: 50-00-0, Batch No: K47740803613, expiry date: 31.3.2018

Using Microspin

Product	Concentration	Interfering substance	Contact time	Dilution									
				2	3	4	5	6	7	8	9	10	
Medi Spray	100%(80%)	clean	30 s	n.a.	222 200	022 000	000 000	000 000	000 000	000 000	000 000	000 000	
Medi Spray	100%(80%)	dirty	30 s	n.a.	222 000	000 222	000 000	000 000	000 000	000 000	000 000	000 000	
Medi Spray	100%(80%)	clean	60 s	n.a.	022 200	000 000	000 000	000 000	000 000	000 000	000 000	000 000	
Medi Spray	100%(80%)	dirty	60 s	n.a.	222 000	000 000	000 000	000 000	000 000	000 000	000 000	000 000	
Medi Spray cytotoxicity	100%(80%)	clean	n.a.	n.a.	000 000	000 000	000 000	000 000	n.d. n.d.	n.d. n.d.	n.d. n.d.	n.d. n.d.	
Formaldehyde K47740803613 Exp: 31.3.2018	0.7 (w/v)	PBS	5 min	444 444	444 444	333 333	222 222	222 202	020 200	000 200	000 000	000 000	
			15 min	444 444	444 444	333 333	022 220	220 002	000 000	000 000	000 000	000 000	000 000
Formaldehyde cytotoxicity	0.7 (w/v)	PBS	n.a.	000 000	000 000	000 000	000 000	000 000	000 000	000 000	000 000	000 000	
Interference control	non-cytotoxic concentration	n.a.	n.a.	444 444	444 444	444 444	333 333	322 233	222 222	222 222	022 200	000 000	
				444 444	444 444	444 444	333 333	333 333	222 222	222 222	n.d. n.d.	n.d. n.d.	
Neutralization	100%(80%)	clean	n.a.	n.d. n.d.	n.d. n.d.	444 444	333 333	333 333	222 222	222 222	n.d. n.d.	n.d. n.d.	
Virus control	n.a.	PBS	0	444 444	444 444	444 444	333 333	333 333	222 222	222 222	000 222	000 000	
			5 min	444 444	444 444	444 444	333 333	323 333	222 222	222 222	200 022	000 000	
			15 min	444 444	444 444	444 444	333 333	333 332	222 222	222 222	200 020	000 000	
Virus control	n.a.	clean	0	444 444	444 444	444 444	333 333	333 333	222 222	222 222	222 000	000 000	
			30 s	444 444	444 444	444 444	333 333	322 333	222 222	222 222	002 220	000 000	
			60 s	444 444	444 444	444 444	333 333	333 322	222 222	222 222	000 222	000 000	
Virus control	n.a.	dirty	0	444 444	444 444	444 444	333 333	332 333	222 222	222 222	202 000	000 000	
			30 s	444 444	444 444	444 444	333 333	323 323	222 222	222 222	002 000	000 200	
			60 s	444 444	444 444	444 444	333 333	323 333	222 222	222 222	002 020	000 000	

n.a. – not available

n.d. – not done

Prepared by: Bc. Iva Čížová, Lab Technician
Controlled by: Ing. Barbora Stoklásková, Leader of Study