-------

# Powder dyes and stains

.........

In addition to ready-to-use reagents, powder dyes and stains used for preparation of staining solutions according to individual preferences are also available.

# Acridine Orange, C.I. 46005

Basic Orange 14. For staining acid mucopolysaccharides, apoptosis detection, differential staining of RNA and DNA.

25 g AO-P-25

## Alcian Blue 8 GX, C.I. 74240

Ingrain Blue 1, BSC certified. For staining acid mucopolysaccharides according to Scott, Mowry and Dorling.

5 g CA8GX-P-5 10 g CA8GX-P-10 25 g CA8GX-P-25

## **Alcian Green**

Ingrain Green 2. For staining cartilage, sulfated and carboxylated mucopolysaccharides.

10 g ALG-P-10

# Alcian Yellow, C.I. 12840

Ingrain Yellow 1. Used for distinguishing types of glycosaminoglycans and for detection of neurosecretory material.

10 g AY-P-10

## Amido Black 10B, C.I. 20470

Naphthol blue black, Acid Black 1. For collagen staining according to Van Gieson trichrome and for hemoglobin and hemosiderin staining according to Puchtler-Swear.

10 g AMB-P-10 25 g AMB-P-25

## Aniline Blue, C.I. 42780

Methyl Blue, Cotton Blue, Ink Blue, China blue, Acid Blue 93, BSC certified. For staining connective tissue using Mallory and Gomori trichrome methods.

25 g CAB-P-25

# Auramine O, C.I. 41000

Basic Yellow 2, BSC certified stain. For staining acid-fast bacteria.

25 g AU-P-25

## Azocarmine G, C.I. 50085

Rosinduline. For staining according to AZAN trichrome method according to Heidenhain.

5 g AZC-P-5

## Azophloxine, C.I. 18050

Red 2G, Acid red 1. For staining according to Masson trichrome methods (used instead of red Biebrich Scarlet and Fuchsin Acid stains).

5 g AZO-P-5 25 g AZO-P-25

## Azure A, C.I. 52005

Methylene Azure. For metachromatic staining of mast cells.

25 g AA-P-25

## Azure B, C.I. 52010

Azure I. For preparation of Romanowsky stains, for staining nuclei or nuclear components.

25 g AZB-P-25

## Azure C, C.I. 52002

Azure C blue. For staining cell nuclei and nuclear components, such as DNA.

25 g AC-P-25

#### Azure II

Azure II. For preparation of Romanowsky stains, made by mixing Azure B and Methylene Blue stains.

25 g A2-P-25